

# RIVERSIDE GP

American Drifting Challenge

# 500+



2023 Official  
*Rules & Regulations*

# Riverside Drift/GP \$50K Rules and Regulations - 2023

## 1. Competition Vehicles

### 1.1 Vehicle Classification

- A. Vehicles used for competition must be production vehicles utilizing the OEM unibody structure (i.e. must remain in factory frame configuration between front and rear strut towers/mounting locations)
- B. Trucks, Offroad Vehicles and Pickup Configurations are not permitted with the exception of Holden UTE

### 1.2 Vehicle Inspection

- A. Vehicle inspections will take place Friday of the event, Between the hours of 10AM-3PM EST prior to the start of Friday Practice sessions.
- B. It is the responsibility of the driver/team to bring the vehicle to the Technical Inspection Area, Riverside Drift Staff will not perform vehicle inspections outside of this designated location.
- C. Vehicles passing technical inspection must display Inspection Passed decal on Drivers side roll cage main hoop for the duration of the event.
- D. Only vehicles passing technical inspection prior to the start of practice sessions will be allowed to compete unless otherwise cleared with the event director.
- E. All further mechanical repairs following technical inspections must conform with Riverside Drift rulebook and Riverside Staff hold the right to re inspect the vehicle at any given time throughout the course of the event, including but not limited to conclusion of finals within 30 MIN. Any vehicle found to be outside of required guidelines will have their technical credential revoked and will be removed from competition.
- F. During technical inspection only one person from the given team is permitted to remain with the vehicle, this allows a streamlined and simplified inspection process.
- G. Riverside Drift technical inspectors may require removal of parts for inspection if it is required to complete a full inspection. This includes but is not limited to, wheels, body panels, suspension components etc.

### 1.3 Vehicle Operation

- A. The event coordinator, track marshal and technical inspector have the right to stop any vehicle if it is determined the action is needed by event staff.
- B. If the vehicle is stopped for a mid event inspection, the driver is expected to follow direction of event staff and wait in the paddock pending further action.

# Riverside Drift/GP \$50K Rules and Regulations - 2023

## 2. Vehicle Modification Limitations

### 2.1 Chassis Modifications

- A. The vehicles original frame and unibody must remain as delivered from factory between front and rear subframe mounting locations as well as strut upright mounting locations.
- B. The chassis and frame may be stitch welded or seam welded.
- C. Modifications of transmission tunnel are allowed to fit transmissions and driveline alterations.
- D. Mounting points for unused factory components may be removed including wiper mounting tabs/bosses, HVAC blower assembly mounting locations, unused interior trim etc.
- E. Air Jacks are permitted when AIR is used, gas filled prohibited.

### 2.2 Roll Cage

- A. The roll cage shall attach to the vehicle in 6 points - Englishtown New Jersey will require the 6 points to include main hoop, rear down tubes and front A pillar bars at minimum. Anti-Intrusion bars are recommended but not required.
- B. Gussets are allowed for reinforcement in A pillar, B pillar and roof areas only.
- C. No portion of the roll cage shall extend past the vehicle front firewall.
- D. Roll cages must include a dual bar door bar, this may be in either an X or "NASCAR"/ Ladder bar configuration. For ladder bar designs, 2 vertical connecting bars are required.
- E. Padding is required in any area that the drivers head may contact.
- F. Main Hoop section of roll cage shall be one continuous piece of tubing and have no evidence of fatigue, modification, joining or crimping due to bending which may weaken the bar and its effectiveness.

#### 2.2.1 Welding

- A. All welds will be visually inspected during vehicle technical inspection.
- B. Welds shall be continuous around the entire tube end and structure.
- C. Welds are not permitted to have any visual signs of cracking.
- D. All weld craters must be filled to prevent cracking during possible impact.
- E. Undercut must be under 1/16" if measured during inspection in a finished state.

## **Riverside Drift/GP \$50K Rules and Regulations - 2023**

- F. Minimum tubing size of 1.5"x.095" required.
- G. Each end of tubing making contact with vehicle chassis shall be attached to a mounting plate or box no thinner than 1/8" and be fully welded to vehicles chassis.
- H. Diagonal brace required to be installed in main hoop with contact point being within 6" of lower passenger side mounting point and within 6" of radius bend located by the drivers head at the upper most corner of the main hoop.
- I. Harness bar is required and shall reach both vertical legs, installed no higher than drivers shoulder belt mounting holes on the vertical seat back.
- J. 2 of the 6 points must be rearward supports reaching from the main hoop to the rear unibody frame structure, joining at the body with mounting plates.

### **2.3 Bumpers**

- A. All vehicles must be equipped with front and rear structurally safe bumpers. If not OEM these must be made of a mild/carbon steel or chromoly material.
- B. Bumper tubing must be between 1-1 3/4" and be hollow tubing.
- C. Bumpers must be mounted to both vehicle frame ends on the front and rear of vehicle. Sleeve tube with pin as well as bolt on are both acceptable means of fastening.
- D. Open ends of bumpers must be rounded or capped if exposed to limit piercing potential of another vehicle or track barrier in a collision.
- E. Bumpers and Bash Bars must fit behind vehicle body panels.

### **3. Suspension**

- A. Suspension adjustments including sway bar and dampening etc may be electronic or manual remote adjustment.
- B. If A applies to driver, adjustments must be done from a belted in position without removing restraints.
- C. Suspension pickup points must be free of tears and cracking.
- D. Modified suspension components including control arms, spindles/knuckles, struts, tie rods, hubs are allowed.
- E. All strut mounting bolts must be utilized in their designed locations in the body structure (offset tophats in use for angle kits/cooilovers are allowed).

#### **3.1 Steering**

- A. Steering component modifications are open regarding racks, tie rods, etc.

### **4. Brakes**

## **Riverside Drift/GP \$50K Rules and Regulations - 2023**

- A. Driver accessible brake bias is allowed.
- B. Only bias adjustment front to rear is allowed, no side to side bias adjustment is permitted.
- C. Foot Brake pedal must actuate all 4 wheel braking systems.
- D. E Brake must actuate rear calipers only.

### **5. Subframes**

- A. Subframes must be structurally sound and free of cracks and defects which could pose a danger to the driver as well as other participants.

### **6. Wheels**

- A. Bead Locks, Screws and other tire to wheel attachment devices are not permitted.
- B. The Space between the Wheel and the Tire must be filled with air only, no form of internal support is permitted.

### **7. Driveline**

#### **7.1 Engine**

- A. Engine modifications are open

#### **7.2 Cooling**

- A. Cooling modifications are open, however system MUST be free of any leaks.
- B. Automatic vehicle mounted sprayers are allowed, you may not have team members present at start line to spray cooling system.
- C. If cooling system components pass through the driver compartment all parts must be either hard plumbing or shielded to prevent rupture from spraying the occupants.
- D. Radiators mounted in the rear of the vehicle must be mounted in a manner that they can not move into the cockpit in a collision.
- E. Cooling systems must be filled with Water ONLY - "Keep Cool" and "Water Wetter" additives are allowed.
- F. All cooling components must be within the metal structure of the vehicle (behind lines of bumpers and frame structure) to prevent puncture. Skid Plates are allowed for protection.

#### **7.3 Oil System**

- A. Oil system modifications are open, however MUST be free of any leaks.

## Riverside Drift/GP \$50K Rules and Regulations - 2023

B. All oil system components must be within the vehicle structure in the same manner as stated in 7.2 - Cooling

### 7.4 Fuel System

- A. Design of fuel system is open.
- B. If the fuel tank is removed and relocated from its factory location, a fuel cell must be used.
- C. Floor Pan may be modified to fit fuel cell and fuel lines.
- D. Fuel may not leak on ANY track surface including but not limited to track, starting line and grid area.
- E. Fuel cell must be solid mounted using tabs, brackets, straps or through flange bolts.
- F. Fuel lines must be sufficiently attached to the vehicle chassis and engine where applicable. No contact with moving parts is allowed.
- G. No fuel lines are allowed inside the drivers compartment.

### 7.5 Nitrous

- A. Nitrous Oxide bottles must be securely mounted inside the body line and protected within the frame rails and bumper or bumper structure.
- B. All Nitrous bottles must be recertified every 5 years and stamped to indicate the last inspection date.
- C. All Nitrous bottle must be stamped with minimum DOT -1800 pound rating.  
The use of off the shelf manufactured bottle warmers is accepted. The use of any other method of externally heating nitrous bottles is not allowed.

### 7.6 Exhaust

**A. Exhaust modifications are open, however the Tech Official may reject design at discretion for safety related concerns.**

### 7.7 Starting

A. All vehicles must be equipped with self sufficient forms of starting, no bump starting/ roll starting.

### 7.8 Transmission

- A. All vehicles must be capable of moving under their own power in reverse.
- B. Transmission type is open, including sequential, h pattern dog box, factory or swapped transmission options. **HOWEVER, vehicles must be RWD only.**

## Riverside Drift/GP \$50K Rules and Regulations - 2023

### 8. Electrical

- A. Vehicle Battery must be securely mounted with the positive post covered.
- B. Batteries can be relocated and do not have to stay in factory locations.
- C. Plastic battery mounting solutions are not allowed.
- D. No bare wiring or loose hanging wiring is allowed in the engine compartment or under the vehicle.

### 9. Body Panels

- A. Body panels must be securely attached to the vehicle, in a manner which they may not separate under standard operating conditions.
- B. Overfenders are permitted and must be mounted via fastener (nutsert + hardware, rivets, etc.) no adhesive only mounting is allowed.
- C. Wings using standoffs must be mounted to the trunk and have one tether to the vehicle on each end of the deck portion of the spoiler.

### 10. Windshield/Windows

- A. Windshield must be either OEM glass or a lexan/polycarbonate
- B. Side and rear windows must be clear, wrapping windows a body color/graphic is not allowed.

### 11. Mirrors

- A. Vehicle is not required to have side view mirrors however it is encouraged.

### 12. Decals

- A. Riverside Drift Decals including a windshield banner and door placards on both vehicle doors are required from qualifying and forward to retain eligibility for payment. ANY driver not running required decals will not be paid for podium positions if achieved.
- B. Riverside Drift holds the right to have any decals covered or removed at their discretion.
- C. Technical inspection decals to remain on vehicle for the duration of the event.
- D. Participants may be required to carry event sponsor or contingency decals.

### 13. Towing

- A. Vehicle must have one tow point front and rear, either in a contrasting color or marked by "TOW"

## Riverside Drift/GP \$50K Rules and Regulations - 2023

### 14. Lights

- A. All factory headlights and taillights are required to be present and working for headlight, taillights and brake light functions - Brake lights must be brighter than running tail lights.
- B. The use of any device to change, modify or interrupt brake light function is not allowed.

### 15. Tires

- A. Tire width for 50K competition in 2023 is an unrestricted element - for those wishing for the grippiest tire compound you will find the Zeknova and Valino 08R have the highest torque data points.

## Drivers Safety Equipment

### 1. Helmets

- A. All occupants must wear a helmet during on-track sessions. Only helmets certified to meet the following standards are permitted:
  - a. Snell Memorial Foundation – SA2010, SA2010, SA2015, SA2020
  - b. SFI Foundation – Spec 31.2A
  - c. FIA 8860-2004, 8860-2001
- B. Full-faced helmets are required.
- C. Helmet visors must be closed during on-track sessions.
- D. Helmet chin straps must be buckled or fastened while on course.

### 2. Safety Belts

- A. All Participants must use a 4 point or greater harness.
- B. Harness points seal share a single release point.
- C. Frayed and cut webbing is not permitted.
- D. Bent and cracked hardware is not permitted.
- E. Lap belts must be mounted rearward of the pelvis.
- F. Lap Belts and shoulder belts must pass through belt bosses and mounting holes seat frame.
- G. When possible, belts shall be wrapped around roll structure using a 3 bar adjuster. If not able Grade 5 or better bolts and hardware must be used.

### 3. Seats

## **Riverside Drift/GP \$50K Rules and Regulations - 2023**

- A. Seats must include surrounded pass thru bosses for lap and shoulder belts.
- B. Seats must be mounted to factory locations with the exception of S Chassis cat hump removal as stated prior.
- C. Seats must be a one piece fixed back construction.
- D. Seats must be firmly mounted in such a way that they can not be moved in their bracketry.
- E. \*\*ENGLISHTOWN, NJ - OLD BRIDGE TOWNSHIP RACEWAY - HALO seats are required IF driver does not use a HANS device. Driver can chose between a HALO seat or HANS device but MUST use one or the other for the duration of practice and competition.

### **4. Apparel**

- A. FIA or SFI Shoes AND Gloves are required for any driver participating in competition for 2023.
- B. Drivers are required to wear corrective vision devices if prescribed, during any driving session. Contacts and Glasses both apply. Glasses must be of a shatter proof construction.

### **Competition Format and Process**

# Riverside Drift/GP \$50K Rules and Regulations - 2023

## 1. General Procedures

- A. A chicane shall be used to start for each and every battle as well as qualifying passes. The design of the chicane will be in a manner which requires the lead driver to momentarily lift off throttle.
- B. Initiation point is marked via 3, 2, 1 cones placed on the lefthand side of the run up near the track edge. Vehicles are to be initiated at an angle by the single cone, if failure to initiate by the cone occurs the run will be counted as an incomplete.
- C. Qualifying will occur to seed drivers into the head to head bracket. Qualifying procedures are outlined in Competition section 2.

## 2. Qualifying Procedures

- A. Qualifying runs consist of 2 non consecutive passes, in reverse alphabetical order of last name of registrant.
- B. Scoring will be broken down into 3 segments:

Line - 40 Points  
Angle - 30 Points  
Style - 30 Points  
Initiation - 10 Points  
Fluidity - 10 Points  
Commitment - 10 Points

## C. Judging Criteria

Drivers are expected to start with a committed, high angle initiation, drift through all of the outside zones and reach all of the inner clips with the maximum degree of angle and pace, while making quick, aggressive transitions with no corrections or mistakes. Driving at the high difficulty level described by the judges, the driver is showing their level of vehicle control.

Qualifying run will be scored, when the driver finish drifting in controlled way crossing a finish line. Drivers that do not fill the outside zones, reach inner clips, or do so at a low degree of angle while making mistakes or corrections will receive deductions.

### LINE (40 points)

Drivers will be judged on their ability to adhere to the line stipulated by the judges during the driver's briefing. Points will be allocated to outside zones and inner clips, but may also be allocated to "touch & go" areas. Line points will be broken up by sectors at each track.

### ANGLE (30 points)

Drivers will be judged on their ability to achieve and maintain a high level of angle with capability of gain or maintain speed outside of deceleration zones, as described by the judges during the driver's briefing. The judges may indicate on the track drawing areas where high angle is not required. Angle points will be broken up by sectors at each track.

## Riverside Drift/GP \$50K Rules and Regulations - 2023

### STYLE (30 points)

The judges score Style using the following areas of focus.

- INITIATION (10 points)
  - o Early – Initiation cones will be used for reference
  - o Rate to angle - Quickly getting to the desired angle
  - o Smooth - Reductions in angle and corrections
- FLUIDITY (10 points)
  - o Smooth rotation during transition
  - o Lock to lock angle - High degree of angle to high degree of angle
  - o Car is settled and flows through the course smoothly
- COMMITMENT (10 points)
  - o Consistent throttle application
  - o Maintaining pace throughout- using momentum to fill zones & width of course
  - o Approach barriers and track edge with confidence

### D. Deductions

Deductions include the following items:

Double initiation  
Tire off course  
Missing zones and clips  
Short Straightening (correction) Off line  
Lack of Angle

### E. Incompletes

If a driver does any of the following mistakes in a qualifying run, the driver will not receive a score for that run and therefore the run will be considered INCOMPLETE RUN

Spinning Out  
Opposite drift - Drifting with the opposite angle required at that point on course  
Stop drifting  
Two wheels of the marked track

### F. Tied Scoring Results

In the result of a tied score, the following will break down the tiers used to determine the higher qualifying driver

High Qualifying Score  
Low Qualifying Score  
HQS Line Score  
HQS Angle Score  
HQS Impact Score  
LQS Line Score  
LQS Angle Score  
LQS Impact Score

## Riverside Drift/GP \$50K Rules and Regulations - 2023

### 3. Tandem Competition Procedures

- A. The higher qualifying driver will be the lead position for the first of 2 battle runs.
- B. If a vehicle is unable to make it to the start line for battle, the opposing driver must complete a “full pull” bye run, this run is not judged and is used only to verify mechanical abilities of the vehicle.
- C. Any driver with a tire that has de-beaded on the course will not be able to leave the start line, and tires may not be changed in between runs of battle. If this results in a driver being unable to return to the start line the opposing driver will advance.
- D. Rear tires are required to make two consecutive runs, front tires may be replaced only due to collision damage if required to continue battle.
- E. Vehicles may not be touched or serviced between battle runs. Including tire pressure.
- F. Initiations may be either Side by Side or Single File and must be completed by both drivers when they pass the “1” cone.
- G. Payout for Tandem Competition will be pro-rated for events affected by low driver attendance in the following manner in order to ensure event moves on as scheduled and is not cancelled:
  - A. Driver fields UNDER 50 registered drivers will be paid out on a restricted breakdown of \$1,000 USD per driver under (46 drivers = \$46,000USD purse).
  - B. Driver fields UNDER 32 will result in a \$20,000 overall purse or pend cancellation if deemed necessary by Promoter Partners.
  - C. Driver fields FILLED to a Minimum of 69 Drivers ONE WEEK PRIOR to the events start will carry a round win bonus segment in TOP 32 - each driver advancing on from battle will receive \$50 USD through to the Final 4

#### 3.1 Protests

A. Protests do NOT exist at Riverside Drift, we stand behind our judges decisions as we select our judges confidently based off of experience and involvement in competition drifting. NO driver or team member is permitted to approach the judges booth or announcers booth during event operation. This allows us to run the show we do and provide THE ABSOLUTE MOST seat time you will ever get at this level, PERIOD. So again DO NOT ask, we have done this. It works. We don't want to see your cell phone video your buddy took from somewhere else on the track, in the pits etc. Our cameras are around the venue to provide all needed view points for judges.

#### 3.2 Tandem Judging Criteria

Judges are looking for the driver that performs better overall in the tandem battle competition. However, if the judges are unable to find a clear winner, a One More Time may be called. The Judges will watch both Run 1 and Run 2. They will also compare both lead runs and both chase runs and then determine which driver was the better overall driver once both runs have been completed. If the Judges cannot make a decision from the OMT both battles

## Riverside Drift/GP \$50K Rules and Regulations - 2023

will be compared from both sets of runs to determine a winner, there will not be more than ONE OMT per pair of drivers in any given segment of competition.

### Lead Driver

The lead driver is expected to do the following:

- Run on the qualifying line
- Run their best 100 Point qualifying run
- Run a chaseable lead run, not “parking” on inner points or sacrificing angle to run away from the chase.
- Accurately follow the accel/decel map provided

A Chaseable Lead Run will fill all zones, hit all inner clips while maintaining consistent speed and braking in the given areas. Giving the chase driver a fair opportunity to complete a good follow and maintain proximity with lead driver.

An Unchaseable Lead Run will include a wide range of errors from the lead driver, making it excessively difficult for the chase driver to complete a follow run given the circumstances provided by the lead driver.

### Chase Driver

Chase driver goals include but are not limited to the following:

- Initiate no later than the lead driver
- Maintain good proximity with the lead driver for the most time possible
- Match or better the lead drivers angle
- Mimic the transitions of the lead driver, completing them at the same time/location on the course.

Incomplete runs during tandem competition include Spinning, Stopping Drift, 2 wheels off of the marked track, Opposite drift (drifting with vehicle facing the opposite direction required for the course, hood or doors opening during the run, ANY collision with the other driver that is unsportsmanlike or considered avoidable, inactive chase from the chase driver following a large deficit from previous run of opposing driver, 3 failed attempts to clear the start chicane, performing an illegal pass (Incomplete for chase driver), and being passed legally (incomplete for lead driver).

Passes may be performed by the chase driver if ALL following items occur: the lead driver is off line or off course completely, the pass must be completed at an INNER clipping point, the pass must occur on the inside of the lead drivers vehicle and cannot occur on the outside line, the chase driver becomes the lead driver once completely past the lead drivers vehicle. If the pass is performed legally the chase driver will become the lead driver and must complete the run as such.

If a driver makes an error causing the opposing driver to incomplete, this can be called against the at fault driver (parking at an inner clip causing loss of drift for the chase driver, colliding with lead drivers vehicle in the chase position, etc.) and is at the final discretion of the judges.

### 3.3 Collisions

## Riverside Drift/GP \$50K Rules and Regulations - 2023

While collisions are an inherent possibility in drifting, the circumstances must be reviewed by the judges to determine correct outcomes. Criteria for collisions is as follows:

Lead Driver may not straighten, lose drift, go off line, reduce speed other than in correct areas, reduces speed too drastically, or over rotate to the point that a large decal or correction occurs. If any of these actions occur the lead driver could be deemed at fault.

Chase Driver contact of the Lead Driver while the Lead Driver is fulfilling their goal will result in an at fault decision against the chase driver.

If damage occurs as a result of the collision, the at fault driver must use their competition time out to repair damages. If the at fault driver is unable to repair the vehicle in the time allotted they will forfeit their run and the not at fault driver will continue. The driver deemed NOT at fault will be allowed 10 minutes to make repairs to their vehicle. If the driver who is not at fault must change tires in order to make repairs, the at fault driver may request to do the same at this time if they are using a 5 minute. Allowing both drivers to be at the same wear point and not have an advantage.

### 3.4 5 Minute Timeouts / Tire Changes

- A. When a driver/team calls to utilize a 5 minute timeout, the driver MUST pull to the box indicated by event staff during the drivers meeting (Location may vary depending on venue). A Riverside Drift official will meet you at this location to accompany the driver to their pit space.
- B. IF a driver proceeds past the box, or enters the pit paddock without an official present they will forfeit competition for the event. This allows us to ensure that ALL drivers are operating under the same constraints and ensures we are able to track timeouts effectively.
- C. ONLY the time called by the official will stand, and the driver/team will be notified of progress and counted down by the present official in their pit area.
- D. Tire changes must be done in a reasonable 5 minutes in order to continue run of show when a OMT call is made.
- E. If a de-bead occurs, the following will be applied:
  - A. If the effected driver is at independent fault for the action (dirt drop, collision etc.) the tire may ONLY be re seated if the driver uses a 5 minute call and MUST re seat the same tire on the vehicle.
  - B. If the effected driver was hit by another driver which caused the damages, the effected driver may repair as needed under their allowed 10 minute repair time given they other driver was assessed fault for the collision.

Any further questions not outlined in the above information may be directed to the Event Director at the event PRIOR to starting qualification.

Each driver must review the rulebook in its ENTIRETY, failure to do so may result in an unsound protest, inability to pass technical inspection, misconduct on track. Etc.