

劉碼輸入法

pqib kxhw eojb o whns

劉碼輸入法 v1.2+										
Q	W馬	E車	R金	T	Y	U系	I言	O食	P門	
、乙	、、	、丿	、丿	、一	丿一	丿丿	丿丿	丿、	丿乙	
A	S虫	D木	F竹	G	H	J足	K目	L手	:	
乙乙	乙、	乙丿	乙丿	乙一	一一	一丿	一丿	一、	;	
I	Z	X	C	V	B	N	M	<	>	
\		丿乙	丿、	丿丿	丿丿	丿一	一乙	,	.	

Initial Stroke:
、

Initial Stroke:
丿

劉碼輸入法 v1.2+

Q	W	E	R	T	Y	U	I	O	P
乙	、	丿	丿	一	一	丿	丿	、	乙
A	S	D	F	G	H	J	K	L	:
乙	、	丿	丿	一	一	丿	丿	、	;
I	Z	X	C	V	B	N	M	<	>
\		乙	、	丿	丿	一	乙	,	.

Initial Stroke:
乙

Initial Stroke:
丿

Initial Stroke:
一

三十二种汉字基本笔画表

	序号	笔画	名称	例字	序号	笔画	名称	例字
一	1	一	横	丛	17	ㄣ	横折折撇	及
	2	ㄟ	提	习	18	ㄣ	横折折折	凸
丨	3	丨	竖	十	19	ㄣ	横折折折钩	乃
	4	乚	竖钩	小	20	ㄣ	横撇弯钩	那
丿	5	丿	撇	八	21	ㄥ	竖提	长
丶	6	丶	点	立	22	ㄥ	竖弯	四
	7	㇏	捺	人	23	ㄥ	竖弯钩	儿
乙	8	㇀	横钩	买	24	ㄥ	竖折	山
	9	㇁	横撇	水	25	㇂	竖折折	鼎
	10	㇂	横折	口	26	㇂	竖折折钩	马
	11	㇃	横折钩	用	27	㇂	竖折撇	专
	12	㇄	横折提	认	28	㇃	撇折	云
	13	㇅	横折折	凹	29	㇃	撇点	女
	14	㇅	横折弯	没	30	㇄	弯钩	狗
	15	㇆	横折弯钩	九	31	㇅	斜钩	我
	16	㇇	横斜钩	飞	32	㇆	卧钩	心

Number of chinese characters: 28.318 Number of words: 179.753

Simplified words: 108004 Traditional words: 108233

Most common characters beyond the first 9 options:

Simplified (freq.: lingua.mtsu.edu):

jjuo 藥 3734	xhjo 嗟 5351
njuo 藥 3734	題 5105
ejoo 類 4915	kxho 破 5772
jhmo 長 4933	缺 5856
nhmo 長 4933	yhso 銀 5941
jnhoo 贖 5209	pxjg 鮪 5959
綦 5599	jnxn 難 5970

Traditional (freq.: technology.chtsai.org):

jjuo 藥 3572	njjh 药 5624
njuo 藥 3572	jjjh 药 5624
yveo 秝 5100	jjjn 董 5631
hnjo 礫 5135	njjn 董 5631
jnxo 鞅 5412	pxjn 鮪 5650
觀 5454 策 5879	jjgo 英 5661
kxho 饜 5477	xjgo 噴 5724
戛 5769	xhjo 瞞 5811
pxjh 鮒 5613	wjgo 潔 5821

Single character – 6 letter codes: write the first 10 strokes and the last 2 strokes.

If only 1 stroke is left, use the appropriate key that ends with a horizontal stroke.

If the character has too few strokes, add a "z" character at the end.

謝 THXKXC 錯 OHCYJH

的 UGKS 一 HZ 不 KCZ 了 FZ

Single character – 4 letter codes: write the first 6 strokes and the last 2.

If a character starts with one of these radicals: 虫 木 竹 足 目 扌 馬 車 金 糸 言 食 門
the corresponding key counts as the first 2 strokes.

蚬 SMVZ 棧 DMEE 策 FWGO

趾 JNND 眈 KKDT 搯 LEJH

謝 IUGC 錯 RJNH

的 UGKS 一 HZ 不 KCZ 了 FZ

Multicharacter combinations:

If a character starts with one of the radicals, the corresponding key counts as the first 2 strokes.

If a multicharacter combination contains a character that is not a Chinese character, such as “.” in “大卫·艾登堡”, then that character is written with the letter “z”.

If a character in a multicharacter combination is normally written with multiple letters, and there are not enough strokes, such as “一” in “不一样”, then you complete the code by writing “z” at the end.

Two characters: Write the first 2 and last 2 strokes for the first character,
and the first 4 and last 2 strokes of the last character.

The most common two character combinations can be written with the first three letters of the code.

你好 UODMN 我们 YOURG

你好 UOD 我们 YOU

Three characters: write the first 2 strokes from the first character, first 2 and last 2 strokes from the second character, and first 2 and last 2 strokes from the third character.

为什么 EUJPT 不一样 KHDJZ

Four characters: write the first 2 strokes from the first three characters, and the first 2 and last 2 strokes from the last character.

生日快乐 YXWPO

Five characters: write the first 2 strokes from each of the five characters.

中国共产党 XXJTC

More than five characters: write the first 2 strokes from each of the first five characters.

中华人民共和国 XUOGJ 大卫·艾登堡 KFZJS

Punctuation: punctuation and special characters, such as 。 , ○ 《》 「」 can be written by pressing “z”, “zx”, “zc”, “zv”, “zb” or “zn”, and then selecting from among the options.

Stoke data source and main single character source:
<https://github.com/stroke-input/stroke-input-data/>
version: v1.33.1 (2024-09-29) retrieved 2024-10-16
Compiled manually by Conway (@yawnoc).
Part of 'Conway Stroke Data',
Licensed under Creative Commons Attribution 4.0 International
(CC-BY-4.0)

IDS data source:
<https://github.com/cjkvi/cjkvi-ids/blob/master/ids.txt>
retrieved 2024-09-08
Copyright (c) 2014-2017 CJKVI Database
Based on CHISE IDS Database
<https://github.com/cjkvi/cjkvi-ids/blob/master/ids.txt>

Multi-character word vocabulary source:
CC-CEDICT - release: 2024-10-16 06:08:17 GMT
Number of entries: 122652
<https://www.mdbg.net/chinese/dictionary?page=cedict>

Frequency data source - single characters:

simplified:
<https://lingua.mtsu.edu/chinese-computing/statistics/char/list.php?Which=MO>
Data last updated 最近更新: 2004-03-30

traditional:
<http://technology.chtsai.org/charfreq/sorted.html>
Updated: 2005-08-03

Frequency data source - multi-character words:

simplified:
The Beijing Language and Culture University corpus of 15 billion characters.
It's based on news (人民日报 1946-2018, 人民日报海外版 2000-2018), literature (books by 472 authors, including a significant portion of non-Chinese writers), non-fiction books, blog and weibo entries as well as classical Chinese.
retrieved 2024-10-04
<https://www.plecoforums.com/threads/word-frequency-list-based-on-a-15-billion-character-corpus-bcc-blcu-chinese-corpus.5859/>

traditional:
List by K. J. Chen and the CKIP Group of the Academia Sinica
Full list contains 10,000 highest frequency Mandarin words that are used in Taiwan."
retrieved 2024-10-04:
https://en.wiktionary.org/wiki/Appendix:Mandarin_Frequency_lists

U+4E79 軋	122511125
U+4E7A 𨇗	(1513 3351 4513)33125
U+4E7B 𨇘	(4135 4153)(31 34)445
U+4E7C 𨇙	441411215
U+4E7D 𨇚	12132511(4)5

U+24C0E 𠂇	𠂇	𠂇享庸
U+24C0F 𠂈	𠂈	𠂈甬甬花
U+24C10 𠂉	𠂉	𠂉业爾甫
U+24C11 𠂊	𠂊	𠂊本口𠂊月𠂊𠂊用
凡		
U+24C12 𠂋	𠂋	𠂋人𠂋𠂋口 𠂋

坍方 坍方 [tan1 fang1] /to
collapse/landslide/
坎坎 [kan3] /pit/threshold/one of the
Eight Trigrams 八卦[ba1 gua4],
symbolizing water/☵/

1 的 7922684 4.094325317834
de/di2/di4 (possessive particle)/of,
really and truly, aim/clear
2 一 3050722 5.670893097424
yi1 one/1/single/a(n)

的	6538132	8
是	3200626	9
不	2831612	4

第	2002074595
的	943370349
了	255733044
...	
家研发型	25
广州市宝生园有限公司	25
王乐云	25
河北移动通信有限责任公司	25
赤崖堡村	25

|一|一|yī|det.: one {{audio|cmn|Zh-yī.ogg|yī}}
|在|在|zài|in, at, on, etc. {{audio|cmn|Zh-zài.ogg|zài}}
|有|有|yǒu|have, possess