

Null Functions:

1. Salary with default 0

```
SELECT employee_id, name, IFNULL(salary, 0)
AS salary_with_default
FROM Employees;
```

employee_id	name	salary_with_default
1	Alice	5000
2	Bob	0
3	Charlie	7000
4	Dana	0

2. Department or "Not Assigned"

```
SELECT employee_id, name, IFNULL(department,
'Not Assigned') AS department_name
FROM Employees;
```

employee_id	name	department_name
1	Alice	HR
2	Bob	IT
3	Charlie	Not Assigned
4	Dana	Finance

3. Orders with Null customer_id

```
SELECT order_id, customer_id
FROM Orders
WHERE ISNULL(customer_id);
```

order-id customer-id
103 NULL

4. Delivery Status

```
SELECT order-id, customer-id,  
IFNULL(delivery-date, 'Pending') AS  
delivery-status  
FROM Orders;
```

order-id	customer-id	delivery-status
101	201	2024-12-01
102	202	Pending
103	NULL	2024-12-03

5. Student grades (NULL → 0)

```
SELECT student-id, name, IFNULL  
SELECT student-id, name, IFNULL(grade, 0)  
AS final-grade  
FROM Students;
```

student-id	Name	final-grade
1	Ethan	85
2	Maya	0
3	Olivia	90

6. Count ungraded students

```
SELECT COUNT(*) AS not-graded-count
FROM Students
WHERE grade IS NULL;
```

not-graded-count
1

7. Final price after discount

```
SELECT product-id, name, price-IFNULL(discount,
0) AS final-price
FROM Products;
```

Product-id	name	final-price
501	keyboard	25
502	Mouse	10
503	Monitor	100

8. Customer with no email

```
SELECT COUNT(*) AS missing-email-count
FROM Customer
WHERE email IS NULL;
```

missing-email-count
2

9. Email or "No Email"

```
SELECT customer-id, name, IFNULL(email,  
'No Email') AS email-display  
FROM Customers;
```

customer-id	name	email-display
1	Linda	No Email
2	Joseph	joseph@mail.com
3	Mia	No Email

10. Payment method or "Unknown"

```
SELECT payment-id, IFNULL(method, 'Unknown')  
AS method-display, status  
FROM Payments;
```

payment-id	method-display	status
301	Credit	NULL
302	PayPal	Success
303	Unknown	Failed

11. Inventory quantity

```
SELECT item-id, item-name, IFNULL(quantity, 0)  
AS quantity-checked  
FROM Inventory;
```

item-id	item_name	quantity_checked
1	Pen	0
2	Notebook	150
3	Eraser	0

12. First available reward

```
SELECT emp-id, COALESCE(bonus, comission)
first-available-reward
FROM Employees-Extra;
```

emp-id	first-available-reward
1	300
2	100
3	NULL

13. Classes without a room

```
SELECT COUNT(*) AS no-room-count
FROM Classes
WHERE room IS NULL;
```

no-room-count
2

14. Attendance Status

```
SELECT student-id, date, IFNULL(status,
'Not Marked') AS attendance-status
FROM Attendance;
```

Student-id	date	attendance-status
1	2025-04-01	Not Marked
2	2025-04-01	Present
3	2025-04-01	Absent

15. Bank accounts

```

SELECT account-id,
       IFNULL(account-type, 'Unknown') AS
       type-display,
       IFNULL(balance, 0) AS balance-checked
FROM Bank-Accounts;

```

account-id	type-display	balance-checked
A1	Saving	0
A2	Current	5000
A3	Unknown	2000

16. Project start date

```

SELECT project-id, title

```

16. Project start date

```
SELECT project_id, title, IFNULL(start_date  
'TBD') AS start_display  
FROM Projects;
```

project_id	title	Start_display
1	Website Revamp	2025-01-10
2	Mobile App	TBD
3	Data Migration	TBD

17. Reviews

```
SELECT review_id, product_id, IFNULL(comment,  
'No Comment') AS comment_display,  
IFNULL(rating, 0) AS rating_display
```

review_id	product_id	comment_display	rating_display
1	S01	Great product	4
2	S02	No comment	0
3	S03	Works fine	3

18. Supplier Contact

```
SELECT supplier_id, name  
COALESCE
```

18. Supplier Contact

```
SELECT supplier-id, name,  
       COALESCE(phone, alt-phone, 'No Contact')  
       AS Contact-number  
FROM Suppliers;
```

Supplier-id	name	contact-number
1	Global Goods	123456789
2	Best Supplies	987654321
3	ValueSource	No Contract

19. User Settings defaults

```
SELECT user-id,  
       IFNULL(theme, 'Light') AS theme-set,  
       IFNULL(language, 'English') AS  
       language-set,  
       IFNULL(timezone, 'UTC') AS timezone-set  
FROM User-Settings;
```

userid	theme-set	language-set	timezone-set
1	Light	English	UTC
2	Light Dark	English	UTC +1
3	Light	English	UTC

20. Maintenance log

```
SELECT record-id, machine-id  
      IFNULL(issue, 'Unknown Issue')  
      AS issue-log,  
      IFNULL(technician, 'Not Assigned')  
      AS technician-name  
FROM Maintenance;
```

record-id	machine-id	issue-log	technician-name
1	M101	Overheating	Not Assigned
2	M102	Unknown Issue	Not Assigned
3	M103	Jammed	Alex