

Main Diagram

Table /	Table Activity		
ldx	Name	Data Type	
* Pk	ActivityId	uniqueidentifier	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	CreationDate	datetime	
*	MainProcess	nvarchar(500) COLLATE Latin1_General_CI_AS	
*	SubProcess	nvarchar(500) COLLATE Latin1_General_CI_AS	
*	Description	nvarchar(4000) COLLATE Latin1_General_CI_AS	
Indexes			
Type	Name	On	
Pk	PK_Activity	ActivityId	

Table	AdfsAppUser	
ldx	Name	Data Type
* Pk	AdfsAppUserId	uniqueidentifier
*	FirstName	nvarchar(150) COLLATE Latin1_General_CI_AS
	LastName	nvarchar(150) COLLATE Latin1_General_CI_AS
* Unq	Email	nvarchar(250) COLLATE Latin1_General_CI_AS DEFAULT "
	Domain	nvarchar(150) COLLATE Latin1_General_CI_AS
	Organization	nvarchar(150) COLLATE Latin1_General_CI_AS
	WindowsAccountName	nvarchar(150) COLLATE Latin1_General_CI_AS
	Title	nvarchar(150) COLLATE Latin1_General_CI_AS
	UserType	nvarchar(150) COLLATE Latin1_General_CI_AS
*	AcceptedLegalDocuments	bit DEFAULT '0'
*	CreatedDate	datetime
Indexes	3	
Type	Name	On
Pk	PK_AdfsAppUser	AdfsAppUserId
Unq	CK_AdfsAppUser Email	Email

Table Alert		
ldx	Name	Data Type
*	AlertId	uniqueidentifier
*	LegalEntityId	uniqueidentifier
*	AlertType	int
*	AppliesTo	int
*	Message	nvarchar(max) COLLATE Latin1_General_CI_AS
*	EffectiveDate	datetime
*	DueDate	datetime
*	IsComplete	bit
Foreign Keys		
Туре	Name	On
	FK_Alert_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)	

Table AppRole		
ldx	Name	Data Type
* Pk	AppRoleId	uniqueidentifier

Table .	Table AppRole		
*	Name	nvarchar(150) COLLATE Latin1_General_CI_AS	
	Description	nvarchar(max) COLLATE Latin1_General_CI_AS	
*	RoleValue	int	
	DiasCode	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	IsClientRole	bit	
*	CanSeeAllClients	bit	
*	IsCountrySpecific	bit	
*	isPredefined	bit	
*	CanChangeLegalEntityVisibility	bit DEFAULT 0	
Indexes			
Type	Name	On	

AppRoleId

Pk	PK_AppRole	

ldx	Name	Data Type
* Pk	AppRoleHistoryId	uniqueidentifier
	AppRoleId	uniqueidentifier
*	Name	nvarchar(150) COLLATE Latin1_General_CI_AS
	Description	nvarchar(max) COLLATE Latin1_General_CI_AS
*	RoleValue	int
	DiasCode	nvarchar(50) COLLATE Latin1_General_CI_AS
*	IsClientRole	bit
t	CanSeeAllClients	bit

* IsCountrySpecific bit

* isPredefined bit

* EffectiveDate datetime

* Username nchar(100) COLLATE Latin1_General_CI_AS

* HistoryGroupId uniqueidentifier
* CanChangeLegalEntityVisibility bit DEFAULT 0

Indexes

Type Name On

Pk PK_AppRoleHistory AppRoleHistoryId

Foreign Keys

Table AppRoleMenuItem

Type Name On

FK_AppRoleHistory_AppRole (AppRoleId) ref AppRole (AppRoleId)

ldx	Name	Data Type
* Pk	AppRoleMenuItemId	uniqueidentifier
*	AppRoleId	uniqueidentifier
*	MenultemId	uniqueidentifier
Indexes		
Туре	Name	On
Pk	PK_AppRoleMenuItem	AppRoleMenuItemId
Foreign Keys		

Type Name On

FK_AppRoleMenuItem_AppRole (AppRoleId) ref AppRole (AppRoleId)

FK_AppRoleMenuItem_MenuItem (MenuItemId) ref MenuItem (MenuItemId)

Table AppRoleMenuItemHistory			
ldx	Name	Data Type	
* Pk	AppRoleMenuItemHistoryId	uniqueidentifier	
*	AppRoleId	uniqueidentifier	
*	MenultemId	uniqueidentifier	
*	EffectiveDate	datetime	
*	UserName	nvarchar(100) COLLATE Latin1_General_CI_AS	
*	HistoryGroupId	uniqueidentifier	
*	IsStaffed	bit	
Indexes			
Type	Name	On	
Pk	PK_AppRoleMenuItemHistory	AppRoleMenuItemHistoryId	
Foreign Keys			
Туре	Name	On	
	FK_AppRoleMenuItemHistory_AppRole (AppRoleId) ref AppRole (AppRoleId)		
	FK_AppRoleMenuItemHistory_MenuItem (MenuItemId) ref MenuItem (MenuItemId)		
	FK_AppRolewenuitemHistory_wenuitem (wenuitemia) ref wenuitem (Menuitemia)		

Table	Table AppRoleMenuItem_bkp		
ldx	Name	Data Type	
* Pk	AppRoleMenuItemId	uniqueidentifier	
*	AppRoleId	uniqueidentifier	
*	MenultemId	uniqueidentifier	
Indexes			
Туре	Name	On	
Pk	PK_AppRoleMenuItem_bkp	AppRoleMenuItemId	

Table	Table AppUser		
ldx	Name	Data Type	
* Pk	AppUserId	uniqueidentifier	
	Countryld	uniqueidentifier	
*	Domain	nvarchar(150) COLLATE Latin1_General_CI_AS	
	ClientId	uniqueidentifier	
* Unq	Email	nvarchar(250) COLLATE Latin1_General_CI_AS DEFAULT "	
*	Username	nvarchar(500) COLLATE Latin1_General_CI_AS	
*	Firstname	nvarchar(150) COLLATE Latin1_General_CI_AS	
*	Lastname	nvarchar(150) COLLATE Latin1_General_CI_AS	
*	Active	bit	
*	AcceptedLegalDocuments	bit DEFAULT '0'	
*	IsSuperUser	bit DEFAULT '0'	
	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS	
Indexes			
Туре	Name	On	
Pk	PK_AppUser	AppUserId	
Unq	CK_AppUser Email	Email	
Foreign Keys			
Туре	Name	On	
	FK_AppUser_Client (ClientId) ref Client (ClientId)		

Table AppUserClient		
ldx	Name	Data Type
* Pk	AppUserClientId	uniqueidentifier
*	AppUserId	uniqueidentifier
*	ClientId	uniqueidentifier
*	CanSeeAllLegalEntities	bit DEFAULT '0'
Indexes		
Type	Name	On
Pk	PK_AppUserClient	AppUserClientId
Foreign Keys		
Type	Name	On
	FK_AppUserClient_AppUser (AppUserId) ref AppUser (AppUserId)	
	FK_AppUserClient_Client (ClientId) ref Client (ClientId)	

ldx	Name	Data Type
* Pk	AppUserClientHistoryId	uniqueidentifier
*	AppUserId	uniqueidentifier
*	ClientId	uniqueidentifier
*	EffectiveDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
*	IsStaffed	bit DEFAULT '0'
*	CanSeeAllLegalEntities	bit DEFAULT '0'
Indexes		
Туре	Name	On
Pk	PK_AppUserClientHistory	AppUserClientHistoryId
Foreign Keys		
Туре	Name On	
	FK_AppUserClient_AppUserHistory (AppUserId) ref AppUser (AppUserId)	
	FK_AppUserClient_ClientHistory (ClientId) ref Client (ClientId)	

Table AppUserHistory		
ldx	Name	Data Type
* Pk	AppUserHistoryId	uniqueidentifier
	AppUserId	uniqueidentifier
	Countryld	uniqueidentifier
*	Domain	nvarchar(150) COLLATE Latin1_General_CI_AS
	ClientId	uniqueidentifier
*	Email	nvarchar(250) COLLATE Latin1_General_CI_AS DEFAULT "
*	Username	nvarchar(500) COLLATE Latin1_General_CI_AS
*	Firstname	nvarchar(150) COLLATE Latin1_General_CI_AS
*	Lastname	nvarchar(150) COLLATE Latin1_General_CI_AS
*	Active	bit
*	AcceptedLegalDocuments	bit DEFAULT '0'
*	EffectiveDate	datetime
*	ChangeUser	nchar(100) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS

Table AppUserHistory				
Indexes				
Type	Name	On		
Pk	PK_AppUserHistory	AppUserHistoryId		
Foreign Keys				
Type	Name	On		
	FK_AppUserHistory_AppUser (AppUserId) ref AppUser (AppUserId)			
	FK_AppUserHistory_Client (ClientId) ref Client (ClientId)			

Table AppUserLegalEntity			
ldx	Name	Data Type	
* Pk	AppUserLegalEntityId	uniqueidentifier	
*	AppUserId	uniqueidentifier	
*	LegalEntityId	uniqueidentifier	
Indexes			
Type	Name	On	
Pk	PK_AppUserLegalEntityId	AppUserLegalEntityId	
Foreign Keys			
Type	Name	On	
	FK_AppUserLegalEntity_AppUser (AppUserId) ref AppUser (AppUserId)		
	FK_AppUserLegalEntity_LegalEntity(LegalEntityId)ref LegalEntity(LegalEntityId)		

Table	Table AppUserLegalEntityHistory			
ldx	Name	Data Type		
* Pk	AppUserLegalEntityHistoryId	uniqueidentifier		
*	AppUserId	uniqueidentifier		
*	LegalEntityId	uniqueidentifier		
*	IsStaffed	bit DEFAULT '0'		
*	EffectiveDate	datetime		
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS		
Indexes				
Type	Name	On		
Pk	PK_AppUserLegalEntityHistoryId	AppUserLegalEntityHistoryId		
Foreign Keys				
Type	Name	On		
	FK_AppUserLegalEntityHistory_AppUser (AppUserId) ref AppUser (AppUserId)			
	FK_AppUserLegalEntityHistory_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)			

Table .	Table AppUserRole		
ldx	Name	Data Type	
* Pk	AppUserRoleId	uniqueidentifier	
*	AppUserId	uniqueidentifier	
*	AppRoleId	uniqueidentifier	
Indexes			
Туре	Name	On	
Pk	PK_AppUserRole	AppUserRoleId	
Foreign Keys			
Type	Name	On	

FK_AppUserRole_AppRole (AppRoleId) ref AppRole (AppRoleId)

Table AppUserRole

FK_AppUserRole_AppUser (AppUserId) ref AppUser (AppUserId)

Table AppUserRoleHistory		
ldx	Name	Data Type
* Pk	AppUserRoleHistoryId	uniqueidentifier
*	AppUserHistoryId	uniqueidentifier
*	AppUserId	uniqueidentifier
*	AppRoleId	uniqueidentifier
Indexes		
Type	Name	On
Pk	PK_AppUserRoleHistory	AppUserRoleHistoryId
Foreign Keys		
Type	Name	On
	FK_AppUserRoleHistory_AppRole (AppRoleId) ref AppRole (AppRoleId)	
	FK_AppUserRoleHistory_AppUser (AppUserId) ref AppUser (AppUserId)	

Table	Auditor		
ldx	Name	Data Type	
* Pk	Auditorld	uniqueidentifier	
*	Firstname	nvarchar(50) COLLATE Latin1_General_CI_AS	
	Lastname	nvarchar(50) COLLATE Latin1_General_CI_AS	
	RegistrationNumber	nvarchar(250) COLLATE Latin1_General_CI_AS	
	AuditorFirmId	uniqueidentifier	
*	IsDeleted	bit DEFAULT 0	
	DeletedBy	nvarchar(50) COLLATE Latin1_General_CI_AS	
	DeletionDate	datetime	
Indexes			
Туре	Name	On	
Pk	PK_Auditor_1	Auditorld	
Foreign Keys			
Туре	Name	On	
	FK_Auditor_AuditorFirm (AuditorFirmId) ref AuditorFirm (Au	ditorFirmId)	

Table AuditorFirm			
ldx	Name	Data Type	
* Pk	AuditorFirmId	uniqueidentifier	
*	Name	nvarchar(500) COLLATE Latin1_General_CI_AS	
	RegistrationNumber	nvarchar(250) COLLATE Latin1_General_CI_AS	
	Countryld	uniqueidentifier	
*	IsDeleted	bit DEFAULT 0	
	DeletedBy	nvarchar(50) COLLATE Latin1_General_CI_AS	
	DeletionDate	datetime	
	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS	
Indexes			
Туре	Name	On	
Pk	PK_AuditorFirm	AuditorFirmId	

A E E	AuditorFirmInformationId AuditorFirmId EffectiveDate ExpirationDate	uniqueidentifier uniqueidentifier datetime	
E	EffectiveDate	·	
E		datetime	
	ExpirationDate		
	r	datetime	
	JserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
·	HistoryGroupId	uniqueidentifier	
· N	Name	nvarchar(500) COLLATE Latin1_General_CI_AS	
	Street	nvarchar(500) COLLATE Latin1_General_CI_AS	
·	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS	
·	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS	
, Z	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS	
· (City	nvarchar(250) COLLATE Latin1_General_CI_AS	
C	Countryld	uniqueidentifier	
F	RegistrationNumber	nvarchar(250) COLLATE Latin1_General_CI_AS	
C	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS	
ndexes			
Гуре М	Name	On	
Pk F	PK_AuditorFirmInformation	AuditorFirmInformationId	
Foreign Keys			
Гуре М	Name	On	
F	FK_AuditorFirmInformation_AuditorFirm (AuditorFirmId) ref AuditorFirm (AuditorFirmId)		

	AuditorInformation	D. C. T.	
dx	Name	Data Type	
* Pk	AuditorInformationId	uniqueidentifier	
*	Auditorld	uniqueidentifier	
*	EffectiveDate	datetime	
	ExpirationDate	datetime	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	HistoryGroupId	uniqueidentifier	
*	Firstname	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	Lastname	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	Street	nvarchar(500) COLLATE Latin1_General_CI_AS	
*	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	City	nvarchar(250) COLLATE Latin1_General_CI_AS	
	Countryld	uniqueidentifier	
	AuditorFirmId	uniqueidentifier	
*	Remuneration	decimal(18,2)	
	RegistrationNumber	nvarchar(250) COLLATE Latin1_General_CI_AS	
*	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "	
Indexe	3		
Туре	Name	On	
Pk	PK_Auditor	AuditorInformationId	
Foreign Keys			

On

Type

Name

Table AuditorInformation

FK_AuditorInformation_Auditor (AuditorId) ref Auditor (AuditorId)

FK_AuditorInformation_AuditorFirm (AuditorFirmId) ref AuditorFirm (AuditorFirmId)

Table	Table AuditorLegalEntity		
ldx	Name	Data Type	
* Pk	AuditorLegalEntityId	uniqueidentifier	
*	Auditorld	uniqueidentifier	
*	LegalEntityId	uniqueidentifier	
Indexes			
Type	Name	On	
Pk	PK_AuditorLegalEntity	AuditorLegalEntityId	
Foreign Keys			
Type	Name	On	
	FK_AuditorLegalEntity_Auditor (AuditorId) ref Auditor (AuditorId)		
	FK_AuditorLegalEntity_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)		

Table	Table BeneficialOwnershipCategory		
ldx	Name	Data Type	
* Pk	BeneficialOwnershipCategoryId	uniqueidentifier	
*	Name	nvarchar(100) COLLATE Latin1_General_CI_AS	
	Countryld	uniqueidentifier	
*	SortIndex	int	
*	IsDeleted	bit DEFAULT 0	
	DeletedBy	nvarchar(50) COLLATE Latin1_General_CI_AS	
	DeletionDate	datetime	
*	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "	
Indexes			
Type	Name	On	
Pk	PK_Benefici0EB6D7ED914F4FA9	BeneficialOwnershipCategoryId	

ldx	Name	Data Type
* Pk	BeneficialOwnershipCategoryFieldId	uniqueidentifier
*	BeneficialOwnershipCategoryId	uniqueidentifier
*	Name	nvarchar(100) COLLATE Latin1_General_CI_AS
*	SortIndex	int
*	DataType	int
*	IsDeleted	bit DEFAULT 0
	DeletedBy	nvarchar(50) COLLATE Latin1_General_CI_AS
	DeletionDate	datetime
Indexes		
Туре	Name	On
Pk	PK_Benefici0549BD7AE6F99B9D	BeneficialOwnershipCategoryFieldId
Foreign Keys		
Туре	Name	On
FK_BeneficialOwnershipCategoryField_BeneficialOwnershipCategory (BeneficialOwnershipCategoryId) ref BeneficialOwnershipCategory (BeneficialOwnershipCategoryId)		Category (BeneficialOwnershipCategoryId) ref

Table BeneficialOwnershipCategoryFieldHistory			
ldx	Name	Data Type	
* Pk	BeneficialOwnershipCategoryFieldHistoryId	uniqueidentifier	
*	BeneficialOwnershipCategoryId	uniqueidentifier	
*	Name	nvarchar(100) COLLATE Latin1_General_CI_AS	
*	SortIndex	int	
*	DataType	int	
*	EffectiveDate	datetime	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	HistoryGroupId	uniqueidentifier	
Indexes			
Type	Name	On	
Pk	PK_Benefici67D14E35D850C2E8	BeneficialOwnershipCategoryFieldHistoryId	
Foreign	Keys		
Type	Name	On	
	FK_BeneficialOwnershipCategoryFieldHistory_BeneficialOwnershipCategory (BeneficialOwnershipCategoryId) ref BeneficialOwnershipCategory (BeneficialOwnershipCategoryId)		
	FK_BeneficialOwnershipCategoryFieldHistory_BeneficialOwnershipCategoryField (HistoryGroupId) ref BeneficialOwnershipCategoryField (BeneficialOwnershipCategoryFieldId)		

Table BeneficialOwnershipCategoryHistory			
ldx	Name	Data Type	
* Pk	BeneficialOwnershipCategoryHistoryId	uniqueidentifier	
*	Name	nvarchar(100) COLLATE Latin1_General_CI_AS	
	Countryld	uniqueidentifier	
*	SortIndex	int	
*	EffectiveDate	datetime	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	HistoryGroupId	uniqueidentifier	
*	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "	
Indexes			
Туре	Name	On	
Pk	PK_Benefici64A245E2CE9A8EDF	BeneficialOwnershipCategoryHistoryId	
Foreign Keys			
Туре	Name	On	
	FK_BeneficialOwnershipCategoryHistory_BeneficialOwnershipCategory (HistoryGroupId) ref BeneficialOwnershipCategory (BeneficialOwnershipCategoryId)		

Table BeneficialOwnershipType		
ldx	Name	Data Type
* Pk	BeneficialOwnershipTypeId	uniqueidentifier
*	Name	nvarchar(100) COLLATE Latin1_General_CI_AS
	Countryld	uniqueidentifier
*	SortIndex	int
*	IsDeleted	bit DEFAULT 0
	DeletedBy	nvarchar(50) COLLATE Latin1_General_CI_AS
	DeletionDate	datetime
*	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "
Indexes		
Туре	Name	On

Table	Table BeneficialOwnershipType				
Pk	PK_Benefici_DDF18D3E1847945F	BeneficialOwnershipTypeId			
Table	BeneficialOwnershipTypeHistory				
ldx	Name	Data Type			
* Pk	BeneficialOwnershipTypeHistoryId	uniqueidentifier			
*	Name	nvarchar(100) COLLATE Latin1_General_CI_AS			
	Countryld	uniqueidentifier			
*	SortIndex	int			
*	EffectiveDate	datetime			
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS			
*	HistoryGroupId	uniqueidentifier			
*	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "			
Indexe	s				
Туре	Name	On			
Pk	PKBeneficiEBC253045820858E	BeneficialOwnershipTypeHistoryId			
Foreign Keys					
Type	Name	On			

Table Blob		
ldx	Name	Data Type
* Pk	BlobId	uniqueidentifier
*	FileLength	int
*	BinaryContent	image
*	CreationDate	datetime
*	UserName	nvarchar(250) COLLATE Latin1_General_CI_AS
	FileName	nvarchar(500) COLLATE Latin1_General_CI_AS
	FileType	nvarchar(500) COLLATE Latin1_General_CI_AS
Indexes		
Туре	Name	On
Pk	PK_Blob	BlobId

 $\label{thm:condition} FK_BeneficialOwnershipType \ (\ HistoryGroupId\)\ ref\ BeneficialOwnershipType \ (\ HistoryGroupId\)\ ref\ Ref\ (\ HistoryGroupId\)\ ref\ Ref\ (\ HistoryGroupId\)\$

Table	Charge	
ldx	Name	Data Type
* Pk	Chargeld	uniqueidentifier DEFAULT newid()
*	LegalEntityId	uniqueidentifier
	Туре	smallint
	Details	nvarchar(250) COLLATE Latin1_General_CI_AS DEFAULT "
	Name	nvarchar(250) COLLATE Latin1_General_CI_AS DEFAULT "
	ChargeeName	nvarchar(250) COLLATE Latin1_General_CI_AS DEFAULT "
	Amount	nvarchar(250) COLLATE Latin1_General_CI_AS DEFAULT "
	Terms	nvarchar(max) COLLATE Latin1_General_CI_AS DEFAULT "
	CessationDate	date
	StartDate	date DEFAULT getdate()
Indexe	S	
Туре	Name	On
Pk	PKCharge17FC361B9FD60C04	Chargeld

Table Charge

Foreign Keys

Type Name On

FK_Charge_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)

Table (Table ChargeHistory			
ldx	Name	Data Type		
* Pk	ld	uniqueidentifier DEFAULT newid()		
*	LegalEntityId	uniqueidentifier		
	Туре	smallint		
	Details	nvarchar(250) COLLATE Latin1_General_CI_AS DEFAULT "		
	Name	nvarchar(250) COLLATE Latin1_General_CI_AS DEFAULT "		
	ChargeeName	nvarchar(250) COLLATE Latin1_General_CI_AS DEFAULT "		
	Amount	nvarchar(250) COLLATE Latin1_General_CI_AS DEFAULT "		
	Terms	nvarchar(max) COLLATE Latin1_General_CI_AS DEFAULT "		
	CessationDate	date		
	EffectiveDate	datetime		
	ExpirationDate	datetime		
	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS		
	HistoryGroupId	uniqueidentifier		
*	StartDate	date DEFAULT getdate()		
Indexes				
Type	Name	On		
Pk	PKChargeHi3214EC07BD3AF347	Id		
Foreign Keys				
Type	Name	On		
	FK_ChargeHistory_Charge (HistoryGroupId) ref Charge (Ch	argeld)		
	FK_ChargeHistory_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)			

Table	Table Client		
ldx	Name	Data Type	
* Pk	ClientId	uniqueidentifier	
*	Name	nvarchar(250) COLLATE Latin1_General_CI_AS	
*	DiasCode	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT "	
	Countryld	uniqueidentifier	
	WBSNumber	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	IsVisible	bit	
	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS	
Indexes			
Type	Name	On	
Pk	PK_Client	ClientId	

Table	Table ClientDiagram		
ldx	Name	Data Type	
* Pk	ClientDiagramId	uniqueidentifier	
*	ClientId	uniqueidentifier	
*	DiagramName	nvarchar(100) COLLATE Latin1_General_CI_AS	
*	DiagramHTML	nvarchar(max) COLLATE Latin1_General_CI_AS	
*	CreatedBy	nvarchar(50) COLLATE Latin1_General_CI_AS	

Table ClientDiagram		
*	DateCreated	datetime
*	IsDeleted	bit DEFAULT '0'
	DeletionDate	datetime
	DeletedBy	nvarchar(50) COLLATE Latin1_General_CI_AS
	LastUpdatedBy	nvarchar(50) COLLATE Latin1_General_CI_AS
	LastUpdatedDate	datetime
Indexes		
Type	Name	On
Pk	PK_ClientDiagram	ClientDiagramId
Foreign Keys		
Type	Name	On
	FK_ClientDiagram_Client (ClientId) ref Client (ClientId)	

Table	ClientInformation	
ldx	Name	Data Type
* Pk	ClientInformationId	uniqueidentifier
*	ClientId	uniqueidentifier
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
*	Name	nvarchar(250) COLLATE Latin1_General_CI_AS
*	Street	nvarchar(500) COLLATE Latin1_General_CI_AS
*	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
*	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
*	City	nvarchar(250) COLLATE Latin1_General_CI_AS
	Countryld	uniqueidentifier
	WBSNumber	nvarchar(50) COLLATE Latin1_General_CI_AS
*	IsVisible	bit DEFAULT '0'
*	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "
Indexes	3	
Type	Name	On
Pk	PK_ClientInformation	ClientInformationId
Foreign	Keys	
Type	Name	On
	FK_ClientInformation_Client (ClientId) ref Client (ClientId)	

Table ClientSignatureSelection		
ldx	Name	Data Type
* Pk	ClientSignatureSelectionId	uniqueidentifier
*	ClientId	uniqueidentifier
*	RequireESignature	bit DEFAULT 0
*	ProviderType	int DEFAULT 0
Indexes		
Type	Name	On
Pk	PKClientSiCD50ED4918AD0E75	ClientSignatureSelectionId
Foreign Keys		

Table ClientSignatureSelection

Type Name On

FK_ClientSignatureSelection_Client (ClientId) ref Client (ClientId)

Table Clie	entSignatureSe	electionInformatio	n
I able olle	on itolynatureoc	Journal III II of that	/ 1

ldx	Name	Data Type
* Pk	ClientSignatureSelectionInformationId	uniqueidentifier
*	ClientSignatureSelectionId	uniqueidentifier
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	HistoryGroupId	uniqueidentifier
*	RequireESignature	bit DEFAULT 0
*	ProviderType	int DEFAULT 0
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
Indove		

Indexes

On Type Name

Pk PK__ClientSi__31C82CA9B499EC17 ClientSignatureSelectionInformationId

Foreign Keys

Type On Name

> ${\sf FK_ClientSignatureSelectionInformation_ClientSignatureSelection}\ (\ {\sf ClientSignatureSelectionInformation_ClientSignatureSelection_ClientSignatureSele$ ClientSignatureSelectionId)

Table ClientVisibilityInformation

ldx	Name	Data Type
* Pk	ClientVisibilityInformationId	uniqueidentifier
*	ClientId	uniqueidentifier
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	HistoryGroupId	uniqueidentifier
*	IsVisible	bit DEFAULT '0'
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
Indexes		
Туре	Name	On
Pk	PKClientVi59000D62AB3B676C	ClientVisibilityInformationId

Table CompanyBoard

ldx	Name	Data Type
* Pk	CompanyBoardId	uniqueidentifier
*	LegalEntityId	uniqueidentifier
*	Countryld	uniqueidentifier
	SalutationTitleId	uniqueidentifier
*	Туре	int
*	LegalType	int
	LegalName	nvarchar(250) COLLATE Latin1_General_CI_AS
	FirstName	nvarchar(250) COLLATE Latin1_General_CI_AS
	LastName	nvarchar(50) COLLATE Latin1_General_CI_AS
	Chairman	bit
	Street	nvarchar(250) COLLATE Latin1_General_CI_AS
	City	nvarchar(250) COLLATE Latin1_General_CI_AS

Table CompanyBoard			
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS	
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS	
	HouseNrsuffix	nvarchar(50) COLLATE Latin1_General_CI_AS	
	DateOfBirth	date	
	PowerOfRepresentation	int	
	Excemption	int	
	DateOfAppointment	date	
	DateOfResignation	date	
	Term	date	
	Remuneration	bit	
*	EffectiveDate	datetime	
	ExpirationDate	datetime	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	HistoryGroupId	uniqueidentifier	
Indexes			
Туре	Name	On	
Pk	PK_CompanyBoard	CompanyBoardId	
Foreign Keys			
Туре	Name	On	
	FK_CompanyBoard_LegalEntity (LegalEntityId) ref LegalEntity	ity (LegalEntityId)	
	FK_CompanyBoard_Title (SalutationTitleId) ref SalutationTitle (Id)		

Table Country			
ldx	Name	Data Type	
* Pk	Countryld	uniqueidentifier	
* Unq	Code	nvarchar(50) COLLATE Latin1_General_CI_AS	
* Unq	Name	nvarchar(250) COLLATE Latin1_General_CI_AS	
*	Nationality	nvarchar(250) COLLATE Latin1_General_CI_AS	
*	Currencyld	uniqueidentifier	
	DutchTranslation	nvarchar(250) COLLATE Latin1_General_CI_AS	
	FrenchTranslation	nvarchar(250) COLLATE Latin1_General_CI_AS	
*	IsEu	bit DEFAULT 1	
*	IsDefault	bit	
*	Region	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT "	
Indexes	3		
Туре	Name	On	
Pk	PK_Country	Countryld	
Unq	UC_Country	Name, Code	

Table CountryFieldDefinition		
ldx	Name	Data Type
* Pk	CountryFieldDefinitionId	uniqueidentifier
*	Name	nvarchar(100) COLLATE Latin1_General_CI_AS
	Countryld	uniqueidentifier
*	IsVisible	bit
*	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "
Indexes		
Туре	Name	On

			Ph 21 141
I able i	COLIDAN		Liatinition
I abic v	Souliti	vi iciu	Definition

Pk PK_CountryFieldDefinition CountryFieldDefinitionId

Table CountryFieldDefinitionCategory		
ldx	Name	Data Type
* Pk	CountryFieldDefinitionCategoryId	uniqueidentifier
*	Name	nvarchar(50) COLLATE Latin1_General_CI_AS
*	ElementId	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Туре	int
*	SortIndex	int
Indexes		
Туре	Name	On
Pk	PK_CountryFieldCategoryId	CountryFieldDefinitionCategoryId

Table CountryFieldDefinitionDropDown			
ldx	Name	Data Type	
* Pk	CountryFieldDefinitionDropDownId	uniqueidentifier	
*	CountryFieldDefinitionId	uniqueidentifier	
*	OptionId	int	
*	DisplayValue	nvarchar(100) COLLATE Latin1_General_CI_AS	
*	SortIndex	int	
*	EffectiveDate	datetime	
	ExpirationDate	datetime	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	HistoryGroupId	uniqueidentifier	
Indexes			
Туре	Name	On	
Pk	PK_CountryFieldDefinitionDropDown	CountryFieldDefinitionDropDownId	
Foreign Keys			
Туре	Name	On	
	$\label{lem:countryFieldDefinitionDropDownCountryFieldDefinition (CountryFieldDefinitionId)} In the CountryFieldDefinition (CountryFieldDefinitionId) and the CountryFieldDefinitionId (CountryFieldDefinitionId). The CountryFieldDefinition (CountryFieldDefinitionId) are consistent to the CountryFieldDefinition (CountryFieldDefinitionId). The CountryFieldDefinition (CountryFieldDefinitionId) are countryFieldDefinition (CountryFieldDefinitionId). The CountryFieldDefinition (CountryFieldDefinitionId) are countryFieldDefinition (CountryFieldDefinitionId). The CountryFieldDefinition (CountryFieldDefinitionId) are countryFieldDefinitionId (CountryFieldDefinitionId). The CountryFieldDefinitionId (CountryFieldDefinitionId) are countryFieldDefinitionId (CountryFieldDefinitionId). The CountryFieldDefinitionId (CountryFieldDefinitionId) are consistent for the CountryFieldDefinitionId (CountryFieldDefinitionId). The CountryFieldDefinitionId (CountryFieldDefinitionId) are consistent for the Coun$		

Table CountryFieldDefinitionInformation		
ldx	Name	Data Type
* Pk	CountryFieldDefinitionInformationId	uniqueidentifier
*	CountryFieldDefinitionId	uniqueidentifier
*	Name	nvarchar(100) COLLATE Latin1_General_CI_AS
*	DisplayValue	nvarchar(100) COLLATE Latin1_General_CI_AS
*	Туре	int
*	SortIndex	int
*	DataType	int
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
	CountryFieldDefinitionCategoryId	uniqueidentifier
*	IncludedInReportGeneration	bit DEFAULT '0'
*	IsVisible	bit DEFAULT '0'

Table CountryFieldDefinitionInformation			
	RecurringDueDateType	int	
Indexes	Indexes		
Туре	Name	On	
Pk	PK_CountryFieldDefinitionId	CountryFieldDefinitionInformationId	
Foreign Keys			
Type	Name	On	
	FK_CountryFieldDefinitionInformation_CountryFieldCategory (CountryFieldDefinitionCategoryId) ref CountryFieldDefinitionCategory (CountryFieldDefinitionCategoryId)		
	FK_CountryFieldDefinitionInformation_CountryFieldDefinition (CountryFieldDefinitionId) ref CountryFieldDefinition (CountryFieldDefinitionId)		

Table Currency		
ldx	Name	Data Type
* Pk	Currencyld	uniqueidentifier
*	Code	char(3) COLLATE Latin1_General_CI_AS
Indexes		
Туре	Name	On
Pk	PK_Currency	Currencyld

Table Department		
ldx	Name	Data Type
* Pk	DepartmentId	uniqueidentifier
*	Name	nvarchar(150) COLLATE Latin1_General_CI_AS
*	RegisterOfLegalEntityId	uniqueidentifier
*	NameEn	nvarchar(150) COLLATE Latin1_General_CI_AS DEFAULT "
*	NameFr	nvarchar(150) COLLATE Latin1_General_CI_AS DEFAULT "
	TranslatedName	nvarchar(max) COLLATE Latin1_General_CI_AS
Indexes		
Туре	Name	On
Pk	PK_Department	DepartmentId
Foreign Keys		
Type	Name	On
	FK_Department_RegisterOfLegalEntities (RegisterOfLegalEntityId) ref RegisterOfLegalEntity (RegisterOfLegalEntityId)	

Table DepartmentHistory		
ldx	Name	Data Type
* Pk	DepartmentHistoryId	uniqueidentifier
*	HistoryGroupId	uniqueidentifier
*	EffectiveDate	datetime
	ExpirationDate	datetime
	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Name	nvarchar(150) COLLATE Latin1_General_CI_AS
*	RegisterOfLegalEntityId	uniqueidentifier
	TranslatedName	nvarchar(max) COLLATE Latin1_General_CI_AS
Indexes	3	
Type	Name	On
Pk	PK_DepartmentHistory	DepartmentHistoryId
Foreign Keys		
Туре	Name	On

Table DepartmentHistory

FK_DepartmentHistory_Department (HistoryGroupId) ref Department (DepartmentId)

 ${\sf FK_DepartmentHistory_RegisterOfLegalEntity} \ (\ RegisterOfLegalEntity \ (\ RegisterOfLegalEntity \) \ ref \ RegisterOfLegalEntity \ (\ RegisterOfLegalEntity \) \ ref \ ref \ RegisterOfLegalEntity \) \ ref \ RegisterOfLegalEntity \)$

Table	Director	
ldx	Name	Data Type
* Pk	DirectorId	uniqueidentifier
*	LegalEntityId	uniqueidentifier
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
* Unq	HistoryGroupId	uniqueidentifier
	SalutationTitleId	uniqueidentifier
*	Firstname	nvarchar(250) COLLATE Latin1_General_CI_AS
*	Lastname	nvarchar(50) COLLATE Latin1_General_CI_AS
	LegalRepresentativeId	uniqueidentifier
	Street	nvarchar(250) COLLATE Latin1_General_CI_AS
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
	City	nvarchar(250) COLLATE Latin1_General_CI_AS
	Countryld	uniqueidentifier
*	DateOfAppointment	date
	DateOfResignation	date
	Term	date
*	Remuneration	int
	ReferenceDirectorId	uniqueidentifier
*	LegalType	int
	MaritalStatus	int
	OfLegalAge	nvarchar(50) COLLATE Latin1_General_CI_AS
	PassportChoice	int
	IdNumber	nvarchar(50) COLLATE Latin1_General_CI_AS
	VatNumber	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegister	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterSheet	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterBook	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterVolume	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterInscription	nvarchar(100) COLLATE Latin1_General_CI_AS
	Nationality	nvarchar(50) COLLATE Latin1_General_CI_AS
	Title	nvarchar(50) COLLATE Latin1_General_CI_AS
	CountryFields	nvarchar(max) COLLATE Latin1_General_CI_AS
Indexes		
Туре	Name	On
Pk	PK_Director	DirectorId
Unq	IX_Director_SingleNonExpired	HistoryGroupId
Foreign Keys		
Туре	Name	On
	FK_Director_Director (ReferenceDirectorId) ref Director (Director (Director)	rectorId)
	FK_Director_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)	

Table Director

FK_Director_LegalRep (LegalRepresentativeld) ref LegalRepresentative (LegalRepresentativeld)

FK_Director_Title (SalutationTitleId) ref SalutationTitle (Id)

Table DirectorCountryField		
ldx	Name	Data Type
* Pk	DirectorCountryFieldId	uniqueidentifier
*	DirectorId	uniqueidentifier
*	FieldName	nvarchar(100) COLLATE Latin1_General_CI_AS
	StringValue	nvarchar(500) COLLATE Latin1_General_CI_AS
	NumericValue	decimal(18,2)
	BitValue	bit
	DateValue	date
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
Indexes		
Type	Name	On
Pk	PK_DirectorCountryField	DirectorCountryFieldId
Foreign Keys		
Type	Name	On
	FK_DirectorCountryField_Director (DirectorId) ref Director (DirectorId)	

Table DocumentGenerationLog		
Name	Data Type	
DocumentGenerationLogId	uniqueidentifier	
DocumentLongTaskRequestId	uniqueidentifier	
Status	int	
StatusMessage	nvarchar(max) COLLATE Latin1_General_CI_AS	
DocumentTemplateId	uniqueidentifier	
Indexes		
Name	On	
PK_DocumentGenerationLog_1	DocumentGenerationLogId	
Foreign Keys		
Name	On	
	Name DocumentGenerationLogId DocumentLongTaskRequestId Status StatusMessage DocumentTemplateId Name PK_DocumentGenerationLog_1 Keys	

 $\label{locument} FK_DocumentGenerationLog_DocumentGenerationLog~(\ DocumentLongTaskRequestId~)~ ref~DocumentLongTaskRequestId~)$

Table DocumentLongTaskRequest		
Name	Data Type	
DocumentLongTaskRequestId	uniqueidentifier	
Status	int	
Start	datetime	
EndedOn	datetime	
LastModified	datetime	
ValidationErrorMessage	nvarchar(max) COLLATE Latin1_General_CI_AS	
UserName	nvarchar(250) COLLATE Latin1_General_CI_AS	
Errorld	uniqueidentifier	
	Name DocumentLongTaskRequestId Status Start EndedOn LastModified ValidationErrorMessage UserName	

Table DocumentLongTaskRequest Indexes On Type Name Pk PK_DocumentGenerationLog DocumentLongTaskRequestId Table DocumentSigner ldx Name Data Type * Pk DocumentSignerId uniqueidentifier LibraryFileId uniqueidentifier PersonParticularId uniqueidentifier Email nvarchar(250) COLLATE Latin1_General_CI_AS SignaturePlaceholder nvarchar(250) COLLATE Latin1_General_CI_AS int DEFAULT 0 SigningMode

Foreign Keys		
Type	Name	On
	FK_DocumentSigner_LibraryFileId (LibraryFileId) ref LibraryFile (LibraryFileId)	
FK_DocumentSigner_PersonParticular (PersonParticularId) ref PersonParticular (PersonParticularId)		ref PersonParticular (PersonParticularId)

On

DocumentSignerId

Indexes

Name

PK__Document__4BBB5AEEAD13A9B2

Type

 Pk

Table DocumentTemplate		
ldx	Name	Data Type
* Pk	DocumentTemplateId	uniqueidentifier
	LegalFormId	uniqueidentifier
	Languageld	uniqueidentifier DEFAULT '12AE77D6-1F7B-4560-92F4-87FBDCDFD2C5'
*	Description	nvarchar(500) COLLATE Latin1_General_CI_AS
*	ProjectTypeId	uniqueidentifier
*	IsOptional	bit DEFAULT 0
*	IsVerified	bit DEFAULT '0'
Indexe	3	
Type	Name	On
Pk	PK_DocumentTemplate	DocumentTemplateId
Foreign Keys		
Туре	Name	On
	FK_DocumentTemplate_Language (LanguageId) ref Language (LanguageId)	
	FK_DocumentTemplate_LegalForm (LegalFormId) ref LegalForm (LegalFormId)	
	FK_DocumentTemplate_ProjectType (ProjectTypeId) ref ProjectType (ProjectTypeId)	

Table DocumentTemplateInformation		
ldx	Name	Data Type
* Pk	DocumentTemplateInformationId	uniqueidentifier
*	DocumentTemplateId	uniqueidentifier
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
*	Description	nvarchar(500) COLLATE Latin1_General_CI_AS

Table DocumentTemplateInformation		
*	BlobId	uniqueidentifier
*	FileName	nvarchar(250) COLLATE Latin1_General_CI_AS
*	EdreamsPath	nvarchar(500) COLLATE Latin1_General_CI_AS
*	FileType	nvarchar(500) COLLATE Latin1_General_CI_AS
*	StartDate	date
	EndDate	date
*	IsOptional	bit DEFAULT 0
*	LinkCode	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT "
	Languageld	uniqueidentifier
*	IsProxy	bit DEFAULT 0
	ProxyType	int
	ProxyLinkCode	nvarchar(50) COLLATE Latin1_General_CI_AS
Indexes	3	
Type	Name	On
Pk	PK_DocumentTemplateInformation	DocumentTemplateInformationId
Foreign Keys		
Type	Name	On
	FK_DocumentTemplateInformation_Blob (BlobId) ref Blob (BlobId)

Table DocumentTemplateParameter		
ldx	Name	Data Type
* Pk	DocumentTemplateParameterId	uniqueidentifier
*	DocumentTemplateId	uniqueidentifier
*	ParameterId	uniqueidentifier
Indexes		
Туре	Name	On
Pk	PK_DocumentTemplateToParameter	DocumentTemplateParameterId
Foreign	Keys	
Type	Name	On
	FK_DocumentTemplateToParameter_DocumentTemplate (DocumentTemplateId) ref DocumentTemplate (DocumentTemplateId)	
	FK_DocumentTemplateToParameter_Parameter (ParameterId) ref Parameter (ParameterId)	

Table	Table ExternalDocumentSigner		
ldx	Name	Data Type	
* Pk	ExternalDocumentSignerId	uniqueidentifier	
*	LibraryFileId	uniqueidentifier	
*	FirstName	nvarchar(250) COLLATE Latin1_General_CI_AS	
	LastName	nvarchar(100) COLLATE Latin1_General_CI_AS	
	Email	nvarchar(250) COLLATE Latin1_General_CI_AS	
	SignaturePlaceholder	nvarchar(250) COLLATE Latin1_General_CI_AS	
*	SigningMode	int DEFAULT 0	
Indexes	3		
Туре	Name	On	
Pk	PKExternal189F3935C01882DC	ExternalDocumentSignerId	
Foreign Keys			
Туре	Name	On	
	FK_ExternalDocumentSigner_LibraryFileId (LibraryFileId) re	ef LibraryFile (LibraryFileId)	

Table Financial		
ldx	Name	Data Type
* Pk	Financialld	uniqueidentifier
*	LegalEntityId	uniqueidentifier
*	FiscalYearld	uniqueidentifier
Indexes		
Type	Name	On
Pk	PK_Financial	FinancialId
Foreign	Keys	
Type	Name	On
	FK_Financial_FiscalYear (FiscalYearId) ref FiscalYear (FiscalYearId)	
	FK_Financial_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)	

ATE Latin1_General_CI_AS

Table FinancialInformation		
Pk	PK_FinancialInformation	FinancialInformationId
Foreign Keys		
Туре	Name	On
	FK_FinancialInformation_Blob (BlobId) ref Blob (BlobId)	
	FK_FinancialInformation_Financial (FinancialId) ref Financial (FinancialId)	

Table FiscalYear		
ldx	Name	Data Type
* Pk	FiscalYearld	uniqueidentifier
*	Name	nvarchar(100) COLLATE Latin1_General_CI_AS
*	StartDate	date
*	EndDate	date
*	LegalEntityId	uniqueidentifier
Indexes		
Туре	Name	On
Pk	PK_FiscalYear	FiscalYearld
Foreign Keys		
Type	Name	On
	FK_FiscalYear_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)	

dx	Name	Data Type
Pk	GeneralPartnerWithLegalEntityTypeId	uniqueidentifier
	LegalEntityId	uniqueidentifier
	EffectiveDate	datetime
	ExpirationDate	datetime
	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
	HistoryGroupId	uniqueidentifier
	SalutationTitleId	uniqueidentifier
	Firstname	nvarchar(250) COLLATE Latin1_General_CI_AS
	Lastname	nvarchar(50) COLLATE Latin1_General_CI_AS
	Street	nvarchar(250) COLLATE Latin1_General_CI_AS
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
	City	nvarchar(250) COLLATE Latin1_General_CI_AS
	Countryld	uniqueidentifier
	DateOfAppointment	date
	DateOfResignation	date
	Term	date
	Remuneration	int
	LegalType	int
	CountryFields	nvarchar(max) COLLATE Latin1_General_CI_AS
	LegalRepresentativeId	uniqueidentifier
ndexe	s	
уре	Name	On

General Partner With Legal Entity Type Id

	Kevs

PK__GeneralP__4D7874FAB55F9C4E

Table GeneralPartnerWithLegalEntityType		
Туре	Name On	
	FK_GeneralPartnerWithLegalEntityType_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)	
	$\label{problem:eq:continuous} FK_General Partner With LegalEntity Type_LegalRep \ (\ LegalRepresentative Id\)\ ref\ LegalRepresentative \ (\ LegalRepresentative Id\)\ ref\ Representative \ (\ LegalRepresentative Id\)\ ref\ Representative \ (\ LegalRepresentative Id\)\ ref\$	
	FK_GeneralPartnerWithLegalEntityType_Title (SalutationTitleId) ref SalutationTitle (Id)	

Table GeneratedReport		
ldx	Name	Data Type
* Pk	GeneratedReportId	uniqueidentifier
	LegalEntityId	uniqueidentifier
*	BlobId	uniqueidentifier
*	GenerationDate	datetime
*	GeneratedBy	nvarchar(100) COLLATE Latin1_General_CI_AS
	LongTaskRequestId	uniqueidentifier
Indexe	s	
Туре	Name	On
Pk	PK_GeneratedReport	GeneratedReportId
Foreigr	n Keys	
Туре	Name	On
	FK_GeneratedReport_Blob (BlobId) ref Blob (BlobId)	
	FK_GeneratedReport_LegalEntity (LegalEntityId) ref LegalE	Entity (LegalEntityId)
	FK_GeneratedReport_LongTaskRequest (LongTaskRequestId) ref LongTaskRequest (LongTaskRequestId)	

Table	IdentificationNrStructure	
ldx	Name	Data Type
* Pk	IdentificationNrStructureId	uniqueidentifier
	Countryld	uniqueidentifier
*	Description	nvarchar(250) COLLATE Latin1_General_CI_AS
*	RegexFormula	nvarchar(250) COLLATE Latin1_General_CI_AS
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
*	Туре	int
*	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "
Indexes		
Туре	Name	On
Pk	PK_VatNrStructure	IdentificationNrStructureId

Table I	Table Language		
ldx	Name	Data Type	
* Pk	Languageld	uniqueidentifier	
* Unq	Name	nvarchar(100) COLLATE Latin1_General_CI_AS	
* Unq	Abbreviation	nvarchar(50) COLLATE Latin1_General_CI_AS	
Indexes			
Туре	Name	On	
Pk	PK_Language	Languageld	
Unq	UC_Language	Name, Abbreviation	

Table LegalDocumentText		
ldx	Name	Data Type
* Pk	LegalDocumentTextId	uniqueidentifier
*	Туре	int
*	Text	nvarchar(max) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	EffectiveDate	datetime
	ExpirationDate	datetime
Indexes		
Type	Name	On
Pk	PK_LegalDocumentText	LegalDocumentTextId

Table LegalEntity		
ldx	Name	Data Type
* Pk	LegalEntityId	uniqueidentifier
*	ClientId	uniqueidentifier
*	Name	nvarchar(500) COLLATE Latin1_General_CI_AS
*	IsVisible	bit
Indexes		
Туре	Name	On
Pk	PK_LegalEntity	LegalEntityId
Foreign Keys		
Туре	Name	On
	FK_LegalEntity_Client (ClientId) ref Client (ClientId)	

Table LegalEntityAutoGenerationActivityStatus			
ldx	Name	Data Type	
* Pk	LegalEntityAutoGenerationActivityStatusId	uniqueidentifier	
*	LegalEntityRecurringDueDateId	uniqueidentifier	
*	FiscalYearld	uniqueidentifier	
*	AutoGenerationActivityCompleted	bit	
Indexes			
Type	Name	On	
Pk	PK_LegalEntityAutoGenerationActivityStatus	LegalEntityAutoGenerationActivityStatusId	
Foreign Keys			
Type	Name	On	
	FK_LegalEntityAutoGenerationActivityStatus_FiscalYear (FiscalYearId) ref FiscalYear (FiscalYearId)		
	FK_LegalEntityAutoGenerationActivityStatus_LegalEntityRecurringDueDate (LegalEntityRecurringDueDateId) ref LegalEntityRecurringDueDate (LegalEntityRecurringDueDateId)		

Idx Name Data Type * Pk LegalEntityCommonFieldsId uniqueidentifier DEFAULT newid() * FrIdentificationNumber nvarchar(9) COLLATE Latin1_General_CI_AS * FrRegistrationOfCommerce nvarchar(250) COLLATE Latin1_General_CI_AS	Table LegalEntityCommonFields		
* FrIdentificationNumber nvarchar(9) COLLATE Latin1_General_CI_AS	ldx	Name	Data Type
. ,	* Pk	LegalEntityCommonFieldsId	uniqueidentifier DEFAULT newid()
* FrRegistrationOfCommerce nvarchar(250) COLLATE Latin1_General_CI_AS	*	FrIdentificationNumber	nvarchar(9) COLLATE Latin1_General_CI_AS
	*	FrRegistrationOfCommerce	nvarchar(250) COLLATE Latin1_General_CI_AS
LegalEntityId uniqueidentifier		LegalEntityId	uniqueidentifier
LegalRepresentativeId uniqueidentifier		LegalRepresentativeId	uniqueidentifier
PresidentId uniqueidentifier		PresidentId	uniqueidentifier

Table	LegalEntityCommonFields		
	DirectorId	uniqueidentifier	
	ManagingDirectorId	uniqueidentifier	
	PersonParticularId	uniqueidentifier	
	Warrantholderld	uniqueidentifier	
	ShareholderId	uniqueidentifier	
	CompanyBoardId	uniqueidentifier	
	GeneralPartnerWithLegalEntityTypeId	uniqueidentifier	
Indexes	Indexes		
Туре	Name	On	
Pk	PKLegalEnt9C2059858E95E619	LegalEntityCommonFieldsId	
Foreign Keys			
Туре	Name On		
	FK_LegalEntityCommonFields_CompanyBoard (CompanyBoardId) ref CompanyBoard (CompanyBoardId)		
	FK_LegalEntityCommonFields_Director (DirectorId) ref Director (DirectorId)		
	FK_LegalEntityCommonFields_GeneralPartnerWithLegalEntityType(GeneralPartnerWithLegalEntityTypeId)ref GeneralPartnerWithLegalEntityType(GeneralPartnerWithLegalEntityTypeId)		
	FK_LegalEntityCommonFields_LegalEntityId (LegalEntityId) ref LegalEntity (LegalEntityId)		
	FK_LegalEntityCommonFields_LegalRepresentativeId (LegalRepresentativeId) ref LegalRepresentative (LegalRepresentativeId)		
	FK_LegalEntityCommonFields_ManagingDirector (ManagingDirectorId) ref ManagingDirector (ManagingDirectorId)		
	FK_LegalEntityCommonFields_PersonParticular (PersonParticularId) ref PersonParticular (PersonParticularId)		
	FK_LegalEntityCommonFields_President (PresidentId) ref P	resident (PresidentId)	
	FK_LegalEntityCommonFields_Shareholder (ShareholderId)	ref Shareholder (Shareholderld)	
	FK_LegalEntityCommonFields_Warrantholder (WarrantholderId) ref Warrantholder (WarrantholderId)		
Constraints			

Name	Definition
CK_LegalEntityCommonFields_ForeignKey	((((((((((((((((((((((((((((((((((((((

Table LegalEntityCommonFieldsHistory		
ldx	Name	Data Type
* Pk	LegalEntityCommonFieldsHistoryId	uniqueidentifier DEFAULT newid()
*	EffectiveDate	datetime DEFAULT getdate()
	ExpirationDate	datetime
*	UserName	nvarchar(250) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
*	FrIdentificationNumber	nvarchar(9) COLLATE Latin1_General_CI_AS
*	FrRegistrationOfCommerce	nvarchar(250) COLLATE Latin1_General_CI_AS
	LegalEntityHistoryId	uniqueidentifier
	LegalRepresentativeHistoryId	uniqueidentifier
	PresidentHistoryId	uniqueidentifier
	DirectorHistoryId	uniqueidentifier
	ManagingDirectorHistoryId	uniqueidentifier
	PersonParticularHistoryId	uniqueidentifier
	WarrantholderHistoryId	uniqueidentifier

Table	LegalEntityCommonFieldsHistory		
	ShareholderHistoryId	uniqueidentifier	
	CompanyBoardHistoryId	uniqueidentifier	
	GeneralPartnerWithLegalEntityTypeHistoryId	uniqueidentifier	
Indexe	s		
Туре	Name	On	
Pk	PKLegalEntAB1E2492FA53BE61	LegalEntityCommonFieldsHistoryId	
Foreign	oreign Keys		
Туре	Name On		
	FK_LegalEntityCommonFieldsHistory_CompanyBoard (CompanyBoardHistoryId) ref CompanyBoard (CompanyBoardId)		
	FK_LegalEntityCommonFieldsHistory_Director (DirectorHistoryId) ref Director (DirectorId)		
	FK_LegalEntityCommonFieldsHistory_GeneralPartnerWithLegalEntityType(GeneralPartnerWithLegalEntityTypeHistoryId)ref GeneralPartnerWithLegalEntityType(GeneralPartnerWithLegalEntityTypeId)		
	FK_LegalEntityCommonFieldsHistory_LegalEntityHistoryId (LegalEntityHistoryId) ref LegalEntity (LegalEntityId)		
	FK_LegalEntityCommonFieldsHistory_LegalRepresentativeHistoryId (LegalRepresentativeHistoryId) ref LegalRepresentativeInformation (LegalRepresentativeInformationId)		
	FK_LegalEntityCommonFieldsHistory_ManagingDirector (ManagingDirectorHistoryId) ref ManagingDirector (ManagingDirectorIc)		
	FK_LegalEntityCommonFieldsHistory_PersonParticular (PersonParticularHistoryId) ref PersonParticular (PersonParticularId)		
	FK_LegalEntityCommonFieldsHistory_President (President	Historyld) ref PresidentHistory (PresidentHistoryld)	
	FK_LegalEntityCommonFieldsHistory_Shareholder (Shareh ShareholderInformationId)	nolderHistoryId) ref ShareholderInformation (
	FK_LegalEntityCommonFieldsHistory_Warrantholder (Warr WarrantholderInformationId)	rantholderHistoryId) ref WarrantholderInformation (

Constraints

Name	Definition
CK_LegalEntityCommonFieldsHistory_ForeignKey	((((((((((((((((((((((((((((((((((((((

Table LegalEntityCountryField		
ldx	Name	Data Type
* Pk	LegalEntityCountryFieldId	uniqueidentifier
*	LegalEntityInformationId	uniqueidentifier
*	FieldName	nvarchar(100) COLLATE Latin1_General_CI_AS
	StringValue	nvarchar(500) COLLATE Latin1_General_CI_AS
	NumericValue	decimal(18,2)
	BitValue	bit
	DateValue	date
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
Indexes		
Type	Name	On
Pk	PK_LegalEntityCountryField	LegalEntityCountryFieldId
Foreign Keys		

Table LegalEntityCountryField

Type Name On

 $\label{lem:fk_legal} FK_LegalEntityCountryField_LegalEntityInformation (\ LegalEntityInformationId\)\ ref\ LegalEntityInformationId\)$

Table	LegalEntityInformation	
ldx	Name	Data Type
* Pk	LegalEntityInformationId	uniqueidentifier
* Unq	LegalEntityId	uniqueidentifier
*	LegalFormId	uniqueidentifier
	ParentLegalEntityId	uniqueidentifier
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
*	Name	nvarchar(500) COLLATE Latin1_General_CI_AS
	FileNumber	nvarchar(50) COLLATE Latin1_General_CI_AS
	Street	nvarchar(500) COLLATE Latin1_General_CI_AS
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
	City	nvarchar(50) COLLATE Latin1_General_CI_AS
	Countryld	uniqueidentifier
	VatNumber	nvarchar(50) COLLATE Latin1_General_CI_AS
	RegistrationNumber	nvarchar(50) COLLATE Latin1_General_CI_AS
	IncorporationDate	date
	LiquidationDate	date
	MinNumberOfDirectors	int
	MaxNumberOfDirectors	int
	MinNumberOfManagingDirectors	int
	MaxNumberOfManagingDirectors	int
	AuthorizedCapitalAmount	decimal(18,2)
	AuthorizedCapitalStartDate	date
	AuthorizedCapitalExpiryDate	date
	AuthorizedCapitalUsed	decimal(18,2)
	AuthorizedCapitalAvailable	decimal(18,2)
*	FinancialYearEnd	date
*	FinancialYearNamingRule	int
	AuditorDateOfAppointment	date
*	CouncilWorks	bit
*	AuditCommittee	bit
*	ExternalAuditor	bit
*	Consolidation	bit
	Auditorld	uniqueidentifier
	AuditorFirmId	uniqueidentifier
	AuditorTerm	date
	DepartmentId	uniqueidentifier
	RegisterOfLegalEntityId	uniqueidentifier
*	StatutoryLanguageId	uniqueidentifier DEFAULT '3E688D2B-AD8E-4C54-9238-FFBACF401D95'

Table	e LegalEntityInformation	
*	LegalType	bit DEFAULT '0'
	FirstFamilyName	nvarchar(100) COLLATE Latin1_General_CI_AS
	SecondFamilyName	nvarchar(100) COLLATE Latin1_General_CI_AS
	MaritalStatus	int
	OfLegalAge	nvarchar(50) COLLATE Latin1_General_CI_AS
	PassportChoice	int
	IdNumber	nvarchar(50) COLLATE Latin1_General_CI_AS
	CommercialRegister	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterSheet	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterBook	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterVolume	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterInscription	nvarchar(100) COLLATE Latin1_General_CI_AS
	BlobId	uniqueidentifier
	CountryFields	nvarchar(max) COLLATE Latin1_General_CI_AS
*	IsDirectorApplicable	bit DEFAULT '1'
	SignatoryRight	int
	SignatoryRightOther	nvarchar(250) COLLATE Latin1_General_CI_AS
*	ContainsStatutoryAuditor	bit DEFAULT '0'
	AdvisoryBoardApplicable	bit
*	IsPostponed	bit DEFAULT '0'
	IsSupervisoryBoardApplicable	bit
	IsCompanySecretary	bit
	PeopleWithSignificantControl	int
	CorporateDomicile	nvarchar(250) COLLATE Latin1_General_CI_AS
	Duration	nvarchar(250) COLLATE Latin1_General_CI_AS
	ShareholdersUnanimousResolutions	bit
	DirectorsUnanimousResolutions	bit
*	IsPartnersUnanimousResolutions	bit DEFAULT '0'
*	IsManagersUnanimousResolutions	bit DEFAULT '0'
*	IsSurveillanceBodyApplicable	bit DEFAULT '0'
	OfficeNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	ReasonForRegistration	nvarchar(500) COLLATE Latin1_General_CI_AS
	ShortName	nvarchar(100) COLLATE Latin1_General_CI_AS
	NewlyEstablishedEntity	bit
	AlternativeLanguages	nvarchar(max) COLLATE Latin1_General_CI_AS
	AnnualDeadlineDate	date
	DeadlinePrepationAADate	date
	DeadlineApprovalAADate	date
	DeadlineFillingAADate	date
	State	nvarchar(50) COLLATE Latin1_General_CI_AS
	AdditionalAddress	nvarchar(max) COLLATE Latin1_General_CI_AS
	Foretaksregisteret	nvarchar(25) COLLATE Latin1_General_CI_AS
	Enhetsregisteret	nvarchar(25) COLLATE Latin1_General_CI_AS
	Merverdiavgiftsregisteret	nvarchar(25) COLLATE Latin1_General_CI_AS
	Domicile	nvarchar(500) COLLATE Latin1_General_CI_AS
	AuxiliaryFirmName	nvarchar(500) COLLATE Latin1_General_CI_AS
	RegistrationDate	date
	ArticlesOfAssociationAmendmentDate	date
	IsManagingDirectorApplicable	bit

Table	LegalEntityInformation		
	IsDeputyManagingDirectorApplicable	bit	
	IsDeputyBoardMemberApplicable	bit	
	IsManagementCommitteeApplicable	bit	
	IsWarrantsApplicable	bit	
	IsRegulatedCompany	bit	
	IsSoleShareholder	bit	
*	IsVisible	bit DEFAULT '0'	
	AnnualReturnDate	date	
	EFilingDate	date	
	CompanyWithPhysicalAgm	bit	
	StatusOfCompany	bit	
	LocationOfStatutaryRecord	nvarchar(250) COLLATE Latin1_General_CI_AS	
	BeneficialOwners	int	
	AccountsFilingDueDate	date	
	LegalRepresentation	int	
	LegalRepresentationText	nvarchar(max) COLLATE Latin1_General_CI_AS	
	QuorumDirectorsMeeting	nvarchar(1000) COLLATE Latin1_General_CI_AS	
	QuorumShareholdersMeeting	nvarchar(1000) COLLATE Latin1_General_CI_AS	
	NoticePeriodShareholdersMeeting	nvarchar(1000) COLLATE Latin1_General_CI_AS	
	TypeOfPartnership	int	
	TermOfPartnership	int	
	PartnershipTermDate	date	
	Quorum	nvarchar(1000) COLLATE Latin1_General_CI_AS	
	NoticePeriods	nvarchar(1000) COLLATE Latin1_General_CI_AS	
	ReservedMatters	nvarchar(1000) COLLATE Latin1_General_CI_AS	
	County	nvarchar(50) COLLATE Latin1_General_CI_AS	
	BusinessName	nvarchar(500) COLLATE Latin1_General_CI_AS	
	CurrentAccountingPeriodDate	datetime	
	LastAccountingPeriodDate	datetime	
*	Active	bit DEFAULT 1	
	IsManagementBoardApplicable	bit	
*	HasDirectorCategory	bit DEFAULT 0	
	RepresentationPowers	nvarchar(1000) COLLATE Latin1_General_CI_AS	
	BusinessActivities	nvarchar(500) COLLATE Latin1_General_CI_AS	
	PreviousNames	nvarchar(250) COLLATE Latin1_General_CI_AS	
	IsBeneficialOwnershipApplicable	bit	
	IsIbrIreApplicable	bit	
	IsFinancialDataApplicable	bit	
*	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "	
Indexes			
Туре	Name	On	
Pk	PK_LegalEntityInformation	LegalEntityInformationId	
Unq	IX_LegalEntityInformation_SingleNonExpired	LegalEntityId	
Foreign	Keys		
Туре	Name	On	
	FK_LegalEntityInformation_Auditor (AuditorId) ref Auditor (AuditorId)	Auditorld)	
	FK_LegalEntityInformation_AuditorFirm (AuditorFirmId) ref		
	FK_LegalEntityInformation_Blob (BlobId) ref Blob (BlobId)		
	FK_LegalEntityInformation_Department (DepartmentId) ref	Department (DepartmentId)	
	Tr_LegalEndtynnomation_Department (Departmentu) Ter Department (Departmentu)		

Table LegalEntityInformation

Type

FK_LegalEntityInformation_Language (StatutoryLanguageId) ref Language (LanguageId)

FK_LegalEntityInformation_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)

FK_LegalEntityInformation_LegalEntity1 (ParentLegalEntityId) ref LegalEntity (LegalEntityId)

FK_LegalEntityInformation_LegalForm (LegalFormId) ref LegalForm (LegalFormId)

FK_LegalEntityInformation_RegisterOfLegalEntity (RegisterOfLegalEntityId) ref RegisterOfLegalEntity (RegisterOfLegalEntityId)

Table LegalEntityNotificationRecipient			
ldx	Name	Data Type	
* Pk	LegalEntityNotificationRecipientId	uniqueidentifier	
*	LegalEntityRecurringDueDateInformationId	uniqueidentifier	
*	AppUserId	uniqueidentifier	
*	NotificationType	int	
Indexes			
Туре	Name	On	
Pk	PK_LegalEntityNotificationRecipient	LegalEntityNotificationRecipientId	
Foreign Keys			
Туре	Name	On	
	FK_LegalEntityNotificationRecipient_AppUser (AppUserId) ref AppUser (AppUserId)		
	FK_LegalEntityNotificationRecipient_LegalEntityRecurringDueDateInformation (LegalEntityRecurringDueDateInformationId) ref		

Table LegalEntityRecurringDueDate ldx Name **Data Type** * Pk LegalEntityRecurringDueDateId uniqueidentifier LegalEntityId uniqueidentifier CountryFieldDefinitionId uniqueidentifier Indexes On Type Pk PK_LegalEntityRecurringDueDate LegalEntityRecurringDueDateId Foreign Keys

FK_LegalEntityRecurringDueDate_CountryFieldDefinition (CountryFieldDefinitionId) ref CountryFieldDefinition (CountryFieldDefinitionId)

FK_LegalEntityRecurringDueDate_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)

LegalEntityRecurringDueDateInformation (LegalEntityRecurringDueDateInformationId)

ldx	Name	Data Type	
* Pk	LegalEntityRecurringDueDateInformationId	uniqueidentifier	
·	LegalEntityRecurringDueDateId	uniqueidentifier	
	LegalEntityInformationId	uniqueidentifier	
	DueDateType	int	
	DateFixedDate	datetime	
	DateRelativeDay	int	
	DateRelativeMonth	int	
	DateRelativeNumber	int	
	DateFixedDayOnWorkDay	int	
	AutoGenerationActivityType	int	
	ProjectTypeId	uniqueidentifier	

Table LegalEntityRecurringDueDateInformation				
Indexes				
Туре	Name	On		
Pk	PK_LegalEntityRecurringDueDateInformation LegalEntityRecurringDueDateInformationId			
Foreign Keys				
Туре	Name On			
	FK_LegalEntityRecurringDueDateInformation_LegalEntityInformation (LegalEntityInformationId) ref LegalEntityInformation (LegalEntityInformationId)			
	FK_LegalEntityRecurringDueDateInformation_LegalEntityRecurringDueDate(LegalEntityRecurringDueDateId)ref LegalEntityRecurringDueDate(LegalEntityRecurringDueDateId)			

IdxNameData Type* PkLegalFormIduniqueidentifierCountryIduniqueidentifier* UnqDescriptionnvarchar(250) COLLATE Latin1_General_CI_AS* UnqAbbreviationnvarchar(50) COLLATE Latin1_General_CI_AS* UnqIsVisiblebitFixedGlobalizationIdint* UnqCountryKeynvarchar(300) COLLATE Latin1_General_CI_AS DEFAULTIndexesTypeName	Table I	Table LegalForm		
CountryId uniqueidentifier * Unq Description nvarchar(250) COLLATE Latin1_General_CI_AS * Unq Abbreviation nvarchar(50) COLLATE Latin1_General_CI_AS * Unq IsVisible bit FixedGlobalizationId int * Unq CountryKey nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT indexes	ldx	Name	Data Type	
* Unq Description nvarchar(250) COLLATE Latin1_General_CI_AS * Unq Abbreviation nvarchar(50) COLLATE Latin1_General_CI_AS * Unq IsVisible bit FixedGlobalizationId int * Unq CountryKey nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT Indexes	* Pk	LegalFormId	uniqueidentifier	
* Unq Abbreviation nvarchar(50) COLLATE Latin1_General_CI_AS * Unq IsVisible bit FixedGlobalizationId int * Unq CountryKey nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT indexes		Countryld	uniqueidentifier	
* Unq IsVisible bit FixedGlobalizationId int * Unq CountryKey nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT indexes	* Unq	Description	nvarchar(250) COLLATE Latin1_General_CI_AS	
FixedGlobalizationId int * Unq CountryKey nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT indexes	* Unq	Abbreviation	nvarchar(50) COLLATE Latin1_General_CI_AS	
* Unq CountryKey nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT Indexes	* Unq	IsVisible	bit	
Indexes		FixedGlobalizationId	int	
	* Unq	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "	
Type Name On	Indexes			
	Туре	Name	On	
Pk PK_LegalForm LegalFormId	Pk	PK_LegalForm	LegalFormId	
Unq ix_unique CountryKey, Abbreviation, IsVisible, Description	Unq	ix_unique	CountryKey, Abbreviation, IsVisible, Description	

Table LegalFormCountryFieldDefinition			
ldx	Name	Data Type	
* Pk	LegalFormCountryFieldDefinitionId	uniqueidentifier	
*	LegalFormId	uniqueidentifier	
*	CountryFieldDefinitionId	uniqueidentifier	
Indexes			
Туре	Name	On	
Pk	PK_LegalFormCountryFieldDefinition	LegalFormCountryFieldDefinitionId	
Foreign	Foreign Keys		
Туре	Name On		
	FK_LegalFormCountryFieldDefinition_CountryFieldDefinition (CountryFieldDefinitionId) ref CountryFieldDefinition (CountryFieldDefinitionId)		
	FK_LegalFormCountryFieldDefinition_LegalForm (LegalFormId) ref LegalForm (LegalFormId)		

Table LegalFormInformation		
ldx	Name	Data Type
* Pk	LegalFormInformationId	uniqueidentifier
*	LegalFormId	uniqueidentifier
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
*	Description	nvarchar(250) COLLATE Latin1_General_CI_AS
*	Abbreviation	nvarchar(50) COLLATE Latin1_General_CI_AS
*	MinimumCapital	decimal(18,2)

Table	LegalFormInformation	
*	MinimumDirectors	int
*	MinimumShareholders	int
*	ParentLegalEntityRequired	bit
*	MinimumManagingDirector	int DEFAULT 0
*	IsVisible	bit DEFAULT '0'
Indexes		
Туре	Name	On
Pk	PK_LegalFormInformation	LegalFormInformationId

Foreign Keys

Type Name On

 ${\sf FK_LegalFormInformation_LegalForm} \ (\ {\sf LegalFormId} \) \ {\sf ref} \ {\sf LegalForm} \ (\ {\sf LegalFormId} \)$

Table LegalHoliday		
ldx	Name	Data Type
* Pk	LegalHolidayId	uniqueidentifier
	Countryld	uniqueidentifier
*	Year	int
*	HolidayDate	date
*	Description	nvarchar(250) COLLATE Latin1_General_CI_AS
*	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "
Indexes		
Туре	Name	On
Pk	PK_LegalHoliday	LegalHolidayId

Table	LegalRepresentative	
dx	Name	Data Type
* Pk	LegalRepresentativeId	uniqueidentifier
*	Name	nvarchar(250) COLLATE Latin1_General_CI_AS
	City	nvarchar(250) COLLATE Latin1_General_CI_AS
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
	Street	nvarchar(500) COLLATE Latin1_General_CI_AS
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
	CompanyRegistrationNumber	nvarchar(50) COLLATE Latin1_General_CI_AS
	Countryld	uniqueidentifier
	UltimateParent	bit
ŧ	IsDeleted	bit DEFAULT 0
	DeletedBy	nvarchar(50) COLLATE Latin1_General_CI_AS
	DeletionDate	datetime
*	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "
Indexes	3	
Туре	Name	On
Pk	PK_LegalRepresentative	LegalRepresentativeId

Table LegalRepresentativeInformation		
ldx	Name	Data Type
* Pk	LegalRepresentativeInformationId	uniqueidentifier
*	LegalRepresentativeId	uniqueidentifier

Table	LegalRepresentativeInformation	
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
*	Name	nvarchar(250) COLLATE Latin1_General_CI_AS
	City	nvarchar(250) COLLATE Latin1_General_CI_AS
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
	Street	nvarchar(500) COLLATE Latin1_General_CI_AS
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
	Countryld	uniqueidentifier
Indexes		
Туре	Name	On
Pk	PK_LegalRepresentativeInformation	LegalRepresentativeInformationId
Foreign Keys		
Туре	Name	On

 $\label{lem:continuous} FK_LegalRepresentative (\ LegalRepresentative d) \ ref\ LegalRepresentative (\ LegalRepresentative d) \\$

Table	Table LibraryFile			
ldx	Name	Data Type		
* Pk	LibraryFileId	uniqueidentifier		
	LibraryFolderId	uniqueidentifier		
	ProjectTypeId	uniqueidentifier		
*	FiscalYearld	uniqueidentifier		
*	LegalEntityId	uniqueidentifier		
	DocumentTemplateId	uniqueidentifier		
	Description	nvarchar(500) COLLATE Latin1_General_CI_AS		
	Tags	nvarchar(200) COLLATE Latin1_General_CI_AS		
	Comment	nvarchar(2000) COLLATE Latin1_General_CI_AS		
*	IsActive	bit DEFAULT 1		
	DeletedBy	nvarchar(500) COLLATE Latin1_General_CI_AS		
	DeletionDate	datetime		
*	MovedToLibrary	bit DEFAULT 0		
Indexes				
Type	Name	On		
Pk	PK_LibraryFile	LibraryFileId		
Foreign Keys				
Type	ype Name On			
	FK_LibraryFile_FiscalYear (FiscalYearId) ref FiscalYear (FiscalYearId)			
	FK_LibraryFile_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)			
	FK_LibraryFile_LibraryFolder (LibraryFolderId) ref LibraryFolder (LibraryFolderId)			

Table LibraryFileAttachment		
ldx	Name	Data Type
* Pk	LibraryFileAttachmentId	uniqueidentifier
*	LibraryFileId	uniqueidentifier
*	BlobId	uniqueidentifier
	FileName	nvarchar(250) COLLATE Latin1_General_CI_AS

Table LibraryFileAttachment			
	Description	nvarchar(100) COLLATE Latin1_General_CI_AS	
*	IsDeleted	bit	
	DeletedBy	nvarchar(50) COLLATE Latin1_General_CI_AS	
	DeletionDate	datetime	
Indexes			
Туре	Name	On	
Pk	PKLibraryF07E576F14A484A08	LibraryFileAttachmentId	
Foreign Keys			
Туре	Name	On	
	FK_LibraryFileAttachment_Blob (BlobId) ref Blob (BlobId)		
	FK_LibraryFileAttachment_LibraryFile (LibraryFileId) ref LibraryFile (LibraryFileId)		

dx	Name	Data Type	
* Pk	LibraryFileInformationId	uniqueidentifier	
ł .	LibraryFileId	uniqueidentifier	
	ProjectId	uniqueidentifier	
*	BlobId	uniqueidentifier	
+	EffectiveDate	datetime	
	ExpirationDate	datetime	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
+	HistoryGroupId	uniqueidentifier	
	Description	nvarchar(500) COLLATE Latin1_General_CI_AS	
*	FileName	nvarchar(250) COLLATE Latin1_General_CI_AS	
	EdreamsPath	nvarchar(500) COLLATE Latin1_General_CI_AS	
*	FileType	nvarchar(500) COLLATE Latin1_General_CI_AS	
	WordBlobId	uniqueidentifier	
	PdfBlobId	uniqueidentifier	
k	IsGeneratedFile	bit	
	DocumentLongTaskRequestId	uniqueidentifier	
	Tags	nvarchar(200) COLLATE Latin1_General_CI_AS	
	Comment	nvarchar(2000) COLLATE Latin1_General_CI_AS	
	IsOverriddenFile	bit	
	PersonParticularId	uniqueidentifier	
	SignerType	int	
Indexes			
Type	Name	On	
Pk	PK_LibraryFileInformation LibraryFileInformationId		
Foreign Keys			
Type	Name	On	
	$\label{lem:condition} FK_LibraryFileInformation_DocumentLongTaskRequest\ (\ DocumentLongTaskRequestId\)\ ref\ DocumentLongTaskRequest\ (\ DocumentLongTaskRequestId\)$		
	FK_LibraryFileInformation_LibraryFile (LibraryFileId) ref LibraryFile (LibraryFileId)		
	FK_LibraryFileInformation_PdfBlob (PdfBlobId) ref Blob (BlobId)	
	FK_LibraryFileInformation_PersonParticular (F	PersonParticularId) ref PersonParticular (PersonParticularId)	
	FK_LibraryFileInformation_Project (ProjectId) ref Project (ProjectId)		

IdxNameData Type*LibraryFileSignatureDocumentIduniqueidentifier*LibraryFileIduniqueidentifier*BlobIduniqueidentifierDescriptionnvarchar(500) COLLATE Latin1_General_CI_AS*FileNamenvarchar(250) COLLATE Latin1_General_CI_AS*FileTypenvarchar(500) COLLATE Latin1_General_CI_AS	Table LibraryFileSignatureDocument			
 * LibraryFileId uniqueidentifier * BlobId uniqueidentifier Description nvarchar(500) COLLATE Latin1_General_CI_AS * FileName nvarchar(250) COLLATE Latin1_General_CI_AS * FileType nvarchar(500) COLLATE Latin1_General_CI_AS 	ldx	Name	Data Type	
 * BlobId uniqueidentifier Description nvarchar(500) COLLATE Latin1_General_CI_AS * FileName nvarchar(250) COLLATE Latin1_General_CI_AS * FileType nvarchar(500) COLLATE Latin1_General_CI_AS 	*	LibraryFileSignatureDocumentId	uniqueidentifier	
Description nvarchar(500) COLLATE Latin1_General_CI_AS * FileName nvarchar(250) COLLATE Latin1_General_CI_AS * FileType nvarchar(500) COLLATE Latin1_General_CI_AS	*	LibraryFileId	uniqueidentifier	
 * FileName nvarchar(250) COLLATE Latin1_General_CI_AS * FileType nvarchar(500) COLLATE Latin1_General_CI_AS 	*	BlobId	uniqueidentifier	
* FileType nvarchar(500) COLLATE Latin1_General_CI_AS		Description	nvarchar(500) COLLATE Latin1_General_CI_AS	
·	*	FileName	nvarchar(250) COLLATE Latin1_General_CI_AS	
	*	FileType	nvarchar(500) COLLATE Latin1_General_CI_AS	
* IsSignedDocument bit DEFAULT 0	*	IsSignedDocument	bit DEFAULT 0	
* DocumentId int	*	DocumentId	int	

Foreign Keys

Type Name On
FK_LibraryFileSignatureDocument_Blob (BlobId) ref Blob (BlobId)

 ${\sf FK_LibraryFileSignatureDocument_LibraryFile} \ (\ {\sf LibraryFileId} \) \ {\sf ref LibraryFile} \ (\ {\sf LibraryFileId} \)$

Table	Table LibraryFolder			
ldx	Name	Data Type		
* Pk	LibraryFolderId	uniqueidentifier		
	ParentLibraryFolderId	uniqueidentifier		
*	Name	nvarchar(250) COLLATE Latin1_General_CI_AS		
*	CreationDate	datetime		
	ModifiedDate	datetime		
*	CreatedBy	nvarchar(50) COLLATE Latin1_General_CI_AS		
	ModifiedBy	nvarchar(50) COLLATE Latin1_General_CI_AS		
	ViewOrder	int		
*	LegalFormId	uniqueidentifier		
*	IsSpecialFolder	bit DEFAULT 0		
*	IsDeleted	bit DEFAULT 0		
	DeletionDate	date		
	DeletedBy	nvarchar(250) COLLATE Latin1_General_CI_AS		
Indexes				
Type	Name	On		
Pk	PK_LibraryFolder	LibraryFolderId		
Foreign Keys				
Туре	Name On			
	FK_LibraryFolder_LegalForm (LegalFormId) ref LegalForm (LegalFormId)			
	FK_LibraryFolder_LibraryFolder (ParentLibraryFolderId) ref LibraryFolder (LibraryFolderId)			

Table LongTaskRequest		
ldx	Name	Data Type
* Pk	LongTaskRequestId	uniqueidentifier
	LegalEntityId	uniqueidentifier
	ProjectTypeId	uniqueidentifier
	ProjectId	uniqueidentifier
	Languageld	uniqueidentifier
	StatusMessage	nvarchar(max) COLLATE Latin1_General_CI_AS
*	Status	int
*	ProgressionPercentage	int
*	LongTaskType	int

Table LongTaskRequest		
*	CreatedOn	datetime
	Errorld	uniqueidentifier
*	UserName	nvarchar(255) COLLATE Latin1_General_CI_AS
	EndedOn	datetime
	AdditionalData	nvarchar(max) COLLATE Latin1_General_CI_AS
	AccessToken	nvarchar(max) COLLATE Latin1_General_CI_AS
Indexes		
Type	Name	On
Pk	PK_LongTaskRequest	LongTaskRequestId
Foreign	Keys	
Type	Name	On
	FK_LongTaskRequest_LegalEntity (LegalEntityId) ref LegalE	Entity (LegalEntityId)
	FK_LongTaskRequest_LongTaskRequest (LongTaskRequestId) ref LongTaskRequest (LongTaskRequestId)	
	FK_ReportLongTaskRequest_Language (LanguageId) ref La	anguage (Languageld)
	FK_ReportLongTaskRequest_Project (ProjectId) ref Project ((ProjectId)

ldx	Name	Data Type
* Pk	ManagingDirectorId	uniqueidentifier
+	LegalEntityId	uniqueidentifier
+	EffectiveDate	datetime
	ExpirationDate	datetime
	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
ŧ	HistoryGroupId	uniqueidentifier
	SalutationTitleId	uniqueidentifier
	Firstname	nvarchar(250) COLLATE Latin1_General_CI_AS
	Lastname	nvarchar(50) COLLATE Latin1_General_CI_AS
	Street	nvarchar(250) COLLATE Latin1_General_CI_AS
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
	City	nvarchar(250) COLLATE Latin1_General_CI_AS
*	Countryld	uniqueidentifier
t	DateOfAppointment	date
	DateOfResignation	date
	Term	date
*	Remuneration	int
	ReferenceDirectorId	uniqueidentifier
*	LegalType	int
	Title	nvarchar(50) COLLATE Latin1_General_CI_AS
	RepresentationAuthority	nvarchar(50) COLLATE Latin1_General_CI_AS
	CountryFields	nvarchar(max) COLLATE Latin1_General_CI_AS
	LegalRepresentativeId	uniqueidentifier
ndexe	S	
Туре	Name	On
Pk	PK_ManagingDirector	ManagingDirectorId
Foreigr	n Keys	
Type	Name	On

Table ManagingDirector

FK_ManagingDirector_Director (ReferenceDirectorId) ref Director (DirectorId)

FK_ManagingDirector_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)

 ${\sf FK_ManagingDirector_LegalRepresentative} \ (\ {\sf LegalRepresentativeId} \) \ {\sf refLegalRepresentative} \ (\ {\sf LegalRepresentativeId} \)$

FK_ManagingDirector_Title (SalutationTitleId) ref SalutationTitle (Id)

Table ManagingDirectorCountryField			
ldx	Name	Data Type	
* Pk	ManagingDirectorCountryFieldId	uniqueidentifier	
*	ManagingDirectorId	uniqueidentifier	
*	FieldName	nvarchar(100) COLLATE Latin1_General_CI_AS	
	StringValue	nvarchar(500) COLLATE Latin1_General_CI_AS	
	NumericValue	decimal(18,2)	
	BitValue	bit	
	DateValue	date	
*	EffectiveDate	datetime	
	ExpirationDate	datetime	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	HistoryGroupId	uniqueidentifier	
Indexes			
Type	Name	On	
Pk	PK_ManagingDirectorCountryField	ManagingDirectorCountryFieldId	
Foreign Keys			
Туре	Name	On	
	FK_ManagingDirectorCountryField_ManagingDirector (ManagingDirectorId) ref ManagingDirector (ManagingDirectorId)		

Table I	Table Menultem			
ldx	Name	Data Type		
* Pk	MenultemId	uniqueidentifier		
	ParentMenuItemId	uniqueidentifier		
*	Name	nvarchar(150) COLLATE Latin1_General_CI_AS		
	Url	nvarchar(250) COLLATE Latin1_General_CI_AS		
	UrlMvc	nvarchar(250) COLLATE Latin1_General_CI_AS		
	ViewOrder	int		
	ViewOrderMvc	int		
	Image	varbinary(max)		
	HoverImage	varbinary(max)		
	MenuItemFixedId	int		
Indexes				
Туре	Name	On		
Pk	PK_MenuItem	MenuItemId		
Foreign Keys				
Туре	Name	On		
	FK_MenuItem_MenuItem (ParentMenuItemId) ref MenuItem (MenuItemId)			

Table MenuItem_bkp		
ldx	Name	Data Type
* Pk	MenultemId	uniqueidentifier
	ParentMenuItemId	uniqueidentifier

Table MenuItem_bkp		
*	Name	nvarchar(150) COLLATE Latin1_General_CI_AS
	Url	nvarchar(250) COLLATE Latin1_General_CI_AS
	UrlMvc	nvarchar(250) COLLATE Latin1_General_CI_AS
	ViewOrder	int
	ViewOrderMvc	int
	Image	varbinary(max)
	HoverImage	varbinary(max)
Indexes		
Туре	Name	On
Pk	PK_MenuItem_bkp	MenuItemId

Table Parameter		
ldx	Name	Data Type
* Pk	ParameterId	uniqueidentifier
*	ProjectTypeId	uniqueidentifier
	Parentld	uniqueidentifier
*	Name	nvarchar(100) COLLATE Latin1_General_CI_AS
	Description	nvarchar(500) COLLATE Latin1_General_CI_AS
*	ParameterType	int
*	SortIndex	int DEFAULT 10
*	IsTranslatedParameter	bit
	TranslationParentId	uniqueidentifier
Indexes		
Type	Name	On
Pk	PK_Parameter	ParameterId
Foreign	Keys	
Type	Name	On
	FK_Parameter_Parameter (Parentld) ref Parameter (Parame	eterId)
	FK_Parameter_Parameter_TranslationParentId (TranslationParentId) ref Parameter (ParameterId)	
	FK_Parameter_ProjectType (ProjectTypeId) ref ProjectType (ProjectTypeId)	

Table	Table ParameterDocumentTemplate		
ldx	Name	Data Type	
* Pk	ParameterDocumentTemplateId	uniqueidentifier	
*	DocumentTemplateId	uniqueidentifier	
	ParameterId	uniqueidentifier	
	ParameterSelectionOptionId	uniqueidentifier	
Indexes	3		
Type	Name	On	
Pk	PK_ParameterDocumentTemplate	ParameterDocumentTemplateId	
Foreign	Keys		
Type	Name	On	
	FK_ParameterDocumentTemplate_DocumentTemplate (DocumentTemplate)	umentTemplateId) ref DocumentTemplate (DocumentTemplateId)	
	FK_ParameterDocumentTemplate_Parameter (ParameterId)	ref Parameter (ParameterId)	
	FK_ParameterDocumentTemplate_ParameterSelectionOption ParameterSelectionOptionId)	(ParameterSelectionOptionId) ref ParameterSelectionOption (

Table	Table ParameterSelectionOption		
ldx	Name	Data Type	
* Pk	ParameterSelectionOptionId	uniqueidentifier	
*	ParameterId	uniqueidentifier	
*	OptionName	nvarchar(500) COLLATE Latin1_General_CI_AS	
*	Description	nvarchar(500) COLLATE Latin1_General_CI_AS	
*	SortIndex	int DEFAULT '0'	
Indexes			
Type	Name	On	
Pk	PK_ParameterSelectionOption	ParameterSelectionOptionId	
Foreign Keys			
Type	Name	On	

FK_ParameterSelectionOption_ParameterSelectionOption (ParameterId) ref Parameter (ParameterId)

Table ParameterToParameter			
ldx	Name	Data Type	
* Pk	ParameterToParameterId	uniqueidentifier	
	ParagraphParameterId	uniqueidentifier	
	ParameterSelectionOptionId	uniqueidentifier	
*	TextParameterId	uniqueidentifier	
Indexes	3		
Туре	Name	On	
Pk	PK_LinkedParameter	ParameterToParameterId	
Foreign	Keys		
Type	Name	On	
	FK_ParameterToParameter_Parameter (ParagraphParameter	erld) ref Parameter (Parameterld)	
	FK_ParameterToParameter_Parameter1 (TextParameterId)	ref Parameter (ParameterId)	
	FK_ParameterToParameter_ParameterSelectionOption (ParameterSelectionOptionId) ref ParameterSelectionOption (ParameterSelectionOptionId)		
	FK_ParameterToParameter_ParameterSelectionOption1 (ParameterSelectionOptionId) ref ParameterSelectionOption (ParameterSelectionOptionId)		

Table	Table ParameterValue		
ldx	Name	Data Type	
* Pk	ParameterValueId	uniqueidentifier	
*	ParameterId	uniqueidentifier	
*	TextValue	nvarchar(2000) COLLATE Latin1_General_CI_AS	
	BoolValue	bit	
	ParameterSelectionOptionId	uniqueidentifier	
*	EffectiveDate	datetime	
	ExpirationDate	datetime	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
	HistoryGroupId	uniqueidentifier	
*	ProjectId	uniqueidentifier	
	Languageld	uniqueidentifier	
*	CollectionOrderIndex	int	
	IsNewUser	bit	
	SinglePluralParameterValueId	uniqueidentifier	
Indexes			
Type	Name	On	

Table ParameterValue		
Pk	PK_ParameterValue	ParameterValueId
Foreign	Keys	
Туре	Name	On
	FK_ParameterValue_Project (ProjectId) ref Project (ProjectId)	
	$\label{lem:continuous} FK_ParameterValue_SinglePluralParameterValueId) ref SinglePluralParameterValue (SinglePluralParameterValueId)$	

ldx	Name	Data Type	
* Pk	Partnerld	uniqueidentifier	
*		uniqueidentifier	
*	LegalEntityId	•	
··	Name	nvarchar(250) COLLATE Latin1_General_CI_AS	
,	Туре	int	
	Street	nvarchar(250) COLLATE Latin1_General_CI_AS	
	City	nvarchar(250) COLLATE Latin1_General_CI_AS	
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS	
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS	
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS	
	CommercialRegister	nvarchar(250) COLLATE Latin1_General_CI_AS	
	CommercialRegisterNumber	nvarchar(100) COLLATE Latin1_General_CI_AS	
	PowerOfRepresentation	int	
	Excemption	int	
	CapitalContribution	decimal(18,2)	
*	EffectiveDate	datetime	
	ExpirationDate	datetime	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	HistoryGroupId	uniqueidentifier	
Indexes			
Туре	Name	On	
Pk	PK_GeneralPartner	PartnerId	
Foreign	Keys		
Туре	Name	On	
	FK_GeneralPartner_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)		

Table	Fable PersonParticular		
ldx	Name	Data Type	
* Pk	PersonParticularId	uniqueidentifier	
	LegalEntityId	uniqueidentifier	
	ShareholderId	uniqueidentifier	
	Countryld	uniqueidentifier	
	SalutationTitleId	uniqueidentifier	
*	Туре	int	
*	LegalType	int	
	Name	nvarchar(250) COLLATE Latin1_General_CI_AS	
	FirstFamilyName	nvarchar(100) COLLATE Latin1_General_CI_AS	
	SecondFamilyName	nvarchar(100) COLLATE Latin1_General_CI_AS	
	MaritalStatus	int	
	OfLegalAge	nvarchar(50) COLLATE Latin1_General_CI_AS	
	Nationality	nvarchar(50) COLLATE Latin1_General_CI_AS	

ersonParticular	
City	nvarchar(250) COLLATE Latin1_General_CI_AS
Street	nvarchar(500) COLLATE Latin1_General_CI_AS
ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
PassportChoice	int
IdNumber	nvarchar(50) COLLATE Latin1_General_CI_AS
VatNumber	nvarchar(100) COLLATE Latin1_General_CI_AS
CommercialRegister	nvarchar(100) COLLATE Latin1_General_CI_AS
CommercialRegisterSheet	nvarchar(100) COLLATE Latin1_General_CI_AS
CommercialRegisterBook	nvarchar(100) COLLATE Latin1_General_CI_AS
CommercialRegisterVolume	nvarchar(100) COLLATE Latin1_General_CI_AS
CommercialRegisterInscription	nvarchar(100) COLLATE Latin1_General_CI_AS
Faculties	nvarchar(250) COLLATE Latin1_General_CI_AS
TypeOfPower	int
ContentOfPower	int
ContentSpecification	nvarchar(1000) COLLATE Latin1_General_CI_AS
CommercialRegistry	nvarchar(100) COLLATE Latin1_General_CI_AS
NotaryRegisterNumber	nvarchar(100) COLLATE Latin1_General_CI_AS
NotaryDate	date
NotaryName	nvarchar(100) COLLATE Latin1_General_CI_AS
AuditorNumber	nvarchar(100) COLLATE Latin1_General_CI_AS
IsRegistered	bit
OwnedDate	date
EndDate	date
CountryFields	nvarchar(max) COLLATE Latin1_General_CI_AS
StartDate	date
Term	date
MemberType	int
Remuneration	int
LegalRepresentativeld	uniqueidentifier
DateOfBirth	date
EffectiveDate	datetime
ExpirationDate	datetime
UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
HistoryGroupId	uniqueidentifier
NumberOfDebentures	int
ContentOfPowerCollection	nvarchar(50) COLLATE Latin1_General_CI_AS
Jurisdiction	
	nvarchar(50) COLLATE Latin1_General_CLAS
DeedNumber Issued Date	nvarchar(50) COLLATE Latin1_General_CI_AS
IssuedDate CommercialFile	date
CommercialFile	nvarchar(250) COLLATE Latin1_General_CI_AS
PublicRegistryOfCommerceOffice	nvarchar(max) COLLATE Latin1_General_CI_AS
RecordDate	date
Position	nvarchar(50) COLLATE Latin1_General_CI_AS
GroundForPowers	tinyint
OfficeNr	nvarchar(50) COLLATE Latin1_General_CI_AS
FlatNr	nvarchar(50) COLLATE Latin1_General_CI_AS
AlternativeLanguages	nvarchar(max) COLLATE Latin1_General_CI_AS

Table F	PersonParticular	
	RepresentationAuthority	nvarchar(50) COLLATE Latin1_General_CI_AS
	DirectorId	uniqueidentifier
	Role	nvarchar(250) COLLATE Latin1_General_CI_AS
	Chairman	bit
	Procuration	bit
	JointProcurationWith	nvarchar(250) COLLATE Latin1_General_CI_AS
	CompanyRegistrationNumber	nvarchar(100) COLLATE Latin1_General_CI_AS
	Contribution	nvarchar(50) COLLATE Latin1_General_CI_AS
	TypeOfPartners	int
	IsBoAtMbr	bit
	UltimateParent	bit
	IDCard	nvarchar(50) COLLATE Latin1_General_CI_AS
	County	nvarchar(100) COLLATE Latin1_General_CI_AS
	NumberOfWarrants	int
	LegalName	nvarchar(250) COLLATE Latin1_General_CI_AS
	PowerOfRepresentation	int
	Excemption	int
	CommercialRegisterNumber	nvarchar(100) COLLATE Latin1_General_CI_AS
	CapitalContribution	decimal(18,2)
	ReferencePersonParticularId	uniqueidentifier
	Resident	bit
	ShareCapitalId	uniqueidentifier
	NumberOfShares	bigint
	IsHoldingOwnShares	bit
	FixedCapital	int
	VariableCapital	int
	TotalValue	decimal(18,2)
	IsSoleShareHolder	bit
	IssuedSharesPerClassFields	nvarchar(max) COLLATE Latin1_General_CI_AS
	SoleShareholder	nvarchar(max) COLLATE Latin1_General_CI_AS
	Email	nvarchar(250) COLLATE Latin1_General_CI_AS
	SharesHeldOnBehalfOf	nvarchar(max) COLLATE Latin1_General_CI_AS
	PercentageOfControl	decimal(5,2)
	DateOfDecision	date
	CompetentOrgan	nvarchar(50) COLLATE Latin1_General_CI_AS
	DateOfPublication	date
	DateOfRenewal	date
	IsleclabMember	bit
	IsIbrIreMember	bit
	BeneficialOwnerType	int
	SharesSerialNumbers	nvarchar(1000) COLLATE Latin1_General_CI_AS
*	IsDeleted	bit DEFAULT 0
	DeletedBy	nvarchar(50) COLLATE Latin1_General_CI_AS
	DeletionDate	datetime
	DirectorCategoryTypes	nvarchar(100) COLLATE Latin1_General_CI_AS
	BeneficialOwnershipTypeId	uniqueidentifier
	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS
Indexes		
Туре	Name	On

Table PersonParticular		
Pk	PK_PersonParticulars	PersonParticularId
Foreign	Keys	
Туре	Name	On
	FK_PersonParticular_BeneficialOwnershipType (BeneficialOwnershipTypeId) ref BeneficialOwnershipType (BeneficialOwnershipTypeId)	
	FK_PersonParticular_LegalRepresentative (LegalRepresentativeld) ref LegalRepresentative (LegalRepresentativeld)	
	FK_PersonParticular_PersonParticular (ReferencePersonParticularId) ref PersonParticular (PersonParticularId)	
	FK_PersonParticular_Title (SalutationTitleId) ref SalutationTitle (Id)	
	FK_PersonParticulars_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)	

Table	Table PersonParticularBOCategory		
ldx	Name	Data Type	
* Pk	PersonParticularBOCategoryId	uniqueidentifier	
*	PersonParticularId	uniqueidentifier	
*	BeneficialOwnershipCategoryId	uniqueidentifier	
	CategoryFields	nvarchar(max) COLLATE Latin1_General_CI_AS	
Indexes	3		
Type	Name	On	
Pk	PK_PersonPa_8741D3AADF423FF6	PersonParticularBOCategoryId	
Foreign Keys			
Type	Name	On	
	FK_PersonParticularBOCategory_BeneficialOwnershipCategory (BeneficialOwnershipCategoryId) ref BeneficialOwnershipCategory (BeneficialOwnershipCategoryId)		
	FK_PersonParticularBOCategory_PersonParticular (PersonParticularId) ref PersonParticular (PersonParticularId)		

Table	Table PersonParticularBOCategoryHistory		
ldx	Name	Data Type	
* Pk	PersonParticularBOCategoryHistoryId	uniqueidentifier	
*	PersonParticularHistoryId	uniqueidentifier	
*	BeneficialOwnershipCategoryId	uniqueidentifier	
	CategoryFields	nvarchar(max) COLLATE Latin1_General_CI_AS	
Indexes			
Туре	Name	On	
Pk	PK_PersonPa_B98401ED57BBE59A	PersonParticularBOCategoryHistoryId	
Foreign	Foreign Keys		
Туре	Name	On	
	FK_PersonParticularBOCategoryHistory_BeneficialOwnershipCategory (BeneficialOwnershipCategoryId) ref BeneficialOwnershipCategory (BeneficialOwnershipCategoryId)		
	FK_PersonParticularBOCategoryHistory_PersonParticularHistory (PersonParticularHistoryId) ref PersonParticularHistory (PersonParticularHistoryId)		

Table	Table PersonParticularCategory		
ldx	Name	Data Type	
* Pk	PersonParticularCategoryId	uniqueidentifier	
*	Name	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	LegalEntityId	uniqueidentifier	
*	Туре	int	
Indexes			
Туре	Name	On	
Pk	PKPersonPa46DF536E9883DED9	PersonParticularCategoryId	

Table PersonParticularDocument			
ldx	Name	Data Type	
* Pk	PersonParticularDocumentId	uniqueidentifier	
*	PersonParticularId	uniqueidentifier	
Indexes			
Type	Name	On	
Pk	PK_PersonPa_B794FAD07FE7B118	PersonParticularDocumentId	
Foreign Keys			
Type	Name	On	
	FK_PersonParticularDocument_PersonParticular (PersonParticularId) ref PersonParticular (PersonParticularId)		

dx	Name	Data Type	
* Pk	PersonParticularDocumentInformationId	uniqueidentifier	
*	PersonParticularDocumentId	uniqueidentifier	
*	BlobId	uniqueidentifier	
*	EffectiveDate	datetime	
	ExpirationDate	datetime	
*	HistoryGroupId	uniqueidentifier	
	Description	nvarchar(250) COLLATE Latin1_General_CI_AS	
*	FileName	nvarchar(250) COLLATE Latin1_General_CI_AS	
*	FileType	nvarchar(500) COLLATE Latin1_General_CI_AS	
*	IsVisible	bit	
*	DocumentType	int	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
Indexes			
Type	Name	On	
Pk	PKPersonPa8F776303D9A75AF7	PersonParticularDocumentInformationId	
Foreign	Keys		
Type	Name	On	
	${\sf FK_PersonParticularDocumentInformation_Blob\ (\ BlobId\)\ ref}$	Blob (BlobId)	
	$\label{lem:continuous} FK_PersonParticularDocument (\ PersonParticularDocumentId\)\ ref\\ PersonParticularDocument (\ PersonParticularDocumentId\)$		

T abic I	Table PersonParticularHistory		
ldx	Name	Data Type	
* Pk	PersonParticularHistoryId	uniqueidentifier	
	PersonParticularId	uniqueidentifier	
	LegalEntityId	uniqueidentifier	
	Shareholderld	uniqueidentifier	
	Countryld	uniqueidentifier	
	SalutationTitleId	uniqueidentifier	
*	Туре	int	
*	LegalType	int	
	Name	nvarchar(250) COLLATE Latin1_General_CI_AS	
	FirstFamilyName	nvarchar(100) COLLATE Latin1_General_CI_AS	
	SecondFamilyName	nvarchar(100) COLLATE Latin1_General_CI_AS	
	MaritalStatus	int	
	OfLegalAge	nvarchar(50) COLLATE Latin1_General_CI_AS	
	Nationality	nvarchar(50) COLLATE Latin1_General_CI_AS	

Table	PersonParticularHistory	
	City	nvarchar(250) COLLATE Latin1_General_CI_AS
	Street	nvarchar(500) COLLATE Latin1_General_CI_AS
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
	PassportChoice	int
	IdNumber	nvarchar(50) COLLATE Latin1_General_CI_AS
	VatNumber	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegister	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterSheet	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterBook	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterVolume	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterInscription	nvarchar(100) COLLATE Latin1_General_CI_AS
	EffectiveDate	datetime
	ExpirationDate	datetime
	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
	HistoryGroupId	uniqueidentifier
	Faculties	nvarchar(250) COLLATE Latin1_General_CI_AS
	TypeOfPower	int
	ContentOfPower	int
	ContentSpecification	nvarchar(1000) COLLATE Latin1_General_CI_AS
	CommercialRegistry	nvarchar(100) COLLATE Latin1_General_CI_AS
	NotaryRegisterNumber	nvarchar(100) COLLATE Latin1_General_CI_AS
	NotaryDate	date
	NotaryName	nvarchar(100) COLLATE Latin1_General_CI_AS
	AuditorNumber	nvarchar(100) COLLATE Latin1_General_CI_AS
	IsRegistered	bit
	OwnedDate	date
	EndDate	date
	CountryFields	nvarchar(max) COLLATE Latin1_General_CI_AS
	StartDate	date
	Term	date
	MemberType	int
	Remuneration	int
	LegalRepresentativeId	uniqueidentifier
	DateOfBirth	date
	NumberOfDebentures	int
	ContentOfPowerCollection	nvarchar(50) COLLATE Latin1_General_CI_AS
	Jurisdiction	nvarchar(50) COLLATE Latin1_General_CI_AS
	DeedNumber	nvarchar(50) COLLATE Latin1_General_CI_AS
	IssuedDate	date
	CommercialFile	nvarchar(250) COLLATE Latin1_General_CI_AS
	PublicRegistryOfCommerceOffice	nvarchar(max) COLLATE Latin1_General_CI_AS
	RecordDate	date
	Position	nvarchar(50) COLLATE Latin1_General_CI_AS
	GroundForPowers	tinyint
	OfficeNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	FlatNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	AlternativeLanguages	nvarchar(max) COLLATE Latin1_General_CI_AS

Table I	PersonParticularHistory	
	RepresentationAuthority	nvarchar(50) COLLATE Latin1_General_CI_AS
	Directorld	uniqueidentifier
	Role	nvarchar(250) COLLATE Latin1_General_CI_AS
	Chairman	bit
	Procuration	bit
	JointProcurationWith	nvarchar(250) COLLATE Latin1_General_CI_AS
	CompanyRegistrationNumber	nvarchar(100) COLLATE Latin1_General_CI_AS
	Contribution	nvarchar(50) COLLATE Latin1_General_CI_AS
	TypeOfPartners	int
	IsBoAtMbr	bit
	UltimateParent	bit
	IDCard	nvarchar(50) COLLATE Latin1_General_CI_AS
	County	nvarchar(100) COLLATE Latin1_General_CI_AS
	NumberOfWarrants	int
	LegalName	nvarchar(250) COLLATE Latin1_General_CI_AS
	PowerOfRepresentation	int
	Excemption	int
	CommercialRegisterNumber	nvarchar(100) COLLATE Latin1_General_CI_AS
	CapitalContribution	decimal(18,2)
	ReferencePersonParticularId	uniqueidentifier
	Resident	bit
	ShareCapitalld	uniqueidentifier
	NumberOfShares	bigint
	IsHoldingOwnShares	bit
	FixedCapital	int
	VariableCapital	int
	TotalValue	decimal(18,2)
	IsSoleShareHolder	bit
	IssuedSharesPerClassFields	nvarchar(max) COLLATE Latin1_General_CI_AS
	SoleShareholder	nvarchar(max) COLLATE Latin1_General_CI_AS
	Email	nvarchar(250) COLLATE Latin1_General_CI_AS
	SharesHeldOnBehalfOf	nvarchar(max) COLLATE Latin1_General_CI_AS
	PercentageOfControl	decimal(5,2)
	DateOfDecision	date
	CompetentOrgan	nvarchar(50) COLLATE Latin1_General_CI_AS
	DateOfPublication	date
	DateOfRenewal	date
	IsleclabMember	bit
	IsIbrIreMember	bit
	BeneficialOwnerType	int
	SharesSerialNumbers	nvarchar(1000) COLLATE Latin1_General_CI_AS
	DirectorCategoryTypes	nvarchar(100) COLLATE Latin1_General_CI_AS
	BeneficialOwnershipTypeId	uniqueidentifier
	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS
Indexes		· · ·
Туре	Name	On
Pk	PK_PersonParticularHistory	PersonParticularHistoryId
Foreign	-	
Туре	Name	On
71		

Table PersonParticularHistory

 $\label{thm:personParticularHistory} FK_PersonParticular History_Beneficial Ownership Type \ (\ Beneficial Ownership Type \ d \) \ ref \ Beneficial Ownership Type \ d \)$

FK_PersonParticularHistory_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)

FK_PersonParticularHistory_LegalRepresentative (LegalRepresentativeId) ref LegalRepresentative (LegalRepresentativeId)

FK_PersonParticularHistory_PersonParticular (PersonParticularId) ref PersonParticular (PersonParticularId)

FK_PersonParticularHistory_Title (SalutationTitleId) ref SalutationTitle (Id)

Table PersonParticularPersonCategory			
ldx	Name	Data Type	
* Pk	PersonParticularPersonCategoryId	uniqueidentifier	
*	PersonParticularId	uniqueidentifier	
*	PersonParticularCategoryId	uniqueidentifier	
*	EffectiveDate	datetime	
	ExpirationDate	datetime	
*	HistoryGroupId	uniqueidentifier	
Indexes	Indexes		
Туре	Name	On	
Pk	PKPersonPaE7F07D1EDF53E087	PersonParticularPersonCategoryId	
Foreign Keys			
Туре	Name	On	
	FK_PersonParticularPersonCategory_PersonParticular (PersonParticularId) ref PersonParticular (PersonParticularId)		
	FK_PersonParticularPersonCategory_PersonParticularCategory (PersonParticularCategoryId) ref PersonParticularCategory (PersonParticularCategoryId)		

Table PersonParticularPersonRightCondition			
ldx	Name	Data Type	
* Pk	PersonParticularPersonRightConditionId	uniqueidentifier DEFAULT newid()	
*	PersonParticularId	uniqueidentifier	
*	PersonRightConditionId	uniqueidentifier	
Indexes			
Type	Name	On	
Pk	PKPersonPaF26021250AB6F659	PersonParticularPersonRightConditionId	
Foreign	Foreign Keys		
Type	Name	On	
	FK_PersonParticularPersonRightCondition_PersonParticular (PersonParticularId) ref PersonParticular (PersonParticularId)		
	FK_PersonParticularPersonRightCondition_PersonRightCondition (PersonRightConditionId) ref PersonRightCondition (PersonRightConditionId)		

Table I	Table PersonRightCategory		
ldx	Name	Data Type	
* Pk	PersonRightCategoryId	uniqueidentifier	
*	Description	nvarchar(max) COLLATE Latin1_General_CI_AS	
*	SortIndex	int	
*	Туре	int	
Indexes			
Туре	Name	On	
Pk	PKPersonRiB85837C541163528	PersonRightCategoryId	

Table	Table PersonRightCondition		
ldx	Name	Data Type	
* Pk	PersonRightConditionId	uniqueidentifier	
*	PersonRightCategoryId	uniqueidentifier	
*	Description	nvarchar(max) COLLATE Latin1_General_CI_AS	
*	SortIndex	int	
Indexes			
Туре	Name	On	
Pk	PKPersonRi1905F4252A421C3A	PersonRightConditionId	
Foreign Keys			
Туре	Name	On	
	FK_PersonRightCondition_PersonRightCategory (PersonRig	ghtCategoryId) ref PersonRightCategory (PersonRightCategoryId)	

dx	Name	Data Type
Pk	PresidentId	uniqueidentifier
	LegalEntityId	uniqueidentifier
	SalutationTitleId	uniqueidentifier
	LegalRepresentativeld	uniqueidentifier
*	Firstname	nvarchar(250) COLLATE Latin1_General_CI_AS
*	Lastname	nvarchar(50) COLLATE Latin1_General_CI_AS
	Street	nvarchar(250) COLLATE Latin1_General_CI_AS
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
	City	nvarchar(250) COLLATE Latin1_General_CI_AS
*	Countryld	uniqueidentifier
*	DateOfAppointment	date
	DateOfResignation	date
	Term	date
*	Remuneration	int
k	LegalType	int
	Title	nvarchar(50) COLLATE Latin1_General_CI_AS
	CountryFields	nvarchar(max) COLLATE Latin1_General_CI_AS
Indexes	3	
Type	Name	On
Pk	PK_President	PresidentId
Foreign Keys		
Гуре	Name	On
	FK_President_LegalEntity (LegalEntityId) re	f LegalEntity (LegalEntityId)
	FK_President_LegalRepresentative (LegalRepresentativeld) ref LegalRepresentative (LegalRepresentativeld)	

Table PresidentHistory		
ldx	Name	Data Type
* Pk	PresidentHistoryId	uniqueidentifier
	LegalRepresentativeId	uniqueidentifier
*	EffectiveDate	datetime
	ExpirationDate	datetime

Table	PresidentHistory	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
k	HistoryGroupId	uniqueidentifier
	SalutationTitleId	uniqueidentifier
*	Firstname	nvarchar(250) COLLATE Latin1_General_CI_AS
*	Lastname	nvarchar(50) COLLATE Latin1_General_CI_AS
	Street	nvarchar(250) COLLATE Latin1_General_CI_AS
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
	City	nvarchar(250) COLLATE Latin1_General_CI_AS
	Countryld	uniqueidentifier
*	DateOfAppointment	date
	DateOfResignation	date
	Term	date
*	Remuneration	int
*	LegalType	int
	Title	nvarchar(50) COLLATE Latin1_General_CI_AS
	CountryFields	nvarchar(max) COLLATE Latin1_General_CI_AS
k	LegalEntityId	uniqueidentifier
Indexes		
Туре	Name	On
Pk	PK_PresidentHistory	PresidentHistoryId
Foreign	Keys	
Туре	Name	On
	FK_PresidentHistory_LegalEntity (LegalEntityId) ref LegalEn	ntity (LegalEntityId)
	FK_PresidentHistory_LegalEntityRepresentative (LegalRepre	esentativeId) ref LegalRepresentative (LegalRepresentativeId)
	FK_PresidentHistory_Title (SalutationTitleId) ref SalutationTi	itle (ld)
PK_PresidentHistory_President (HistoryGroupId) ref President (PresidentId)		ent (PresidentId)

dx	Name	Data Type
Pk	ProjectId	uniqueidentifier
·	ProjectTypeId	uniqueidentifier
·	LegalFormId	uniqueidentifier
·	LegalEntityId	uniqueidentifier
r	FiscalYearld	uniqueidentifier
	BlockedBy	nvarchar(150) COLLATE Latin1_General_CI_AS
	BlockedOn	datetime
r	IsDeleted	bit DEFAULT 0
	DeletedBy	nvarchar(50) COLLATE Latin1_General_CI_AS
	DeletionDate	datetime
ndexe	3	
Гуре	Name	On
Pk	PK_Project	ProjectId
Foreign Keys		
Гуре	Name	On
FK_Project_FiscalYear (FiscalYearId) ref FiscalYear (FiscalYearId)		alYearld)
	FK_Project_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)	

Table Project

FK_Project_LegalForm (LegalFormId) ref LegalForm (LegalFormId)

Table ProjectInformation		
Data Type		
uniqueidentifier		
uniqueidentifier		
uniqueidentifier		
datetime		
datetime		
nvarchar(50) COLLATE Latin1_General_CI_AS		
uniqueidentifier		
date		
nvarchar(500) COLLATE Latin1_General_CI_AS		
uniqueidentifier		
nvarchar(15) COLLATE Latin1_General_CI_AS		
nvarchar(100) COLLATE Latin1_General_CI_AS		
On		
ProjectInformationId		
Foreign Keys		
On		
ge (Languageld)		
ctld)		
rojectStatus (ProjectStatusId)		
C		

Table ProjectNotificationRecipient		
ldx	Name	Data Type
* Pk	ProjectNotificationRecipientId	uniqueidentifier
*	ProjectInformationId	uniqueidentifier
*	AppUserId	uniqueidentifier
Indexes		
Type	Name	On
Pk	PK_ProjectNotificationRecipient	ProjectNotificationRecipientId
Foreign Keys		
Type	Name	On
	FK_ProjectNotificationRecipient_AppUserId (AppUserId) ref AppUser (AppUserId)	
	$\label{projectNotificationRecipientProjectInformationId} \ (\ ProjectInformationId\)\ ref\ ProjectInformation\ (\ ProjectInformationId\)$	

Table Pi	Table ProjectStatus		
ldx	Name	Data Type	
* Pk	ProjectStatusId	uniqueidentifier	
*	Description	nvarchar(500) COLLATE Latin1_General_CI_AS	
*	SortIndex	int	
*	InitialStatus	bit	
*	MarkProjectCompleted	bit	
	Countryld	uniqueidentifier	
*	IsVisible	bit DEFAULT '1'	
	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "	

Table ProjectStatus Indexes Type Name On Pk PK_ProjectStatus ProjectStatusId Table ProjectType Name ldx Data Type * Pk ProjectTypeId uniqueidentifier ParentProjectTypeId uniqueidentifier LegalFormId uniqueidentifier nvarchar(150) COLLATE Latin1_General_CI_AS Description GenerateProject int IsBottomLevel bit ViewOrder int IsDeleted bit DeletionDate date DeletedBy nvarchar(250) COLLATE Latin1_General_CI_AS Indexes On Type Name Pk PK_ProjectType ProjectTypeId Foreign Keys Type Name On FK_ProjectType_LegalForm (LegalFormId) ref LegalForm (LegalFormId) FK_ProjectType_ProjectType (ParentProjectTypeId) ref ProjectType (ProjectTypeId)

Idx Name Data Type * Pk ProjectTypeDocumentTemplateId uniqueidentifier * ProjectTypeId uniqueidentifier * DocumentTemplateId uniqueidentifier Indexes Type Name Pk PK_ProjectTypeDocumentTemplate ProjectTypeDocumentTemplateId		
 ProjectTypeId uniqueidentifier DocumentTemplateId uniqueidentifier Indexes Type Name On PK_ProjectTypeDocumentTemplate ProjectTypeDocumentTemplateId 		
* DocumentTemplateId uniqueidentifier Indexes Type Name On Pk_ProjectTypeDocumentTemplate ProjectTypeDocumentTemplateId		
Indexes Type Name On Pk PK_ProjectTypeDocumentTemplate ProjectTypeDocumentTemplateId		
Type Name On Pk PK_ProjectTypeDocumentTemplate ProjectTypeDocumentTemplateId		
Pk PK_ProjectTypeDocumentTemplate ProjectTypeDocumentTemplateId		
= 3.00 21 - 0.00 - 1.00		
Foreign Keye		
Foreign Keys		
Type Name On		
FK_ProjectTypeDocumentTemplate_DocumentTemplate (DocumentTemplateId) ref DocumentTemplate (DocumentTemplateId)		
FK_ProjectTypeDocumentTemplate_ProjectType (ProjectTypeId) ref ProjectType (ProjectTypeId)		

Idx Name Data Type * Pk ProkuristId uniqueidentifier * LegalEntityId uniqueidentifier * SalutationTitleId uniqueidentifier * CountryId uniqueidentifier * FirstName nvarchar(50) COLLATE Latin1_General_CI_AS * LastName nvarchar(50) COLLATE Latin1_General_CI_AS	Table	Table Prokurist		
* LegalEntityId uniqueidentifier * SalutationTitleId uniqueidentifier * CountryId uniqueidentifier * FirstName nvarchar(50) COLLATE Latin1_General_CI_AS * LastName nvarchar(50) COLLATE Latin1_General_CI_AS	ldx	Name	Data Type	
* SalutationTitleId uniqueidentifier * CountryId uniqueidentifier * FirstName nvarchar(50) COLLATE Latin1_General_CI_AS * LastName nvarchar(50) COLLATE Latin1_General_CI_AS	* Pk	Prokuristld	uniqueidentifier	
 * CountryId uniqueidentifier * FirstName nvarchar(50) COLLATE Latin1_General_CI_AS * LastName nvarchar(50) COLLATE Latin1_General_CI_AS 	*	LegalEntityId	uniqueidentifier	
 FirstName nvarchar(50) COLLATE Latin1_General_CI_AS LastName nvarchar(50) COLLATE Latin1_General_CI_AS 	*	SalutationTitleId	uniqueidentifier	
* LastName nvarchar(50) COLLATE Latin1_General_CI_AS	*	Countryld	uniqueidentifier	
	*	FirstName	nvarchar(50) COLLATE Latin1_General_CI_AS	
O	*	LastName	nvarchar(50) COLLATE Latin1_General_CI_AS	
Street nvarchar(500) COLLATE Latin1_General_CI_AS		Street	nvarchar(500) COLLATE Latin1_General_CI_AS	
City nvarchar(250) COLLATE Latin1_General_CI_AS		City	nvarchar(250) COLLATE Latin1_General_CI_AS	

Table Prokurist		
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
	DateOfBirth	date
*	PowerOfRepresentation	int
*	Excemption	int
*	DateOfAppointment	date
	DateOfRevocation	date
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
	HistoryGroupId	uniqueidentifier
Indexes		
Type	Name	On
Pk	PK_Prokurist	Prokuristld
Foreign Keys		
Type	Name	On
	FK_Prokurist_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)	
	FK_Prokurist_Title(SalutationTitleId)ref SalutationTitle(Id)	

Table RegisterOfLegalEntity		
ldx	Name	Data Type
* Pk	RegisterOfLegalEntityId	uniqueidentifier
*	Name	nvarchar(150) COLLATE Latin1_General_CI_AS
*	NameEn	nvarchar(150) COLLATE Latin1_General_CI_AS DEFAULT "
*	NameFr	nvarchar(150) COLLATE Latin1_General_CI_AS DEFAULT "
	Countryld	uniqueidentifier
	TranslatedName	nvarchar(max) COLLATE Latin1_General_CI_AS
*	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS DEFAULT "
Indexe	s	
Туре	Name	On
Pk	PK_RegisterOfLegalEntities	RegisterOfLegalEntityId

ldx	Name	Data Type	
* Pk	RegisterOfLegalEntityHistoryId	uniqueidentifier	
	RegisterOfLegalEntityId	uniqueidentifier	
*	Name	nvarchar(150) COLLATE Latin1_General_CI_AS	
	TranslatedName	nvarchar(max) COLLATE Latin1_General_CI_AS	
*	EffectiveDate	datetime	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	HistoryGroupId	uniqueidentifier	
Indexes			
Туре	Name	On	
Pk	PK_RegisterOfLegalEntitiesHistory	RegisterOfLegalEntityHistoryId	
Foreign Keys			
Туре	Name	On	
	EK RegisterOft and Entity History, RegisterOft and Entity (RegisterOft and Entity Id.) ref RegisterOft and Entity (

 $\label{lem:fk_registerOfLegalEntityHistory_RegisterOfLegalEntity} \ (\ RegisterOfLegalEntityId\)\ ref\ RegisterOfLegalEntityId\)$

Table ReportTemplate		
		Data Time
ldx	Name	Data Type
* Pk	ReportTemplateId	uniqueidentifier
*	ClientId	uniqueidentifier
	LegalEntityId	uniqueidentifier
	BlobId	uniqueidentifier
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
*	Description	nvarchar(500) COLLATE Latin1_General_CI_AS
*	FileName	nvarchar(250) COLLATE Latin1_General_CI_AS
*	FileType	nvarchar(500) COLLATE Latin1_General_CI_AS
Indexes		
Туре	Name	On
Pk	PK_ReportTemplate	ReportTemplateId
Foreign Keys		
Туре	Name	On
	FK_ReportTemplate_Blob (BlobId) ref Blob (BlobId)	
	FK_ReportTemplate_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)	

Table	Table SalutationTitle		
ldx	Name	Data Type	
* Pk	ld	uniqueidentifier	
	Countryld	uniqueidentifier	
* Unq	Name	nvarchar(100) COLLATE Latin1_General_CI_AS	
*	Abbreviation	nvarchar(50) COLLATE Latin1_General_CI_AS	
	Languageld	uniqueidentifier	
Unq	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS	
Indexes			
Туре	Name	On	
Pk	PK_Title	ld	
Unq	ix_countrykey_name	CountryKey, Name	
Foreign Keys			
Туре	Name	On	
FK_Title_Language(LanguageId)ref Language(LanguageId)		eld)	

Table ShareCapital			
ldx	Name	Data Type	
* Pk	ShareCapitalld	uniqueidentifier	
*	LegalEntityId	uniqueidentifier	
Indexes			
Type	Name	On	
Pk	PK_ShareCapital	ShareCapitalId	
Foreign Keys			
Туре	Name	On	
	FK_ShareCapital_LegalEntity (LegalEntityId) ref LegalEntity ((LegalEntityId)	

Table	ShareCapitalInformation	
ldx	Name	Data Type
* Pk	ShareCapitalInformationId	uniqueidentifier
*	ShareCapitalId	uniqueidentifier
*	LegalEntityId	uniqueidentifier
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
*	IssuedCapital	decimal(18,2)
*	NumberOfShares	bigint
*	HasNominalValue	bit
	NominalValue	decimal(26,10)
*	PaidUpCapital	decimal(18,2)
*	UnpaidCapital	decimal(18,2)
*	SharePremium	decimal(18,2)
*	RegisteredShares	bigint
*	DematerializedShares	bigint
	PreferedShares	int
	OrdinaryShares	int
	NonVotingShares	nvarchar(100) COLLATE Latin1_General_CI_AS
	SpecialShares	nvarchar(100) COLLATE Latin1_General_CI_AS
	HasVotingRight	bit
	Comments	nvarchar(250) COLLATE Latin1_General_CI_AS
	IsHalfNetEquity	bit
	IsHalfLegalPublicity	bit
	MinorityShareholder	bit
*	AuthorizedCapitalAmount	decimal(18,2)
	AuthorizedCapitalStartDate	date
	AuthorizedCapitalExpiryDate	date
*	AuthorizedCapitalUsed	decimal(18,2)
*	AuthorizedCapitalAvailable	decimal(18,2)
	IsAuthorizedShareCapitalVisible	bit
	CountryFields	nvarchar(max) COLLATE Latin1_General_CI_AS
	FixedCapital	int
	VariableCapital	int
	TotalValue	decimal(18,2)
	IsConditionalShareCapitalVisible	bit
	ConditionalCapitalAmount	decimal(18,2)
	ConditionalCapitalAvailable	decimal(18,2)
	ConditionalCapitalUsed	decimal(18,2)
	AverageShares	int
	IsPrivilegedShares	bit
	PrivilegedShares	int
*	ContainsShareholderTypes	bit DEFAULT '0'
	CapitalFields	nvarchar(max) COLLATE Latin1_General_CI_AS
	IssuedSharesPerClassFields	nvarchar(max) COLLATE Latin1_General_CI_AS
	SharePremiumText	nvarchar(250) COLLATE Latin1_General_CI_AS
	Currencyld	uniqueidentifier
	NumberOfSharesInAoA	int

Table ShareCapitalInformation		
	CurrencyCode	nvarchar(300) COLLATE Latin1_General_CI_AS
Indexes		
Туре	Name	On
Pk	PK_ShareCapitalInformation	ShareCapitalInformationId
Foreign Keys		
Туре	Name	On
	FK_ShareCapitalInformation_ShareCapital (ShareCapitalId) ref ShareCapital (ShareCapitalId)	

Table	Table Shareholder		
ldx	Name	Data Type	
* Pk	ShareholderId	uniqueidentifier	
*	ShareCapitalId	uniqueidentifier	
*	Name	nvarchar(500) COLLATE Latin1_General_CI_AS	
Indexes			
Туре	Name	On	
Pk	PK_Shareholder	ShareholderId	
Foreign Keys			
Туре	Name	On	
	FK_Shareholder_ShareCapital (ShareCapitalld) ref ShareCapital (ShareCapitalld)		

Table	Table ShareholderCountryField			
ldx	Name	Data Type		
* Pk	ShareholderCountryFieldId	uniqueidentifier		
*	ShareholderInformationId	uniqueidentifier		
*	FieldName	nvarchar(100) COLLATE Latin1_General_CI_AS		
	StringValue	nvarchar(500) COLLATE Latin1_General_CI_AS		
	NumericValue	decimal(18,2)		
	BitValue	bit		
	DateValue	date		
*	EffectiveDate	datetime		
	ExpirationDate	datetime		
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS		
*	HistoryGroupId	uniqueidentifier		
Indexes				
Type	Name	On		
Pk	PK_ShareholderCountryField	ShareholderCountryFieldId		
Foreign Keys				
Туре	Name	On		
	$lem:fk_ShareholderCountryField_ShareholderInformation (ShareholderInformationId) ref ShareholderInformation (ShareholderInformationId) \\$			

Table ShareholderInformation		
ldx	Name	Data Type
* Pk	ShareholderInformationId	uniqueidentifier
*	ShareholderId	uniqueidentifier
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS

•	HistoryGroupId	uniqueidentifier
	Name	nvarchar(500) COLLATE Latin1_General_CI_AS
	LegalRepresentativeld	uniqueidentifier
	Street	nvarchar(500) COLLATE Latin1_General_CI_AS
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
	City	nvarchar(250) COLLATE Latin1_General_CI_AS
	Countryld	uniqueidentifier
r	NumberOfShares	int
r	StartDate	date
	EndDate	date
k	LegalType	int
*	IsUltimateParent	bit DEFAULT '0'
	CountryFields	nvarchar(max) COLLATE Latin1_General_CI_AS
*	IsHoldingOwnShares	bit DEFAULT '0'
	FixedCapital	int
	VariableCapital	int
	TotalValue	decimal(18,2)
	FlatNr	nchar(50) COLLATE Latin1_General_CI_AS
	OfficeNr	nchar(50) COLLATE Latin1_General_CI_AS
	AlternativeLanguages	nvarchar(max) COLLATE Latin1_General_CI_AS
	Types	nvarchar(max) COLLATE Latin1_General_CI_AS
Indexe	8	
Туре	Name	On
Pk	PK_ShareholderInformation	ShareholderInformationId
Foreigr	Keys	
Туре	Name	On
FK_ShareholderInformation_LegalRepresentative (LegalRepresentativeId) ref LegalRepresentative (LegalRepresentative (ative (LegalRepresentativeld) ref LegalRepresentative (LegalRepresentativeld)

Table SignatureLibraryFile	<u> </u>
Idx Name Data Typ	e
* Pk SignatureLibraryFileId uniqueide	entifier
* SignatureTransactionId uniqueide	entifier
* LibraryFileId uniqueide	entifier
BlobId uniqueide	entifier
WordBlobId uniqueide	entifier
PdfBlobId uniqueide	entifier
* FileName nvarchar	(250) COLLATE Latin1_General_CI_AS
FileType nvarchar	(500) COLLATE Latin1_General_CI_AS
SignedPdfBlobId uniqueide	entifier
* Unq DocumentId int IDEN	ΓΙΤΥ
* ExpirationDate datetime	
MovedToLibrary bit DEFA	ULT 0
Indexes	
Type Name On	
Pk PK_Signatur_2C14441621AA70B7 Signature	eLibraryFileId

Table SignatureLibraryFile		
Unq	CK_SignatureLibraryFile_DocumentId	DocumentId
Foreign	Keys	
Type	Name	On
	FK_SignatureLibraryFile_LibraryFile (LibraryFileId) ref LibraryFile (LibraryFileId)	
	FK_SignatureLibraryFile_PdfBlob (PdfBlobId) ref Blob (BlobId)	
	FK_SignatureLibraryFile_SignatureTransaction (SignatureTransactionId) ref SignatureTransaction (SignatureTransactionId)	
	FK_SignatureLibraryFile_SignedBlob (SignedPdfBlobId) ref Blob (BlobId)	
	FK_SignatureLibraryFile_WordBlob (WordBlobId) ref Blob (BlobId)	

Table SignatureLibraryFileAttachment		
Data Type		
AttachmentId uniqueidentifier		
d uniqueidentifier		
uniqueidentifier		
nvarchar(250) COLLATE Latin1_General_CI_AS		
nvarchar(100) COLLATE Latin1_General_CI_AS		
Indexes		
On		
BD7722FB91BC14 SignatureLibraryFileAttachmentId		
On		
FK_SignatureLibraryFileAttachment_PersonParticular (BlobId) ref Blob (BlobId)		
FK_SignatureLibraryFileAttachment_SignatureLibraryFile (SignatureLibraryFileId) ref SignatureLibraryFile (SignatureLibraryFileId)		
uniqueidentifier nvarchar(250) COLLATE Latin1_General_CI_AS nvarchar(100) COLLATE Latin1_General_CI_AS On BD7722FB91BC14 SignatureLibraryFileAttachmentId On FileAttachment_PersonParticular (BlobId) ref Blob (BlobId) FileAttachment_SignatureLibraryFile (SignatureLibraryFileId) ref SignatureLibraryFile (

Table SignatureLibraryFileSigner		
ldx	Name	Data Type
* Pk	SignatureLibraryFileSignerId	uniqueidentifier
*	SignatureLibraryFileId	uniqueidentifier
	PersonParticularId	uniqueidentifier
	ExternalDocumentSignerId	uniqueidentifier
	Email	nvarchar(100) COLLATE Latin1_General_CI_AS
	SignaturePlaceholder	nvarchar(100) COLLATE Latin1_General_CI_AS
*	SigningMode	int
	SignedPdfBlobId	uniqueidentifier
Indexes		
Туре	Name	On
Pk	PK_Signatur_FFC63153D607E392	SignatureLibraryFileSignerId
Foreign Keys		
Туре	Name	On
	FK_SignatureLibraryFileSigner_PersonParticular (PersonParticularId) ref PersonParticular (PersonParticularId)	
	FK_SignatureLibraryFileSigner_SignatureLibraryFile (SignatureLibraryFileId) ref SignatureLibraryFile (SignatureLibraryFileId)	

Table	Table SignatureLibraryFileSignerReminder		
ldx	Name	Data Type	
* Pk	SignatureLibraryFileSignerReminderId	uniqueidentifier	
*	SignatureLibraryFileSignerId	uniqueidentifier	
*	DateOfLatestReminder	datetime	

Table SignatureLibraryFileSignerReminder		
*	NumberOfRemindersSent	int
*	FinalReminderSent	bit
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
Indexes		
Туре	Name	On
Pk	PK_Signatur_F15F3CC55EEDFC9B	SignatureLibraryFileSignerReminderId
Foreign Keys		
Туре	Name	On
	FK_SignatureLibraryFileSignerReminder_SignatureLibraryFileSigner(SignatureLibraryFileSignerId)ref SignatureLibraryFileSigner(SignatureLibraryFileSignerId)	

ldx	Name	Data Type
* Pk	SignatureLibraryFileSignerStatusId	uniqueidentifier
*	SignatureLibraryFileSignerId	uniqueidentifier
	SignatureRequestStatusId	uniqueidentifier
*	HistoryGroupId	uniqueidentifier
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
	SignedPdfBlobId	uniqueidentifier
Indexes	S	
Туре	Name	On
Pk	PK_Signatur_7DEE7B0F7DA3EFC3	SignatureLibraryFileSignerStatusId
Foreign	n Keys	
Туре	Name	On
	FK_SignatureLibraryFileSignerStatus_SignatureLibrarylSignatureLibraryFileSignerId)	FileSigner (SignatureLibraryFileSignerId) ref SignatureLibraryFileSigner (
	FK_SignatureLibraryFileSignerStatus_SignatureRequesSignatureRequestStatusId)	stStatus (SignatureRequestStatusId) ref SignatureRequestStatus (

Toble	SignaturePegueet	
	SignatureRequest	
ldx	Name	Data Type
* Pk	SignatureRequestId	uniqueidentifier
*	EffectiveDate	datetime
*	LegalEntityId	uniqueidentifier
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
	CustomSubject	nvarchar(500) COLLATE Latin1_General_CI_AS
	CustomEmailMessage	nvarchar(max) COLLATE Latin1_General_CI_AS
*	SendNotifications	bit DEFAULT 0
	NumberOfDaysBeforeFirstReminder	int
	NumberOfDaysBetweenReminders	int
	NumberOfDaysBeforeRequestExpires	int
Indexes	3	
Туре	Name	On
Pk	PK_Signatur_6AD8B930276CFA03	SignatureRequestId
Foreign Keys		
Туре	Name	On
	FK SignatureRequest LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)	

Table	Table SignatureRequestSigner		
ldx	Name	Data Type	
* Pk	SignatureRequestSignerId	uniqueidentifier	
*	SignatureRequestId	uniqueidentifier	
	Token	nvarchar(max) COLLATE Latin1_General_CI_AS	
	Email	nvarchar(100) COLLATE Latin1_General_CI_AS	
	AuthenticationPIN	int	
	SigningUrlExpirationDate	datetime	
	NumberOfAttempts	tinyint	
Indexes	3		
Туре	Name	On	
Pk	PKSignatur09B2F99A58460961	SignatureRequestSignerId	
Foreign Keys			
Туре	Name	On	
	EK SignaturePeguestSigner SignaturePeguest / SignatureE	Pogueetld \ rof Cignoture Dogueet (Cignoture Dogueetld)	

 ${\sf FK_SignatureRequestSigner_SignatureRequest} \ (\ {\sf SignatureRequestId} \) \ {\sf ref \ SignatureRequest} \ (\ {\sf SignatureRequestId} \)$

Table	Table SignatureRequestStatus		
ldx	Name	Data Type	
* Pk	SignatureRequestStatusId	uniqueidentifier	
*	RequestorStatus	nvarchar(50) COLLATE Latin1_General_CI_AS	
	SignerStatus	nvarchar(50) COLLATE Latin1_General_CI_AS	
	Description	nvarchar(100) COLLATE Latin1_General_CI_AS	
*	SortIndex	int	
*	InitialStatus	bit	
*	MarkAsCompleted	bit	
Indexes	3		
Туре	Name	On	
Pk	PKSignatur10503C056C340D0F	SignatureRequestStatusId	

Table SignatureTransaction			
ldx	Name	Data Type	
* Pk	SignatureTransactionId	uniqueidentifier	
	SignatureRequestId	uniqueidentifier	
*	EffectiveDate	datetime	
	TransactionId	nvarchar(100) COLLATE Latin1_General_CI_AS	
*	LegalEntityId	uniqueidentifier	
	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
Indexes	Indexes		
Туре	Name	On	
Pk	PK_Signatur_3B84FA1CE2AA58F8	SignatureTransactionId	
Foreign Keys			
Туре	Name	On	
	FK_SignatureTransaction_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)		
	${\sf FK_SignatureTransaction_SignatureRequest} \ (\ {\sf SignatureRequestId} \) \ {\sf ref \ SignatureRequest} \ (\ {\sf SignatureRequestId} \)$		

Table SinglePluralParameterValue		
ldx	Name	Data Type
* Pk	SinglePluralParameterValueId	uniqueidentifier
*	ParameterId	uniqueidentifier

Table SinglePluralParameterValue		
*	ProjectId	uniqueidentifier
*	SelectedTotal	int
*	CollectionOrderIndex	int DEFAULT 0
Indexes		
Туре	Name	On
Pk	PK_SinglePluralParameterValue	SinglePluralParameterValueId
Foreign Keys		
Type	Name	On

FK_SinglePluralParameterValue_Project (ProjectId) ref Project (ProjectId)

Table SoleShareholder		
ldx	Name	Data Type
* Pk	SoleShareholderId	uniqueidentifier
*	Shareholderld	uniqueidentifier
*	Countryld	uniqueidentifier
	TitleId	uniqueidentifier
*	Туре	int
*	Name	nvarchar(250) COLLATE Latin1_General_CI_AS
	FirstFamilyName	nvarchar(100) COLLATE Latin1_General_CI_AS
	SecondFamilyName	nvarchar(100) COLLATE Latin1_General_CI_AS
	MaritalStatus	int
	OfLegalAge	nvarchar(50) COLLATE Latin1_General_CI_AS
	Nationality	nvarchar(50) COLLATE Latin1_General_CI_AS
	City	nvarchar(250) COLLATE Latin1_General_CI_AS
	Street	nvarchar(500) COLLATE Latin1_General_CI_AS
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS
	PassportChoice	int
	IdNumber	nvarchar(50) COLLATE Latin1_General_CI_AS
	VatNumber	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegister	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterSheet	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterBook	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterVolume	nvarchar(100) COLLATE Latin1_General_CI_AS
	CommercialRegisterInscription	nvarchar(100) COLLATE Latin1_General_CI_AS
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
*	OwnedDate	date
*	IsRegistered	bit
Indexe	s	
Туре	Name	On
Pk	PK_SoleShareholder	SoleShareholderId
Foreigr	n Keys	
Туре	Name	On
	FK_SoleShareholder_Shareholder (ShareholderId) ref Shareholder (ShareholderId)	

Table SoleShareholder

FK_SoleShareholder_Title (TitleId) ref SalutationTitle (Id)

Table Task		
Name	Data Type	
TaskId	uniqueidentifier	
LegalEntityId	uniqueidentifier	
DueDate	datetime	
IsDeleted	bit DEFAULT 0	
DeletedBy	nvarchar(50) COLLATE Latin1_General_CI_AS	
DeletionDate	datetime	
Name	On	
PK_Task	TaskId	
Foreign Keys		
Name	On	
FK_Task_LegalEntity (LegalEntityId) ref LegalEntity (LegalEntity	ntityld)	
	Name TaskId LegalEntityId DueDate IsDeleted DeletedBy DeletionDate Name PK_Task (eys Name	

Table TaskInformation			
ldx	Name	Data Type	
* Pk	TaskInformationId	uniqueidentifier	
*	Taskld	uniqueidentifier	
*	EffectiveDate	datetime	
	ExpirationDate	datetime	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	HistoryGroupId	uniqueidentifier	
*	DueDate	datetime	
*	Description	nvarchar(500) COLLATE Latin1_General_CI_AS	
*	TaskStatusId	uniqueidentifier	
	Comment	nvarchar(100) COLLATE Latin1_General_CI_AS	
	FiscalYearld	uniqueidentifier	
Indexe	3		
Type	Name	On	
Pk	PK_TaskInformation	TaskInformationId	
Foreign	Foreign Keys		
Type	Name	On	
	FK_TaskInformation_FiscalYear (FiscalYearId) ref FiscalYear (FiscalYearId)		
	FK_TaskInformation_Task (TaskId) ref Task (TaskId)		
	FK_TaskInformation_TaskStatus (TaskStatusId) ref TaskStatus (TaskStatusId)		

Table '	Table TaskNotificationRecipient		
ldx	Name	Data Type	
* Pk	TaskNotificationRecipientId	uniqueidentifier	
*	TaskInformationId	uniqueidentifier	
*	AppUserId	uniqueidentifier	
Indexes			
Туре	Name	On	
Pk	PK_TaskNotificationRecipient	TaskNotificationRecipientId	
Foreign Keys			

Table TaskNotificationRecipient

Type Name On

FK_TaskNotificationRecipient_AppUserId (AppUserId) ref AppUser (AppUserId)

FK_TaskNotificationRecipient_TaskInformationId (TaskInformationId) ref TaskInformation (TaskInformationId)

ldx	Name	Data Type
		Data Type
* Pk	TaskProjectNotificationId	uniqueidentifier
	Taskld	uniqueidentifier
	ProjectId	uniqueidentifier
*	TaskProjectDueDate	datetime
	DateOfLastReminder	datetime
*	Is30DayReminderSent	bit
*	Is14DayReminderSent	bit
*	Is7DayReminderSent	bit
*	IsResponsibleModified	bit
*	EffectiveDate	datetime
	ExpirationDate	datetime
Indexes	3	
Туре	Name	On
Pk	PK_TaskProjectNotification	TaskProjectNotificationId
Foreign Keys		
Туре	Name	On
	FK_TaskProjectNotification_Project (ProjectId) ref Project	(ProjectId)
	FK_TaskProjectNotification_Task (TaskId) ref Task (TaskId)	

Table	Table TaskStatus		
ldx	Name	Data Type	
* Pk	TaskStatusId	uniqueidentifier	
*	Description	nvarchar(500) COLLATE Latin1_General_CI_AS	
*	SortIndex	int	
*	InitialStatus	bit	
*	MarkTaskCompleted	bit	
	Countryld	uniqueidentifier	
*	IsVisible	bit DEFAULT '1'	
	GetsUpdatesFromTaskStatusId	uniqueidentifier	
	CountryKey	nvarchar(300) COLLATE Latin1_General_CI_AS	
Indexes	3		
Type	Name	On	
Pk	PK_TaskStatus	TaskStatusId	
Foreign Keys			
Type	Name	On	
	FK_TaskStatus_TaskStatus (GetsUpdatesFromTaskStatusId) ref TaskStatus (TaskStatusId)		

Table	Table TranslatedMonths		
ldx	Name	Data Type	
* Pk	TranslatedMonthsId	uniqueidentifier	
*	Languageld	uniqueidentifier	
*	Column1	nvarchar(50) COLLATE Latin1_General_CI_AS	

	TranslatedMonths	
*	Column2	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column3	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column4	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column5	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column6	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column7	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column8	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column9	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column10	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column11	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column12	nvarchar(50) COLLATE Latin1_General_CI_AS
*	WorkDay	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Work day'
*	Monday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Monday'
*	Tuesday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Tuesday'
*	Wednesday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Wednesday'
*	Thursday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Thursday'
*	Friday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Friday'
	Saturday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Saturday'
*	Sunday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Sunday'
*	First	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'First'
*	Second	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Second'
*	Third	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Third'
*	Fourth	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Fourth
*	Last	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Last'
*	ShortJanuary	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'January'
*	ShortFebruary	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'February'
*	ShortMarch	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'March'
*	ShortApril	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'April'
*	ShortMay	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'May'
*	ShortJune	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'June'
*	ShortJuly	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'July'
*	ShortAugust	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'August'
*	ShortSeptember	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'September'
*	ShortOctober	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'October'
*	ShortNovember	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'November'
*	ShortDecember	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'December'
	IsVisible	bit
Indexes		On
Туре	Name	

TranslatedMonthsId

Pk

PK_TranslatedMonths

Table TranslatedMonths

Foreign Keys

Type Name On

FK_TranslatedMonths_Language (LanguageId) ref Language (LanguageId)

Table	TranslatedMonthsHistory	
ldx	Name	Data Type
* Pk	TranslatedMonthsHistoryId	uniqueidentifier
	TranslatedMonthsId	uniqueidentifier
*	Languageld	uniqueidentifier
*	Column1	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column2	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column3	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column4	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column5	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column6	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column7	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column8	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column9	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column10	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column11	nvarchar(50) COLLATE Latin1_General_CI_AS
*	Column12	nvarchar(50) COLLATE Latin1_General_CI_AS
*	WorkDay	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Work day'
*	Monday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Monday'
*	Tuesday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Tuesday'
*	Wednesday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Wednesday'
*	Thursday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Thursday'
*	Friday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Friday'
*	Saturday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Saturday'
*	Sunday	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Sunday'
*	First	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'First'
*	Second	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Second'
*	Third	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Third'
*	Fourth	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Fourth'
*	Last	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'Last'
*	ShortJanuary	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'January'
*	ShortFebruary	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'February'
*	ShortMarch	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'March'
*	ShortApril	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'April'
*	ShortMay	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'May'
*	ShortJune	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'June'
*	ShortJuly	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'July'
*	ShortAugust	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'August'

Table TranslatedMonthsHistory			
*	ShortSeptember	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'September'	
*	ShortOctober	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'October'	
*	ShortNovember	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'November'	
*	ShortDecember	nvarchar(50) COLLATE Latin1_General_CI_AS DEFAULT 'December'	
*	EffectiveDate	datetime	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	HistoryGroupId	uniqueidentifier	
*	IsVisible	bit DEFAULT '0'	
Indexes			
Туре	Name	On	
Pk	PK_TranslatedMonthsHistory	TranslatedMonthsHistoryId	
Foreign Keys			
Type	Name	On	
	FK_TranslatedMonthsHistory_Language (LanguageId) ref Language (LanguageId)		
	FK_TranslatedMonthsHistory_TranslatedMonths (TranslatedMonthsId) ref TranslatedMonths (TranslatedMonthsId)		

Table Warrantholder			
ldx	Name	Data Type	
* Pk	Warrantholderld	uniqueidentifier	
*	LegalEntityId	uniqueidentifier	
*	Name	nvarchar(500) COLLATE Latin1_General_CI_AS	
Indexes			
Туре	Name	On	
Pk	PK_Warrantholder	Warrantholderld	
Foreign Keys			
Type	Name	On	
	FK Warrantholder LegalEntity (LegalEntityId) ref LegalEntity (LegalEntityId)		

ldx	Name	Data Type
* Pk	WarrantholderCountryFieldId	uniqueidentifier
*	WarrantholderInformationId	uniqueidentifier
*	FieldName	nvarchar(100) COLLATE Latin1_General_CI_AS
	StringValue	nvarchar(500) COLLATE Latin1_General_CI_AS
	NumericValue	decimal(18,2)
	BitValue	bit
	DateValue	date
*	EffectiveDate	datetime
	ExpirationDate	datetime
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS
*	HistoryGroupId	uniqueidentifier
Indexe	8	
Туре	Name	On
Pk	PK_WarrantholderCountryField	WarrantholderCountryFieldId

On

Type

Name

Table WarrantholderCountryField

 $\label{lem:countryField_WarrantholderInformation} FK_WarrantholderInformation (\ WarrantholderInformationId\)\ ref\ WarrantholderInformationId\)$

Table	WarrantholderInformation		
ldx	Name	Data Type	
* Pk	WarrantholderInformationId	uniqueidentifier	
*	WarrantholderId	uniqueidentifier	
*	EffectiveDate	datetime	
	ExpirationDate	datetime	
*	UserName	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	HistoryGroupId	uniqueidentifier	
	LegalRepresentativeId	uniqueidentifier	
*	Name	nvarchar(500) COLLATE Latin1_General_CI_AS	
	Street	nvarchar(500) COLLATE Latin1_General_CI_AS	
	HouseNr	nvarchar(50) COLLATE Latin1_General_CI_AS	
	HouseNrSuffix	nvarchar(50) COLLATE Latin1_General_CI_AS	
	ZipCode	nvarchar(50) COLLATE Latin1_General_CI_AS	
	City	nvarchar(250) COLLATE Latin1_General_CI_AS	
*	Countryld	uniqueidentifier	
*	NumberOfWarrants	int	
*	StartDate	date	
	EndDate	date	
	LegalType	int	
	CountryFields	nvarchar(max) COLLATE Latin1_General_CI_AS	
Indexes	3		
Type	Name	On	
Pk	PK_WarrantholderInformation	WarrantholderInformationId	
Foreign	Foreign Keys		
Type	Name	On	
	FK_WarrantholderInformation_LegalRepresentative (LegalR	RepresentativeId) ref LegalRepresentative (LegalRepresentativeId)	
	FK_WarrantholderInformation_Warrantholder (WarrantholderId) ref Warrantholder (WarrantholderId)		

Table	TableRefactorLog			
ldx	Name	Data Type	Description	
refactoring log				
* Pk	OperationKey	uniqueidentifier		
Index	Indexes			
Туре	Name	On	Description	
Pk	PKRefactD3AEFFDB9875 B44C	OperationKey		

Table	Table sysdiagrams		
ldx	Name	Data Type	Description
1			
* Unq	name	sysname COLLATE Latin1_General_CI_AS	
* Unq	principal_id	int	
* Pk	diagram_id	int IDENTITY	
	version	int	

Table	Table sysdiagrams			
	definition	varbinary(max)		
Index	es			
Туре	Name	On	Description	
Pk	PK_sysdiagr_C2B05B616FBB 5CB4	diagram_id		

principal_id, name

Unq UK_principal_name

Table	tmp_ms_xx_Client		
ldx	Name	Data Type	
* Pk	ClientId	uniqueidentifier	
*	Name	nvarchar(250) COLLATE Latin1_General_CI_AS	
*	DiasCode	nvarchar(50) COLLATE Latin1_General_CI_AS	
	Countryld	uniqueidentifier	
	WBSNumber	nvarchar(50) COLLATE Latin1_General_CI_AS	
*	IsVisible	bit	
Indexes			
Туре	Name	On	
Pk	tmp_ms_xx_constraint_PK_Client1	ClientId	