Overview

14 days • Sat Jan 10, 2026 - Fri Jan 23, 2026

dexcom CLARITY

Matthew Richardson • DOB: Aug 17, 1984

Glucose

Average glucose

251 mg/dL

GMI

9.3 %

Time in Range

53% Very High

35% High

12% In Range

0% Low

0% Very Low

Target Range:
70-180 mg/dL

Sensor usage

Days with data
10/14 days

Time active
87%

Avg. calibrations per day
0.0

Standard deviation
54 mg/dL

Coefficient of Variation
21.4 %

Top Patterns

Matthew had a pattern of nighttime highs

Matthew had a pattern of significant highs between 1:55 PM and 11:50 AM.

Matthew's best glucose day was January 17, 2026

Matthew's glucose data was in the target range about 21% of the day.

This graph shows your data averaged over 14 days



Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Devices

Dexcom G7 Mobile App

CGM ID

Serial Number	**iPhone**
Uploaded On	**January 23, 2026**
Model	**G7**

Alert Settings for Device

General

Low	On	**80 mg/dL**
Low Snooze	On	**60 min**
High	On	**200 mg/dL**
High Snooze	Off	**0 min**
Falling Fast	Off	
Rising Fast	Off	
Urgent Low	On	**55 mg/dL**
Urgent Low Snooze	On	**30 min**
Urgent Low Soon	On	
Urgent Low Soon Snooze	On	**30 min**
Signal Loss	Off	

Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Patterns

14 days • Sat Jan 10, 2026 - Fri Jan 23, 2026

Matthew Richardson • DOB: Aug 17, 1984

CGM: Alert, Activity/Exercise, Meal/Carbs, Blood Glucose, Health, Calibration, Note, Medication

Insulin: Fast-Acting, Long-Acting

Nighttime Highs

Matthew had a pattern of nighttime highs

Matthew had a pattern of significant highs between 1:55 PM and 11:50 AM.

Fri, Jan 23, 2026

Contributed to pattern: A 12:00 AM - 9:57 AM



Thu, Jan 22, 2026

Contributed to pattern: B 12:00 AM - 10:17 AM A 1:12 PM - 11:59 PM



Wed, Jan 21, 2026

Contributed to pattern: C 12:00 AM - 11:52 AM B 1:57 PM - 11:59 PM



Some possible considerations

Consult your Healthcare Professional before making changes.

- Consider adjusting basal insulin.
- Consider adjusting meal-time, correction, or bed-time snack insulin.
- Consider reviewing the impact of high fat/protein dinner meal.

Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Patterns

14 days • Sat Jan 10, 2026 - Fri Jan 23, 2026

Matthew Richardson • DOB: Aug 17, 1984

CGM: Alert, Activity/Exercise, Meal/Carbs, Blood Glucose, Health, Calibration, Note, Medication

Insulin: Fast-Acting, Long-Acting

Best Day

Matthew's best glucose day was January 17, 2026

Matthew's glucose data was in the target range about 21% of the day.

Sat, Jan 17, 2026



Statistics for this day

Glucose

Average glucose

240 mg/dL

GMI

N/A

Time in Range

51% Very High
28% High
21% In Range
0% Low
0% Very Low

Target Range:
70-180 mg/dL

Sensor usage

Days with data
1/1 days

Time active
100%

Avg. calibrations per day
0.0

Standard deviation
55 mg/dL

Coefficient of Variation
22.7 %

Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Overlay

14 days • Sat Jan 10, 2026 - Fri Jan 23, 2026
Week 2 • Sat Jan 17, 2026 - Fri Jan 23, 2026

dexcom CLARITY

Matthew Richardson • DOB: Aug 17, 1984



Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Overlay

14 days • Sat Jan 10, 2026 - Fri Jan 23, 2026
Week 1 • Sat Jan 10, 2026 - Fri Jan 16, 2026

dexcom CLARITY

Matthew Richardson • DOB: Aug 17, 1984



Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Daily

14 days • Sat Jan 10, 2026 - Fri Jan 23, 2026

Matthew Richardson • DOB: Aug 17, 1984

Matthew's Daily View

CGM: Alert Activity/Exercise Meal/Carbs Fasting Glucose Medication

Fri, Jan 23, 2026



Thu, Jan 22, 2026



Wed, Jan 21, 2026



Tue, Jan 20, 2026



Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Daily

14 days • Sat Jan 10, 2026 - Fri Jan 23, 2026

Matthew Richardson • DOB: Aug 17, 1984

Matthew's Daily View

CGM: Alert Activity/Exercise Meal/Carbs Fasting Glucose Medication

Mon, Jan 19, 2026



Sun, Jan 18, 2026



Sat, Jan 17, 2026



Fri, Jan 16, 2026



Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Daily

14 days • Sat Jan 10, 2026 - Fri Jan 23, 2026

Matthew Richardson • DOB: Aug 17, 1984

Matthew's Daily View

CGM: Alert Activity/Exercise Meal/Carbs Fasting Glucose Medication

Thu, Jan 15, 2026



Wed, Jan 14, 2026



Tue, Jan 13, 2026



Mon, Jan 12, 2026



Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Daily

14 days • Sat Jan 10, 2026 - Fri Jan 23, 2026

Matthew Richardson • DOB: Aug 17, 1984

Matthew's Daily View

CGM: Alert Activity/Exercise Meal/Carbs Fasting Glucose Medication

Sun, Jan 11, 2026



Sat, Jan 10, 2026



Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Compare

14 Days Sat Dec 27, 2025 - Fri Jan 9, 2026



Glucose

Average glucose
241 mg/dL

GMI
9.1 %

Standard deviation
52 mg/dL

Coefficient of Variation
21.4 %

Time in Range

- 39% Very High
- 51% High
- **10% In Range**
- 0% Low
- 0% Very Low

Target Range:
70-180 mg/dL

Sensor usage

Days with data
9/14 days

Time active
71%

Avg. calibrations per day
0.0

14 Days Sat Jan 10, 2026 - Fri Jan 23, 2026



Glucose

Average glucose
251 mg/dL

GMI
9.3 %

Standard deviation
54 mg/dL

Coefficient of Variation
21.4 %

Time in Range

- 53% Very High
- 35% High
- **12% In Range**
- 0% Low
- 0% Very Low

Target Range:
70-180 mg/dL

Sensor usage

Days with data
10/14 days

Time active
87%

Avg. calibrations per day
0.0

Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Compare

14 Days Sat Dec 27, 2025 - Fri Jan 9, 2026

Patterns

Nighttime Highs

Matthew had a pattern of significant highs between 9:00 PM and 10:10 AM.

Daytime Highs

Matthew had a pattern of significant highs between 4:25 PM and 5:00 PM.

Best Day

Matthew's glucose data was in the target range about 25% of the day.

14 Days Sat Jan 10, 2026 - Fri Jan 23, 2026

Nighttime Highs

Matthew had a pattern of significant highs between 1:55 PM and 11:50 AM.

~~Daytime Highs~~

Best Day

Matthew's glucose data was in the target range about 21% of the day.

Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Compare

14 Days Sat Dec 27, 2025 - Fri Jan 9, 2026

Devices

Dexcom G7 Mobile App
CGM ID

Serial Number	**iPhone**
Uploaded On	**January 23, 2026**
Model	**G7**

14 Days Sat Jan 10, 2026 - Fri Jan 23, 2026

Dexcom G7 Mobile App
CGM ID

Serial Number	**iPhone**
Uploaded On	**January 23, 2026**
Model	**G7**

Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Daily Statistics

14 days • Sat Jan 10, 2026 - Fri Jan 23, 2026

Matthew Richardson • DOB: Aug 17, 1984

6:00 AM - 10:00 PM: Very low < 54 | Low 54 - 70 | In range 70 - 180 | High 180 - 250 | Very High > 250
10:00 PM - 6:00 AM: Very low < 54 | Low 54 - 70 | In range 70 - 180 | High 180 - 250 | Very High > 250

Daily Statistics	Mon	Tue	Wed	Thu	Fri	Sat	Sun
Time in Range							
% Very High	86	9	41	36	59	51	89
% High	14	46	50	52	29	28	11
% In Range	0	45	9	12	12	21	0
% Low	0	0	0	0	0	0	0
% Very Low	0	0	0	0	0	0	0
# Readings	280	170	453	576	458	288	288
Min	189	141	154	150	120	132	200
Max	365	294	386	384	385	334	378
Mean	278	191	245	239	262	240	285
Std. Dev.	28	36	53	49	59	55	35
Quartile 25	260	162	208	199	235	199	265
Median	276	185	241	238	264	252	281
Quartile 75	291	207	269	266	303	284	301
IQR	31	46	62	67	68	85	36
IQ Std. Dev.	8	13	17	17	21	22	10
SD Mean	2	3	3	2	3	3	2
%CV	10	19	22	21	23	23	12

Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

Hourly Statistics

14 days • Sat Jan 10, 2026 - Fri Jan 23, 2026

dexcom CLARITY

Matthew Richardson • DOB: Aug 17, 1984

6:00 AM - 10:00 PM: Very low < 54 | Low 54 - 70 | In range 70 - 180 | High 180 - 250 | Very High > 250
10:00 PM - 6:00 AM: Very low < 54 | Low 54 - 70 | In range 70 - 180 | High 180 - 250 | Very High > 250

Hourly Statistics	12am-1am	1am-2am	2am-3am	3am-4am	4am-5am	5am-6am	6am-7am	7am-8am	8am-9am	9am-10am	10am-11am	11am-12pm
Time in Range												
% Very High	79	60	58	64	68	74	79	67	44	39	38	41
% High	21	40	42	36	32	26	21	33	56	59	35	32
% In Range	0	0	0	0	0	0	0	0	0	2	27	27
% Low	0	0	0	0	0	0	0	0	0	0	0	0
% Very Low	0	0	0	0	0	0	0	0	0	0	0	0
# Readings	96	96	96	96	94	96	96	106	108	110	120	120
Min	235	210	184	202	199	223	223	225	202	178	151	133
Max	366	378	351	348	353	384	376	379	386	329	312	307
Mean	279	271	265	266	272	281	283	278	256	237	226	224
Std. Dev.	34	45	42	36	40	42	36	39	46	43	47	52
Quartile 25	253	230	227	242	238	249	255	247	225	199	179	177
Median	268	273	263	264	274	274	279	268	241	223	220	241
Quartile 75	296	288	297	291	293	310	293	294	272	277	268	268
IQR	44	58	70	50	55	61	38	47	47	79	90	91
IQ Std. Dev.	14	17	20	15	15	16	10	13	13	26	30	31
SD Mean	3	5	4	4	4	4	4	4	4	4	4	5
%CV	12	16	16	14	15	15	13	14	18	18	21	23

Hourly Statistics	12pm-1pm	1pm-2pm	2pm-3pm	3pm-4pm	4pm-5pm	5pm-6pm	6pm-7pm	7pm-8pm	8pm-9pm	9pm-10pm	10pm-11pm	11pm-12am
Time in Range												
% Very High	39	23	34	45	30	45	44	33	49	76	81	79
% High	11	33	37	41	51	40	41	51	47	19	19	21
% In Range	50	44	29	14	19	15	15	16	4	5	0	0
% Low	0	0	0	0	0	0	0	0	0	0	0	0
% Very Low	0	0	0	0	0	0	0	0	0	0	0	0
# Readings	120	120	112	108	108	108	108	102	96	96	101	100
Min	122	120	130	132	139	141	148	160	164	169	211	219
Max	291	328	333	338	342	354	380	385	367	333	369	365
Mean	210	204	220	238	229	236	247	240	248	271	298	283
Std. Dev.	53	52	48	52	48	57	72	62	39	40	39	35
Quartile 25	163	158	167	208	197	190	184	188	230	252	269	257
Median	194	209	235	246	232	238	209	229	250	280	298	277
Quartile 75	266	248	257	272	260	283	315	275	269	300	330	312
IQR	103	90	90	64	62	93	131	87	39	48	61	55
IQ Std. Dev.	40	31	25	18	15	30	49	24	9	12	16	17
SD Mean	5	5	4	5	5	6	7	6	4	4	4	4
%CV	25	26	22	22	21	24	29	26	16	15	13	12

Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.

AGP

14 days • Sat Jan 10, 2026 - Fri Jan 23, 2026

dexcom CLARITY | captūrAGP® v 5.0

Matthew Richardson • DOB: Aug 17, 1984

Time in Ranges

Goals for Type 1 and Type 2 Diabetes

Each 5% increase in the Target Range is clinically beneficial.
Each 1% time in range = about 15 minutes per day

53% Very High
Goal: <5%

35% High

88%
Goal: <25%

12% In Range
Goal: >70%

0% Low

0% Very Low
Goal: <1%

0%
Goal: <4%

Target Range: 70-180 mg/dL
Very High: Above 250 mg/dL
Very Low: Below 54 mg/dL

Matthew Richardson

DOB: August 17, 1984

Glucose Metrics

Average Glucose Goal: <154 mg/dL	251 mg/dL
GMI Goal: <7%	9.3%
Coefficient of Variation Goal: <36%	21.4%
Time CGM Active	93.8%

Ambulatory Glucose Profile (AGP)

AGP is a summary of glucose values from the report period, with median (50%) and other percentiles shown as if they occurred in a single day.



Daily Glucose Profile

Each daily profile represents a midnight-to-midnight period.



Patent pending - HealthPartners Institute dba International Diabetes Center - All Rights Reserved. ©2022

Dexcom and Dexcom Clarity are registered trademarks of Dexcom, Inc. in the United States and may be in other countries. All other marks are property of their respective owners.