TransPerfect San Juan Bowl

Brand guide · Logo, colour, type and downloads

Every image in this guide is the supplied artwork. Blue links open or download the live files — always use the latest from the live kit.

Open the live brand kit ↗

Designer construction pages ↗

Single-colour logos ↗



Logo variants



Full colour — for light backgrounds

SVG (vector) ↗ PNG 2500 px ↗



For dark backgrounds

SVG (vector) ↗ PNG 2500 px ↗

Use the artwork exactly as supplied — never redraw, stretch, recolour or crop the badge. On dark backgrounds use the dark-background variant; on light backgrounds, the full-colour variant. Reproduce from the vector master (SVG/PDF) only — never upscale a PNG.

Single-colour logos



Navy SVG ↗ PNG ↗



Black SVG ↗ PNG ↗



White SVG ↗ PNG ↗



Framed navy SVG ↗ PNG ↗



Framed black SVG ↗ PNG ↗



Framed white SVG ↗ PNG ↗

Download all single-colour files (ZIP) ↗

Clear space and minimum size



Keep clear space around the badge of at least x on every side, where x is the full height of the ribbon element, navy outline included (171.7 units, 14.47% of the logo width).

Every distance scales linearly with the badge. At the 40 mm print minimum, x = 5.8 mm and clear space is 5.8 mm per side. The badge is exactly centred on the vertical axis of its square artboard — always align it on centre, never optically.

Minimum sizes

Print — 40 mm wide

Keeps the 7.8-unit keyline at 0.26 mm; at 25 mm it drops to 0.16 mm and the lace and letter details to 0.07 mm, below what presses hold.

Screen — 160 px wide

Every line stays at or above 1 px. Below 160 px use the single-colour version; there is no badge-only lockup.

Embroidery / patch — 90 mm wide

Stitching needs about 1 mm per detail; at 60 mm the keyline is 0.39 mm. Ask for the simplified stitch version for anything smaller.

Construction sheet (PDF) ↗

Measurement sheets (PDF) ↗

CONSTRUCTION

Measurement sheets



Sheet 1 — full size ↗



Sheet 2 — full size ↗



Sheet 3 — full size ↗



Sheet 4 — full size ↗



Sheet 5 — full size ↗

Each sheet is a supplied measurement view of the master artwork. Click a sheet link to open it at full resolution.

CONSTRUCTION

Measurement sheets (cont.)



Sheet 6 — full size ↗



Sheet 7 — full size ↗



Sheet 8 — full size ↗



Sheet 9 — full size ↗

Each sheet is a supplied measurement view of the master artwork. Click a sheet link to open it at full resolution.

Approved backgrounds



White #FFFFFF

Default for documents and print.



Bowl Navy #0D0E21

Event dark panels and merchandise.



TransPerfect Ink #03002C


When the badge sits inside enterprise material.



Light Gray #F2F2F2


Neutral UI and wayfinding panels.

Don't — misuse examples




Don't stretch or squash

The badge always keeps its supplied proportions.




Don't recolour

No tints, no gradients, no one-colour versions beyond the supplied variants.




Don't crop

The whole diamond stays visible, banner to waves.




Don't rotate

The badge sits upright on its point, never tilted.




Don't use busy backgrounds

No photography or patterns that fight the artwork.




Don't lose contrast

Full colour never sits on Caribbean Sky or similar mid-tones.



Don't add effects

No drop shadows, glows, bevels or outlines on the resting logo.



Don't fade or tint the badge

Use the supplied variants at full strength.

Examples are deliberately wrong uses of the supplied logo, made for this guide. The words inside the badge are artwork — never retype them.

Colour

Bowl Navy

HEX #0D0E21
RGB 13 · 14 · 33
CMYK 87 · 81 · 55 · 75

Badge, outlines and dark backgrounds

Caribbean Sky

HEX #00AAE7
RGB 0 · 170 · 231
CMYK 86 · 8 · 0 · 0

Sky, waves and accent fills

Banner Gold

HEX #FFD600
RGB 255 · 214 · 0
CMYK 0 · 14 · 100 · 0

Banner, sun and highlights

White

HEX #FFFFFF
RGB 255 · 255 · 255
CMYK 0 · 0 · 0 · 0

Type and artwork on navy

- HEX, RGB and HSL values are exact, taken from the supplied artwork — use them as-is on screen and web.
- CMYK values are the inks set in the master EPS/AI files, so they match what the vector files print. They are not proofed: always run a vendor proof before print and adjust on press if needed.
- Pantone (spot) references are matched by the print vendor from the supplied artwork — never substitute a guessed swatch.
- Body text on San Juan Bowl print is solid black (100K), same as every TransPerfect print piece.

Typography and large format

Supporting type is Geist, the TransPerfect house face — Geist Bold for headlines, Geist Regular for body. The lettering inside the badge is part of the artwork and is never retyped.

San Juan Bowl

Display

Game day in San Juan

Headline

Supporting copy sits in Geist Regular with comfortable leading.

Body

Large-format scale (x = clear space per side)

1 m (3.3 ft)	14.5 cm	Concourse signage, press backdrops
2 m (6.6 ft)	28.9 cm	Stage surrounds, entrance features
5 m (16.4 ft)	72.4 cm	Stadium fascia, large banners
10 m (32.8 ft)	1.45 m	Building wraps, stand coverings
20 m (65.6 ft)	2.89 m	Field application, midfield mark

Reproduce from the vector master only. Colour at scale is matched physically by the vendor with a contract proof — never from a screen. Clear space scales with the badge.

DOWNLOADS

All downloads

Full-colour logo	sjb-logo-color.svg ↗ sjb-logo-color.png ↗
Dark-background logo	sjb-logo-dark.svg ↗ sjb-logo-dark.png ↗
Single-colour logos	1c-pack.zip ↗
Original drawing components	original-components.zip ↗
Lettering pieces	transperfect-lettering.svg ↗ san-juan-lettering.svg ↗ bowl-lettering.svg ↗
Badge scene pieces	scene-banner.svg ↗ scene-fortress.svg ↗ scene-football.svg ↗ scene-palmL.svg ↗ scene-palmR.svg ↗ scene-bird.svg ↗ scene-clouds.svg ↗ scene-sky.svg ↗ scene-base.svg ↗ scene-trim.svg ↗ scene-ribbon-stars.svg ↗ waves-sun-trim.svg ↗
Measurements	SJB-Logo-Measurements.pdf ↗
Construction sheet	Construction sheet (PDF) ↗

Links open the live files on https://transperfectelement.lovable.app. Originals are never changed; if a file is updated, the link always serves the current one.