

# CMPD6 abstracts

## Table of contents

Azmy Ackleh - A Multiple-Strain Susceptible-Infected Model with Diffusion Formulated on the Space of Radon Measures . . . . .	5
Folashade Augusto - Exploring the effects of prescribed fire and rising temperature on tick-borne diseases	5
Folashade Augusto - From cultural practices to risky behaviors to public sentiment: Modeling human behavior and disease transmission . . . . .	6
Ephraim Agyingi - Modeling immune system priming: the miracle that saved Sub-Sahara Africa from COVID-19 . . . . .	6
Vitalii Akimenko - Numerical Method for the Age-structured SIPCVC Epidemic Model of Healthy cells, Dysplasia, Cervical Cancer Cells and HPV Dynamics . . . . .	7
Asami Anzai - Estimating importation cases using mobility data . . . . .	7
Julien Arino - Role of case introductions in the community spread of infectious diseases . . . . .	8
Joseph Baafi - Modelling the Impact of Seasonality on Mosquito Population Dynamics: Insights for Vector Control Strategies. . . . .	8
Rebecca Bekker - Black Holes in TIME: the Effect of GRID Radiation on the Tumor-Immune Micro-environment . . . . .	9
Ranjini Bhattacharya - Angiogenesis in Cancer: A Tragedy of Commons . . . . .	9
Amanda Bleichrodt - Multi-model forecasts in the context of the Mpox outbreak in multiple countries (July 28th, 2022 through January 26th, 2023) . . . . .	10
Anuraag Bukkuri - Models of Resistance in State-Structured Cancer Populations . . . . .	10
Jacques Bélair - Population models with state-dependant delays . . . . .	11
Jacques Bélair - Modeling the use of Fangsang Shelter Hospitals in Wuhan . . . . .	11
Robert Stephen Cantrell - Resource Matching in Spatial Ecology and Evolutionary Advantage . . . . .	12
Fabian Cardozo-Ojeda - Mathematical modeling of gene and cell therapy for HIV cure . . . . .	12
Bernard Cazelles - Modeling infectious disease dynamics: the challenge of non-stationarity . . . . .	13
Stanca Ciupe - Multiscale models of SARS-CoV-2 infection . . . . .	13
Adriana-Stefania Ciupeanu - Dynamics of COVID-19 Variants of Concern . . . . .	14
Jessica Conway - Heterogeneity in HIV viral rebound . . . . .	14
Jessica Conway - Modeling PrEP-on-demand strategies to prevent HIV transmission . . . . .	15
Morgan Craig - Delays in the cell cycle: implications in immune responses . . . . .	15
Morgan Craig - The TME determines the efficacy of immunotherapies to treat glioblastoma . . . . .	16
Jim Cushing - Discrete-time models of infectious diseases: a project in memory of Aziz-Abdul Yakubu	16
Tanuja Das - An eclipse-phase lag drives oscillations in a viral infection model with a general growth function . . . . .	17
Tanuja Das - Effect of a novel generalized incidence rate function in SIR model: stability switches and bifurcations . . . . .	17
Xiaoyan Deng - Predicting heterogeneous CD8+ immune memory responses in COVID-19 using a virtual patient cohort . . . . .	18
Clotilde Djuikem - Impulsive modelling of rust dynamics and predator releases . . . . .	18

Marisa Eisenberg - Models to inform wastewater-based epidemiology: identifiability, uncertainty, and opportunities . . . . .	19
Marisa Eisenberg - Identifiability and infectious disease interventions: exploring when uncertainty matters . . . . .	19
Blessing Emerenini - Data Assimilation of Quorum Sensing Regulation of Bacteria-Phage Interaction in Biofilm . . . . .	20
Guihong Fan - Delayed model for the transmission and control of COVID-19 with Fangcang Shelter Hospitals . . . . .	20
Suzan Farhang-Sardroodi - Mathematical model of muscle wasting in cancer cachexia incorporated with immunology . . . . .	21
Suzan Farhang-Sardroodi - Mathematical Modelling of the Impact of Human Immune Diversity on COVID-19 transmission . . . . .	21
Jonathan Forde - Modeling the challenges of optimal resource deployment for epidemic prevention . .	22
Samaneh Gholami - Mathematical Modeling of Immune Response to Protein Subunit COVID-19 Vaccines	22
Abba Gumel - Mathematical Assessment of the Role of Pre-Exposure Prophylaxis on the HIV Pandemic	23
Abba Gumel - Mathematics of Wolbachia-based biocontrol of mosquito-borne diseases . . . . .	23
Donglin Han - Retrospective estimation of proportion of total infections of COVID-19 during the first wave in Alberta . . . . .	24
Katsuma Hayashi - Reconstructing the temporal dynamics of clustering from cluster surveillance of COVID-19 . . . . .	24
Jane Heffernan - Seasonality and Influenza pH1N12009 Vaccination Impact . . . . .	25
Jane Heffernan - Modelling Immunity to SARS-CoV-2 . . . . .	25
Esteban A. Hernandez-Vargas - The Shapes of Immunological Data during Respiratory Infections . .	26
Sarafa Iyaniwura - Understanding the efficacy of capsid protein allosteric modulators using a multiscale model of hepatitis B virus . . . . .	26
Sana Jahedi - Addressing Waning Immunity Against Measles: Reevaluating the MMR Vaccination Program . . . . .	27
Harsh Vardhan Jain - A quantitative evaluation of an anti-cancer vaccine for treating advanced prostate cancer . . . . .	27
Marek Kimmel - Site frequency spectra and estimation of clonal dynamics of tumors . . . . .	28
Jude Kong - Mpox dynamic model: incorporating adaptive behavioural changes, different control strategies in the MSM community & under-reporting . . . . .	28
Jude Kong - Leveraging mathematical models to support early management of an emerging disease outbreak: the case of Covid-19 and Africa . . . . .	29
Chapin Korosec - Longitudinal immunological outcomes from three doses of COVID-19 vaccines in people living with HIV: antibodies, memory-B cells, cytokines, and a novel within-host immunological model . . . . .	29
Christopher Kribs - Impact of tetravalent dengue vaccination with screening, ADE, and altered infectivity on dengue and Zika transmission . . . . .	30
Furkan Kurtoglu - Modeling Colorectal Cancer Spheroids using Agent-Based Modeling Including Metabolism . . . . .	30
Brandon Legried - Inferring phylogenetic birth-death models from extant lineages through time . . .	31
Kang-Ling Liao - The opposite functions and treatment outcomes of CD200-CD200R in cancer . . .	31
Ernesto Lima - Development and calibration of a stochastic, multiscale agent-based model for predicting tumor and vasculature growth . . . . .	32
Xiaochen Long - A Branching Process Model of Clonal Hematopoiesis . . . . .	32
Loïc Louison - A Population Harvesting Model with Time and size Competition Dependence Function	33
Nadia Loy - A non-local kinetic model for cell migration : a study of the interplay between contact guidance and steric hindrance . . . . .	33
Chinwendu Emilian Madubueze - Modelling transmission dynamics of Lassa fever transmission with two environmental pathway transmissions . . . . .	34

Anna Marciniak-Czochra - Evolution of stem cell populations: Mechanistic mathematical modelling vs single cell data . . . . .	34
Fabio Milner - A mosquito-bird-human model for West Nile virus disease transmission . . . . .	35
Jemal Mohammed-Awel - Mathematics model for assessing the impacts of pyrethroid resistance and temperature on population abundance of malaria mosquitoes . . . . .	35
Nicola Mulberry - A nested model for pneumococcal population dynamics . . . . .	36
Toshiyuki Namba - Unexpected coexistence and extinction in an intraguild predation system . . . . .	36
Jay Newby - Dynamic self organization and microscale fluid properties of nucleoplasm . . . . .	37
Hiroshi Nishiura - Night-time population consistently explains the transmission dynamics of coronavirus disease 2019 in three megacities in Japan . . . . .	37
Ryo Oizumi - Analytical Representation of Eigensystem in Multiregional Leslie Matrix Model: Application to Sensitivity Analysis of Population Declining in Japan . . . . .	38
Lorenzo Pellis - Multi-scale time-since-infection models in evolutionary epidemiology . . . . .	38
Tin Phan - Modeling the emergence of viral resistance in SARS-CoV-2 patients treated with an anti-spike monoclonal antibody . . . . .	39
Tin Phan - Integrating wastewater surveillance data with epidemic models: challenges and opportunities	39
Tanya Philippsen - A retrospective modelling analysis of the effect of control measures on the transmission of SARS-CoV-2 in Canada . . . . .	40
Andrea Pugliese - Combining data from surveillance on mosquitoes and corvids to understand the factors affecting the dynamics of West Nile Virus in Emilia-Romagna, Italy . . . . .	40
Erica Rutter - Modeling and Estimating Intratumoral Heterogeneity in Cancer . . . . .	41
Erica Rutter - Global Sensitivity Analysis of a Structured Model of COVID-19 Transmission on a College Campus . . . . .	41
Paul Salceanu - Robust uniform persistence for structured models of delay differential equations . . . . .	42
Leili Shahriyari - Digital twins of cancer patients: a step toward personalized treatments . . . . .	42
Zhisheng Shuai - Heterogeneity and Aggregation in Modeling Infectious Diseases . . . . .	43
Nourridine Siewe - TGF-beta inhibition can overcome cancer primary resistance to PD-1 blockade: a mathematical model . . . . .	43
Nourridine Siewe - Increase Hemoglobin Level in Severe Malarial Anemia while Controlling Parasitemia: A Mathematical Model . . . . .	44
Nourridine Siewe - Breast cancer exosomal microRNAs facilitate pre-metastatic niche formation in the bone: A mathematical model . . . . .	44
Stacey Smith? - Coupling the within-host process and between-host transmission of COVID-19 suggests vaccination and school closures are critical . . . . .	45
Tracy Stepien - Deciphering Glioma Microenvironment Entry Mechanisms of Myeloid-Derived Suppressor Cells . . . . .	45
Yasuhiro Takeuchi - Stability analysis of a single-species logistic model with time delay and constant inflow . . . . .	46
Ryan Thiessen - Travelling waves of a new glioma invasion model . . . . .	46
Necibe Tuncer - Determining Reliable Parameter Estimates for Within-host and Within-vector models of Zika Virus . . . . .	47
Necibe Tuncer - Immuno-epidemiological co-action model of HIV infection and opioid addiction . . . . .	47
Sonja Türpitz - Considering Subpopulations in Modelling Facultative Mutualism Reveals a New Approach to Model Interspecific Interactions . . . . .	48
Marie Betsy Varughese - Incorporating Health Seeking Behaviour in a Deterministic Model for Influenza	48
Jorge Velasco-Hernandez - Modeling a traffic light warning system for acute respiratory infections . . . . .	49
Jorge Velasco-Hernandez - The Ross-Mcdonald model revisited: linking transmission and within-host dynamics . . . . .	49
Amy Veprauskas - The interplay between dispersal and Allee effects in discrete-time population models	50
Amy Veprauskas - Pathogen dynamic in a tick-host system: A discrete-time modeling approach . . . . .	50

Ren-Yi Wang - Analysis of A Countable-Type Branching Process Model for the Tug-of-War Cancer Cell Dynamics . . . . .	51
Xuyuan Wang - Detecting and Resolving Nonidentifiability In Infectious Diseases Modeling . . . . .	51
Kathleen Wilkie - Modelling the Evolution of the Immune Response to Cancer . . . . .	52
Kathleen Wilkie - Modelling Radiation Cancer Treatment with Ordinary and Fractional Differential Equations . . . . .	52
Pei Yuan - Modelling for informing public health policy on prevention and control of COVID-19 epidemics in Toronto, Canada . . . . .	53
Veronika Zarnitsyna - Competing Heterogeneities in Vaccine Effectiveness Estimation . . . . .	53
Huaiping Zhu - A two-stage model with distributed delay for mosquito population dynamics . . . . .	54
Huaiping Zhu - Predictive modelling and forecasting of the mosquito abundance and risk of West Nile virus in Ontario Canada . . . . .	54
Pauline van den Driessche - Disease-Induced Hydra Effect . . . . .	55

<b>List of participants</b>	<b>56</b>
-----------------------------	-----------

## **Azmy Ackleh - A Multiple-Strain Susceptible-Infected Model with Diffusion Formulated on the Space of Radon Measures**

---

University of Louisiana at Lafayette  
USA

---

---

Minisymposium presentation  
(Ecological and Epidemiological Models with Dispersal)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Folashade Agosto - Exploring the effects of prescribed fire and rising temperature on tick-borne diseases**

---

University of Kansas  
USA

---

---

Minisymposium presentation  
(Vector-Borne Disease Dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Folashade Augusto - From cultural practices to risky behaviors to public sentiment: Modeling human behavior and disease transmission**

---

University of Kansas  
USA

---

---

Plenary presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Ephraim Agyingi - Modeling immune system priming: the miracle that saved Sub-Sahara Africa from COVID-19**

---

Rochester Institute of Technology, Rochester, New York  
USA

---

---

Minisymposium presentation  
(Within-host and between-host mathematical models of biological dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Vitalii Akimenko - Numerical Method for the Age-structured SPCV Epidemic Model of Healthy cells, Dysplasia, Cervical Cancer Cells and HPV Dynamics**

---

University of Manitoba  
Canada

---

---

Contributed presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Asami Anzai - Estimating importation cases using mobility data**

---

Kyoto University  
Japan

---

---

Minisymposium presentation  
(Real time epidemiology in various geographic scales)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Julien Arino - Role of case introductions in the community spread of infectious diseases**

---

University of Manitoba  
Canada

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Joseph Baafi - Modelling the Impact of Seasonality on Mosquito Population Dynamics: Insights for Vector Control Strategies.**

---

Memorial University of Newfoundland  
Canada

---

---

Contributed presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---



## **Rebecca Bekker - Black Holes in TIME: the Effect of GRID Radiation on the Tumor-Immune Micro-environment**

---

H. Lee Moffitt Cancer Center and Research Institute  
USA

---

---

Minisymposium presentation  
(Within-host and between-host mathematical models of biological dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Ranjini Bhattacharya - Angiogenesis in Cancer: A Tragedy of Commons**

---

Moffitt Cancer Center  
USA

---

---

Contributed presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Amanda Bleichrodt - Multi-model forecasts in the context of the Mpox outbreak in multiple countries (July 28th, 2022 through January 26th, 2023)**

---

Georgia State University  
USA

---

---

Minisymposium presentation  
(Real time epidemiology in various geographic scales)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Anuraag Bukkuri - Models of Resistance in State-Structured Cancer Populations**

---

Moffitt Cancer Center and Lund University  
USA

---

---

Contributed presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Jacques Bélair - Population models with state-dependant delays**

---

Université de Montréal  
Canada

---

---

Minisymposium presentation  
(Delay-differential equations in applications)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Jacques Bélair - Modeling the use of Fangsang Shelter Hospitals in Wuhan**

---

Université de Montréal  
Canada

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Robert Stephen Cantrell - Resource Matching in Spatial Ecology and Evolutionary Advantage**

---

University of Miami  
USA

---

---

Minisymposium presentation  
(Ecological and Epidemiological Models with Dispersal)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Fabian Cardozo-Ojeda - Mathematical modeling of gene and cell therapy for HIV cure**

---

Fred Hutchinson Cancer Center  
USA

---

---

Minisymposium presentation  
(Multiscale models of infectious diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Bernard Cazelles - Modeling infectious disease dynamics: the challenge of non-stationarity**

---

Sorbonne Université  
France

---

---

Contributed presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Stanca Ciupe - Multiscale models of SARS-CoV-2 infection**

---

Virginia Tech  
USA

---

---

Minisymposium presentation  
(Multiscale models of infectious diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Adriana-Stefania Ciupeanu - Dynamics of COVID-19 Variants of Concern**

---

University of Manitoba  
Canada

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Jessica Conway - Heterogeneity in HIV viral rebound**

---

Penn State  
USA

---

---

Minisymposium presentation  
(Mathematical and computational approaches to modelling immunology)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Jessica Conway - Modeling PrEP-on-demand strategies to prevent HIV transmission**

---

Penn State  
USA

---

---

Minisymposium presentation  
(Multiscale models of infectious diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Morgan Craig - Delays in the cell cycle: implications in immune responses**

---

Sainte-Justine University Hospital Research Centre / Université de Montréal  
Canada

---

---

Minisymposium presentation  
(Delay-differential equations in applications)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Morgan Craig - The TME determines the efficacy of immunotherapies to treat glioblastoma**

---

Sainte-Justine University Hospital Research Centre / Université de Montréal  
Canada

---

---

Minisymposium presentation  
(Modelling the Cancer Microenvironment)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Jim Cushing - Discrete-time models of infectious diseases: a project in memory of Aziz-Abdul Yakubu**

---

University of Arizona  
USA

---

---

Plenary presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---



## **Tanuja Das - An eclipse-phase lag drives oscillations in a viral infection model with a general growth function**

---

University of New Brunswick, New Brunswick  
Canada

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Tanuja Das - Effect of a novel generalized incidence rate function in SIR model: stability switches and bifurcations**

---

University of New Brunswick, New Brunswick  
Canada

---

---

Contributed presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Xiaoyan Deng - Predicting heterogeneous CD8+ immune memory responses in COVID-19 using a virtual patient cohort**

---

Université de Montréal  
Canada

---

---

Minisymposium presentation  
(Within-host and between-host mathematical models of biological dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Clotilde Djukem - Impulsive modelling of rust dynamics and predator releases**

---

Université Côte d’Azur, Inria, INRAE, CNRS, Université Paris Sorbonne, BIOCORE, France  
France

---

---

Contributed presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Marisa Eisenberg - Models to inform wastewater-based epidemiology: identifiability, uncertainty, and opportunities**

---

University of Michigan, Ann Arbor  
USA

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Marisa Eisenberg - Identifiability and infectious disease interventions: exploring when uncertainty matters**

---

University of Michigan, Ann Arbor  
USA

---

---

Plenary presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Blessing Emerenini - Data Assimilation of Quorum Sensing Regulation of Bacteria-Phage Interaction in Biofilm**

---

Rochester Institute of Technology  
USA

---

---

Minisymposium presentation  
(Within-host and between-host mathematical models of biological dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Guihong Fan - Delayed model for the transmission and control of COVID-19 with Fangcang Shelter Hospitals**

---

Columbus State University  
USA

---

---

Minisymposium presentation  
(Delay-differential equations in applications)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Suzan Farhang-Sardroodi - Mathematical model of muscle wasting in cancer cachexia incorporated with immunology**

---

Department of Mathematics, university of Manitoba  
Canada

---

---

Minisymposium presentation  
(Mathematical and computational approaches to modelling immunology)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Suzan Farhang-Sardroodi - Mathematical Modelling of the Impact of Human Immune Diversity on COVID-19 transmission**

---

Department of Mathematics, university of Manitoba  
Canada

---

---

Minisymposium presentation  
(Multiscale models of infectious diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Jonathan Forde - Modeling the challenges of optimal resource deployment for epidemic prevention**

---

Hobart and William Smith Colleges  
USA

---

---

Minisymposium presentation  
(Multiscale models of infectious diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Samaneh Gholami - Mathematical Modeling of Immune Response to Protein Subunit COVID-19 Vaccines**

---

York University  
Canada

---

---

Minisymposium presentation  
(Within-host and between-host mathematical models of biological dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Abba Gumel - Mathematical Assessment of the Role of Pre-Exposure Prophylaxis on the HIV Pandemic**

---

University of Maryland  
USA

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Abba Gumel - Mathematics of Wolbachia-based biocontrol of mosquito-borne diseases**

---

University of Maryland  
USA

---

---

Minisymposium presentation  
(Vector-Borne Disease Dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Donglin Han - Retrospective estimation of proportion of total infections of COVID-19 during the first wave in Alberta**

---

University of Alberta  
Canada

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Katsuma Hayashi - Reconstructing the temporal dynamics of clustering from cluster surveillance of COVID-19**

---

Kyoto University  
Japan

---

---

Minisymposium presentation  
(Real time epidemiology in various geographic scales)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---



## **Jane Heffernan - Seasonality and Influenza pH1N12009 Vaccination Impact**

---

York University  
Canada

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Jane Heffernan - Modelling Immunity to SARS-CoV-2**

---

York University  
Canada

---

---

Plenary presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Esteban A. Hernandez-Vargas - The Shapes of Immunological Data during Respiratory Infections**

---

University of Idaho  
USA

---

---

Plenary presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Sarafa Iyaniwura - Understanding the efficacy of capsid protein allosteric modulators using a multiscale model of hepatitis B virus**

---

Los Alamos National Laboratory  
USA

---

---

Minisymposium presentation  
(Within-host and between-host mathematical models of biological dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Sana Jahedi - Addressing Waning Immunity Against Measles: Reevaluating the MMR Vaccination Program**

---

McMaster University, Biology department  
Canada

---

---

Minisymposium presentation  
(Mathematical and computational approaches to modelling immunology)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Harsh Vardhan Jain - A quantitative evaluation of an anti-cancer vaccine for treating advanced prostate cancer**

---

Department of Mathematics and Statistics, University of Minnesota Duluth  
USA

---

---

Minisymposium presentation  
(Mathematical modeling and analysis in cancer immunotherapy)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Marek Kimmel - Site frequency spectra and estimation of clonal dynamics of tumors**

---

Departments of Statistics and Bioengineering, Rice University  
USA

---

---

Minisymposium presentation  
(Stochastic population models: Theory and applications in Cancer Research)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Jude Kong - Mpox dynamic model: incorporating adaptive behavioural changes, different control strategies in the MSM community & under-reporting**

---

York University  
Canada

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Jude Kong - Leveraging mathematical models to support early management of an emerging disease outbreak: the case of Covid-19 and Africa**

---

York University  
Canada

---

---

Minisymposium presentation  
(Within-host and between-host mathematical models of biological dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Chapin Korosec - Longitudinal immunological outcomes from three doses of COVID-19 vaccines in people living with HIV: antibodies, memory-B cells, cytokines, and a novel within-host immunological model**

---

York University  
Canada

---

---

Minisymposium presentation  
(Mathematical and computational approaches to modelling immunology)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Christopher Kribs - Impact of tetravalent dengue vaccination with screening, ADE, and altered infectivity on dengue and Zika transmission**

---

University of Texas at Arlington  
USA

---

---

Minisymposium presentation  
(Vector-Borne Disease Dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Furkan Kurtoglu - Modeling Colorectal Cancer Spheroids using Agent-Based Modeling Including Metabolism**

---

Indiana University  
USA

---

---

Minisymposium presentation  
(Modelling the Cancer Microenvironment)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Brandon Legried - Inferring phylogenetic birth-death models from extant lineages through time**

---

Georgia Institute of Technology - School of Mathematics  
USA

---

---

Minisymposium presentation  
(Stochastic population models: Theory and applications in Cancer Research)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Kang-Ling Liao - The opposite functions and treatment outcomes of CD200-CD200R in cancer**

---

Mathematics, University of Manitoba  
Canada

---

---

Minisymposium presentation  
(Mathematical modeling and analysis in cancer immunotherapy)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Ernesto Lima - Development and calibration of a stochastic, multiscale agent-based model for predicting tumor and vasculature growth**

---

The University of Texas at Austin  
USA

---

---

Minisymposium presentation  
(Modelling the Cancer Microenvironment)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Xiaochen Long - A Branching Process Model of Clonal Hematopoiesis**

---

Rice University  
USA

---

---

Minisymposium presentation  
(Stochastic population models: Theory and applications in Cancer Research)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---



## **Loïc Louison - A Population Harvesting Model with Time and size Competition Dependence Function**

---

Université de Guyane  
France

---

---

Contributed presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Nadia Loy - A non-local kinetic model for cell migration : a study of the interplay between contact guidance and steric hindrance**

---

Politecnico di Torino  
Italy

---

---

Minisymposium presentation  
(Modelling the Cancer Microenvironment)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Chinwendu Emilian Madubueze - Modelling transmission dynamics of Lassa fever transmission with two environmental pathway transmissions**

---

York university Toronto, Ontario  
Canada

---

---

Contributed presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Anna Marciniak-Czochra - Evolution of stem cell populations: Mechanistic mathematical modelling vs single cell data**

---

Heidelberg University  
Germany

---

---

Plenary presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Fabio Milner - A mosquito-bird-human model for West Nile virus disease transmission**

---

Arizona State University  
USA

---

---

Minisymposium presentation  
(Vector-Borne Disease Dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Jemal Mohammed-Awel - Mathematics model for assessing the impacts of pyrethroid resistance and temperature on population abundance of malaria mosquitoes**

---

Morgan State University  
USA

---

---

Minisymposium presentation  
(Vector-Borne Disease Dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Nicola Mulberry - A nested model for pneumococcal population dynamics**

---

Simon Fraser University  
Canada

---

---

Minisymposium presentation  
(Bridging the scale from within-host to epidemic models)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Toshiyuki Namba - Unexpected coexistence and extinction in an intraguild predation system**

---

Osaka Metropolitan University  
Japan

---

---

Contributed presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Jay Newby - Dynamic self organization and microscale fluid properties of nucleoplasm**

---

University of Alberta  
Canada

---

---

Plenary presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Hiroshi Nishiura - Night-time population consistently explains the transmission dynamics of coronavirus disease 2019 in three megacities in Japan**

---

Kyoto University  
Japan

---

---

Minisymposium presentation  
(Real time epidemiology in various geographic scales)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Ryo Oizumi - Analytical Representation of Eigensystem in Multiregional Leslie Matrix Model: Application to Sensitivity Analysis of Population Declining in Japan**

---

National Institute of Population and Social Security Research  
Japan

---

---

Contributed presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Lorenzo Pellis - Multi-scale time-since-infection models in evolutionary epidemiology**

---

The University of Manchester  
UK

---

---

Minisymposium presentation  
(Bridging the scale from within-host to epidemic models)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Tin Phan - Modeling the emergence of viral resistance in SARS-CoV-2 patients treated with an anti-spike monoclonal antibody**

---

Los Alamos National Laboratory  
USA

---

---

Minisymposium presentation  
(Mathematical and computational approaches to modelling immunology)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Tin Phan - Integrating wastewater surveillance data with epidemic models: challenges and opportunities**

---

Los Alamos National Laboratory  
USA

---

---

Minisymposium presentation  
(Multiscale models of infectious diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Tanya Philippsen - A retrospective modelling analysis of the effect of control measures on the transmission of SARS-CoV-2 in Canada**

---

University of Victoria  
Canada

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Andrea Pugliese - Combining data from surveillance on mosquitoes and corvids to understand the factors affecting the dynamics of West Nile Virus in Emilia-Romagna, Italy**

---

Dept. of Mathematics, University of Trento  
Italy

---

---

Minisymposium presentation  
(Vector-Borne Disease Dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---



## **Erica Rutter - Modeling and Estimating Intratumoral Heterogeneity in Cancer**

---

University of California, Merced  
USA

---

---

Minisymposium presentation  
(Modelling the Cancer Microenvironment)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Erica Rutter - Global Sensitivity Analysis of a Structured Model of COVID-19 Transmission on a College Campus**

---

University of California, Merced  
USA

---

---

Minisymposium presentation  
(Multiscale models of infectious diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Paul Salceanu - Robust uniform persistence for structured models of delay differential equations**

---

University of Louisiana at Lafayette  
USA

---

---

Minisymposium presentation  
(Ecological and Epidemiological Models with Dispersal)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Leili Shahriyari - Digital twins of cancer patients: a step toward personalized treatments**

---

Department of Mathematics & Statistics, University of Massachusetts Amherst  
USA

---

---

Minisymposium presentation  
(Mathematical modeling and analysis in cancer immunotherapy)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Zhisheng Shuai - Heterogeneity and Aggregation in Modeling Infectious Diseases**

---

University of Central Florida  
USA

---

---

Plenary presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Nourridine Siewe - TGF-beta inhibition can overcome cancer primary resistance to PD-1 blockade: a mathematical model**

---

Rochester Institute of Technology  
USA

---

---

Minisymposium presentation  
(Mathematical modeling and analysis in cancer immunotherapy)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Nourridine Siewe - Increase Hemoglobin Level in Severe Malarial Anemia while Controlling Parasitemia: A Mathematical Model**

---

Rochester Institute of Technology  
USA

---

---

Minisymposium presentation  
(Vector-Borne Disease Dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Nourridine Siewe - Breast cancer exosomal microRNAs facilitate pre-metastatic niche formation in the bone: A mathematical model**

---

Rochester Institute of Technology  
USA

---

---

Minisymposium presentation  
(Within-host and between-host mathematical models of biological dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Stacey Smith? - Coupling the within-host process and between-host transmission of COVID-19 suggests vaccination and school closures are critical**

---

The University of Ottawa  
Canada

---

---

Minisymposium presentation  
(Multiscale models of infectious diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Tracy Stepien - Deciphering Glioma Microenvironment Entry Mechanisms of Myeloid-Derived Suppressor Cells**

---

University of Florida  
USA

---

---

Minisymposium presentation  
(Modelling the Cancer Microenvironment)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Yasuhiro Takeuchi - Stability analysis of a single-species logistic model with time delay and constant inflow**

---

Aoyama Gakuin University  
Japan

---

---

Contributed presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Ryan Thiessen - Travelling waves of a new glioma invasion model**

---

University of Alberta  
Canada

---

---

Minisymposium presentation  
(Modelling the Cancer Microenvironment)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Necibe Tuncer - Determining Reliable Parameter Estimates for Within-host and Within-vector models of Zika Virus**

---

Florida Atlantic University  
USA

---

---

Minisymposium presentation  
(Vector-Borne Disease Dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Necibe Tuncer - Immuno-epidemiological co-action model of HIV infection and opioid addiction**

---

Florida Atlantic University  
USA

---

---

Minisymposium presentation  
(Within-host and between-host mathematical models of biological dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Sonja Türpitz - Considering Subpopulations in Modelling Facultative Mutualism Reveals a New Approach to Model Interspecific Interactions**

---

Friedrich Schiller University Jena, Germany  
Germany

---

---

Contributed presentation

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Marie Betsy Varughese - Incorporating Health Seeking Behaviour in a Deterministic Model for Influenza**

---

University of Alberta  
USA

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---



## **Jorge Velasco-Hernandez - Modeling a traffic light warning system for acute respiratory infections**

---

Universidad nacional Autónoma de México  
Mexico

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Jorge Velasco-Hernandez - The Ross-Mcdonald model revisited: linking transmission and within-host dynamics**

---

Universidad nacional Autónoma de México  
Mexico

---

---

Minisymposium presentation  
(Vector-Borne Disease Dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Amy Veprauskas - The interplay between dispersal and Allee effects in discrete-time population models**

---

University of Louisiana at Lafayette  
USA

---

---

Minisymposium presentation  
(Ecological and Epidemiological Models with Dispersal)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Amy Veprauskas - Pathogen dynamic in a tick-host system: A discrete-time modeling approach**

---

University of Louisiana at Lafayette  
USA

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Ren-Yi Wang - Analysis of A Countable-Type Branching Process Model for the Tug-of-War Cancer Cell Dynamics**

---

Rice University  
USA

---

---

Minisymposium presentation  
(Stochastic population models: Theory and applications in Cancer Research)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Xuyuan Wang - Detecting and Resolving Nonidentifiability In Infectious Diseases Modeling**

---

University of Alberta  
Canada

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Kathleen Wilkie - Modelling the Evolution of the Immune Response to Cancer**

---

Toronto Metropolitan University  
Canada

---

---

Minisymposium presentation  
(Mathematical and computational approaches to modelling immunology)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Kathleen Wilkie - Modelling Radiation Cancer Treatment with Ordinary and Fractional Differential Equations**

---

Toronto Metropolitan University  
Canada

---

---

Minisymposium presentation  
(Modelling the Cancer Microenvironment)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Pei Yuan - Modelling for informing public health policy on prevention and control of COVID-19 epidemics in Toronto, Canada**

---

York University  
Canada

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Veronika Zarnitsyna - Competing Heterogeneities in Vaccine Effectiveness Estimation**

---

Department of Microbiology and Immunology, Emory University School of Medicine  
USA

---

---

Minisymposium presentation  
(Bridging the scale from within-host to epidemic models)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Huaiping Zhu - A two-stage model with distributed delay for mosquito population dynamics**

---

York University  
Canada

---

---

Minisymposium presentation  
(Delay-differential equations in applications)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## **Huaiping Zhu - Predictive modelling and forecasting of the mosquito abundance and risk of West Nile virus in Ontario Canada**

---

York University  
Canada

---

---

Minisymposium presentation  
(Vector-Borne Disease Dynamics)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## Pauline van den Driessche - Disease-Induced Hydra Effect

---

University of Victoria, BC  
Canada

---

---

Minisymposium presentation  
(Recent Advances in Modelling Infectious Diseases)

---

Mathematical modelling is an important tool for understanding and controlling the spread of infectious diseases. Heterogeneity, which refers to differences in factors such as demographics, behaviour, susceptibility, infectiousness, and disease severity within a population, plays a critical role in disease transmission and control. Incorporating heterogeneity into models can help researchers better understand disease spread across subpopulations and design more targeted control strategies. However, heterogeneous models can be high-dimensional and complex, leading to theoretical challenges in modelling analysis. Moreover, data collections in the field are often in the forms of aggregation, making modeling implementation challenging. In this talk, we will discuss recent developments and remaining challenges in modeling infectious diseases with a focus on heterogeneity and aggregation. The goal is to provide attendees with valuable insights into the significance of incorporating heterogeneity into models and effective ways to address associated challenges.

---

## List of participants

Azmy Ackleh  
Mathematics  
University of Louisiana at Lafayette  
United States  
[azmy.ackleh@louisiana.edu](mailto:azmy.ackleh@louisiana.edu)

Folashade Agosto  
Ecology and Evolutionary Biology  
University of Kansas  
United States  
[fbagusto@ku.edu](mailto:fbagusto@ku.edu)

Ephraim Agyingi  
Mathematical Sciences  
Rochester Institute of Technology  
United States  
[eoasma@rit.edu](mailto:eoasma@rit.edu)

Vitalii Akimenko  
Mathematics  
University of Manitoba  
Canada  
[vitaliiakm@gmail.com](mailto:vitaliiakm@gmail.com)

Asami Anzai  
Graduate School of Medicine  
Kyoto University  
Japan  
[anzai.asami.43c@st.kyoto-u.ac.jp](mailto:anzai.asami.43c@st.kyoto-u.ac.jp)

Julien Arino  
Mathematics  
University of Manitoba  
Canada  
[julien.arino@umanitoba.ca](mailto:julien.arino@umanitoba.ca)

Joseph Baafi  
Biology  
Memorial University  
Canada  
[jbaafi@mun.ca](mailto:jbaafi@mun.ca)

Jacques Bélair  
Mathematics and Statistics  
Université de Montréal  
Canada  
[jacques.belair@umontreal.ca](mailto:jacques.belair@umontreal.ca)

Ranjini Bhattacharya  
Integrated Mathematical Oncology  
Moffitt Cancer Center  
United States  
[ranjini.bhattacharya@moffitt.org](mailto:ranjini.bhattacharya@moffitt.org)



Tijotop Ahmed Binjibon  
Mathematics  
University of Manitoba  
Canada  
[binjibot@myumanitoba.ca](mailto:binjibot@myumanitoba.ca)

Amanda Bleichrodt  
Population Health Sciences  
Georgia State University  
United States  
[ableichrodt1@student.gsu.edu](mailto:ableichrodt1@student.gsu.edu)

Ernesto Augusto Bueno da Fonseca Lima  
Oden Institute  
The University of Texas at Austin  
United States  
[ernesto.lima@utexas.edu](mailto:ernesto.lima@utexas.edu)

Anuraag Bukkuri  
Integrated Mathematical Oncology  
Moffitt Cancer Center  
United States  
[anuraag.bukkuri@moffitt.org](mailto:anuraag.bukkuri@moffitt.org)

Robert Stephen Cantrell  
Mathematics  
University of Miami  
United States  
[rsc@math.miami.edu](mailto:rsc@math.miami.edu)

Erwing Cardozo-Ojeda  
Vaccine and Infectious Disease Division  
Fred Hutchinson Cancer Center  
United States  
[ecojeda@fredhutch.org](mailto:ecojeda@fredhutch.org)

Bernard Cazelles  
UMMISCO  
IRD Sorbonne Université  
France  
[cazelles@biologie.ens.fr](mailto:cazelles@biologie.ens.fr)

Stanca Ciupe  
Mathematics  
Virginia Tech  
United States  
[stanca@vt.edu](mailto:stanca@vt.edu)

Adriana-Stefania Ciupeanu  
Mathematics  
University of Manitoba  
Canada  
[ciupeana@myumanitoba.ca](mailto:ciupeana@myumanitoba.ca)

Jessica Conway

Mathematics

Penn State

United States

[jmc90@psu.edu](mailto:jmc90@psu.edu)

Morgan Craig

Immune disorders and cancer & Mathematics and Statistics

Sainte-Justine University Hospital Research Centre & Université de Montréal

Canada

[morgan.craig@umontreal.ca](mailto:morgan.craig@umontreal.ca)

Jim Cushing

Mathematics

University of Arizona

United States

[cushing@math.arizona.edu](mailto:cushing@math.arizona.edu)

Tanuja Das

Mathematics and Statistics

University of New Brunswick

Canada

[tanujamanidas@gmail.com](mailto:tanujamanidas@gmail.com)

Xiaoyan Deng

Mathematics and Statistics

Université de Montréal

Canada

[xiaoyan.deng@umontreal.ca](mailto:xiaoyan.deng@umontreal.ca)

Clotilde Djuikem

BIOCORE

INRIA Sophia Antipolis

France

[clotilde.djuikem@inria.fr](mailto:clotilde.djuikem@inria.fr)

Marisa Eisenberg

Epidemiology, Complex Systems & Mathematics

University of Michigan, Ann Arbor

United States

[marisae@umich.edu](mailto:marisae@umich.edu)

Blessing Emerenini

School of Mathematical Sciences

Rochester Institute of Technology

United States of America

[boesma@rit.edu](mailto:boesma@rit.edu)

Guihong Fan

Mathematics

Columbus State University

United States

[fan\\_guihong@columbusstate.edu](mailto:fan_guihong@columbusstate.edu)

Suzan Farhang-Sardroodi  
Mathematics  
University of Manitoba  
Canada  
[suzan.farhangsardroodi@umanitoba.ca](mailto:suzan.farhangsardroodi@umanitoba.ca)

Ghazale Farjam  
Department of Mathematics  
University of Manitoba  
Canada  
[farjamg@myumanitoba.ca](mailto:farjamg@myumanitoba.ca)

Jonathan Forde  
Mathematics and Computer Science  
Hobart and William Smith Colleges  
United States  
[forde@hws.edu](mailto:forde@hws.edu)

Samaneh Gholami  
Mathematics and Statistics  
York University  
Canada  
[sama20@yorku.ca](mailto:sama20@yorku.ca)

Abba Gumel  
Mathematics  
University of Maryland  
United States  
[agumel@umd.edu](mailto:agumel@umd.edu)

Donglin Han  
Mathematical and Statistical Sciences  
University of Alberta  
Canada  
[donglin3@ualberta.ca](mailto:donglin3@ualberta.ca)

Md. Mehadi Hasan  
Mathematics  
University of Manitoba  
Canada  
[hasanmm4@myumanitoba.ca](mailto:hasanmm4@myumanitoba.ca)

Katsuma Hayashi  
Hygiene  
Kyoto University  
Japan  
[hayashi.katsuma.7w@kyoto-u.ac.jp](mailto:hayashi.katsuma.7w@kyoto-u.ac.jp)

Jane Heffernan  
Mathematics and Statistics  
York University  
Canada  
[jmheffer@yorku.ca](mailto:jmheffer@yorku.ca)

Esteban A. Hernandez-Vargas  
Mathematics and Statistical Science  
University of Idaho  
United States  
[esteban@uidaho.edu](mailto:esteban@uidaho.edu)

Thomas Hillen  
Mathematical and Statistical Sciences  
University of Alberta  
Canada  
[thillen@ualberta.ca](mailto:thillen@ualberta.ca)

Jannatun Irana Ira  
Mathematics  
University of Manitoba  
Canada  
[iraji@myumanitoba.ca](mailto:iraji@myumanitoba.ca)

Sarafa Iyaniwura  
Mathematics  
University of British Columbia  
Canada  
[iyaniwura@math.ubc.ca](mailto:iyaniwura@math.ubc.ca)

Harsh Jain  
Mathematics and Statistics  
University of Minnesota Duluth  
United States  
[hjain@umn.edu](mailto:hjain@umn.edu)

Ali Karoobi  
Mathematics  
University of Manitoba  
Canada  
[karoobia@myumanitoba.ca](mailto:karoobia@myumanitoba.ca)

Marek Kimmel  
Statistics  
Rice University  
United States  
[kimmel@rice.edu](mailto:kimmel@rice.edu)

Jude Kong  
Mathematics and Statistics  
York University  
Canada  
[jdkong@yorku.ca](mailto:jdkong@yorku.ca)

Chapin Korosec  
Mathematics and Statistics  
York University  
Canada  
[chapwaite@gmail.com](mailto:chapwaite@gmail.com)

Christopher Kribs  
Mathematics & Curriculum and Instruction  
University of Texas at Arlington  
United States  
[kribs@uta.edu](mailto:kribs@uta.edu)

Brandon Legried  
Mathematics  
Georgia Institute of Technology  
United States  
[blegried3@gatech.edu](mailto:blegried3@gatech.edu)

Kang-Ling Liao  
Mathematics  
University of Manitoba  
Canada  
[Kang-Ling.Liao@umanitoba.ca](mailto:Kang-Ling.Liao@umanitoba.ca)

Xiaochen Long  
Department of Statistics  
Rice University  
United States  
[xl81@rice.edu](mailto:xl81@rice.edu)

Pedro Lopez Gascon  
Mathematics  
University of Manitoba  
Canada  
[lopezgap@myumanitoba.ca](mailto:lopezgap@myumanitoba.ca)

Loïc Louison  
Sciences et technologie  
Université de Guyane  
France  
[loic.louison@univ-guyane.fr](mailto:loic.louison@univ-guyane.fr)

Nadia Loy  
DISMA-P.IVA 00518460019  
Politecnico di Torino  
Italy  
[nadia.loy@polito.it](mailto:nadia.loy@polito.it)

Chinwendu Emilian Madubueze  
Mathematics and Statistics  
York University  
Canada  
[ce.madubueze@gmail.com](mailto:ce.madubueze@gmail.com)

Anna Marciniak-Czochra  
Institute of Applied Mathematics  
Heidelberg University  
Germany  
[Anna.Marciniak@iwr.uni-heidelberg.de](mailto:Anna.Marciniak@iwr.uni-heidelberg.de)

Solomon Mensah

Mathematics

University of Manitoba

Canada

[mensahs2@myumanitoba.ca](mailto:mensahs2@myumanitoba.ca)

Fabio Milner

Simon Levin MCMD Center & School of Mathematical and Statistical Sciences

Arizona State University

United States

[fmilner@asu.edu](mailto:fmilner@asu.edu)

Negar Mohammadnejad

Mathematics

University of Manitoba

Canada

[mohamm58@myumanitoba.ca](mailto:mohamm58@myumanitoba.ca)

Jemal Mohammed-Awel

Mathematics

Morgan State University

United States

[jemal.mohammed-awel@morgan.edu](mailto:jemal.mohammed-awel@morgan.edu)

Nicola Mulberry

Mathematics

Simon Fraser

Canada

[nicola\\_\\_mulberry@sfu.ca](mailto:nicola__mulberry@sfu.ca)

Toshiyuki Namba

Graduate School of Science

Osaka Metropolitan University

Japan

[tnamba@omu.ac.jp](mailto:tnamba@omu.ac.jp)

Syeda Atika Batool Naqvi

Mathematics

University of Manitoba

Canada

[naqvisab@myumanitoba.ca](mailto:naqvisab@myumanitoba.ca)

Jay Newby

Mathematical and Statistical Sciences

University of Alberta

Canada

[jnewby@ualberta.ca](mailto:jnewby@ualberta.ca)

Hiroshi Nishiura

School of Public Health

Kyoto University

Japan

[nishiura.hiroshi.5r@kyoto-u.ac.jp](mailto:nishiura.hiroshi.5r@kyoto-u.ac.jp)

Ryo Oizumi  
Department of International Research and Cooperation  
National Institute of Population and Social Security Research  
Japan  
[ooizumi-ryou@ipss.go.jp](mailto:ooizumi-ryou@ipss.go.jp)

Lorenzo Pellis  
Mathematics  
The University of Manchester  
United Kingdom  
[lorenzo.pellis@manchester.ac.uk](mailto:lorenzo.pellis@manchester.ac.uk)

Tin Phan  
Theoretical Biology and Biophysics  
Los Alamos National Laboratory  
United States  
[tphan@lanl.gov](mailto:tphan@lanl.gov)

Tanya Philippsen  
Mathematics and Statistics  
University of Victoria  
Canada  
[tanya.philippsen@gmail.com](mailto:tanya.philippsen@gmail.com)

Stephanie Portet  
Mathematics  
University of Manitoba  
Canada  
[stephanie.portet@umanitoba.ca](mailto:stephanie.portet@umanitoba.ca)

Andrea Pugliese  
Mathematics  
Università degli Studi di Trento  
Italy  
[andrea.pugliese@unitn.it](mailto:andrea.pugliese@unitn.it)

Erica Rutter  
Applied Mathematics  
University of California, Merced  
United States  
[erutter2@ucmerced.edu](mailto:erutter2@ucmerced.edu)

Paul Salceanu  
Mathematics  
University of Louisiana at Lafayette  
United States  
[salceanu@louisiana.edu](mailto:salceanu@louisiana.edu)

Leili Shahriyari  
Mathematics and Statistics  
University of Massachusetts Amherst  
United States  
[lshahriyari@umass.edu](mailto:lshahriyari@umass.edu)

Zhisheng Shuai  
Mathematics  
University of Central Florida  
United States  
[Zhisheng.Shuai@ucf.edu](mailto:Zhisheng.Shuai@ucf.edu)

Nourridine Siewe  
Mathematics  
Rochester Institute of Technology  
United States  
[nxssma@rit.edu](mailto:nxssma@rit.edu)

Stacey Smith?  
Mathematics  
The University of Ottawa  
Canada  
[stacey.smith@uottawa.ca](mailto:stacey.smith@uottawa.ca)

Tracy Stepien  
Mathematics  
University of Florida  
United States  
[tstepien@ufl.edu](mailto:tstepien@ufl.edu)

Yasuhiro Takeuchi  
Mathematical Sciences  
Aoyama Gakuin University  
Japan  
[takeuchi@math.aoyama.ac.jp](mailto:takeuchi@math.aoyama.ac.jp)

Ryan Thiessen  
Mathematical and Statistical Sciences  
University of Alberta  
Canada  
[rjt128@mail.usask.ca](mailto:rjt128@mail.usask.ca)

Sonja Tuerpitz  
Bioinformatics  
Friedrich Schiller University Jena  
Germany  
[sonja.tuerpitz@uni-jena.de](mailto:sonja.tuerpitz@uni-jena.de)

Necibe Tuncer  
Mathematical Sciences  
Florida Atlantic University  
United States  
[ntuncer@fau.edu](mailto:ntuncer@fau.edu)

Pauline van den Driessche  
Mathematics and Statistics  
University of Victoria  
Canada  
[pvdd@math.uvic.ca](mailto:pvdd@math.uvic.ca)



Marie Betsy Varughese  
Mathematical and Statistical Sciences  
University of Alberta  
Canada  
[mvarughe@ualberta.ca](mailto:mvarughe@ualberta.ca)

Jorge Velasco-Hernandez  
Instituto de Matemáticas  
UNAM  
Mexico  
[jx.velasco@im.unam.mx](mailto:jx.velasco@im.unam.mx)

Amy Veprauskas  
Mathematics  
University of Louisiana at Lafayette  
United States  
[amy.veprauskas@louisiana.edu](mailto:amy.veprauskas@louisiana.edu)

Ren-Yi Wang  
Statistics  
Rice University  
United States  
[rw47@rice.edu](mailto:rw47@rice.edu)

Xuyuan Wang  
Mathematical and Statistical Science  
University of Alberta  
Canada  
[xuyuan@ualberta.ca](mailto:xuyuan@ualberta.ca)

Kenton Watt  
Mathematics  
University of Manitoba  
Canada  
[wattk2@myumanitoba.ca](mailto:wattk2@myumanitoba.ca)

Adam Wieler  
Mathematics  
University of Manitoba  
Canada  
[wielera1@myumanitoba.ca](mailto:wielera1@myumanitoba.ca)

Kathleen Wilkie  
Mathematics  
Toronto Metropolitan University  
Canada  
[kpwilkie@torontomu.ca](mailto:kpwilkie@torontomu.ca)

Xiangye Xu  
Mathematics  
University of Manitoba  
Canada  
[xux8@myumanitoba.ca](mailto:xux8@myumanitoba.ca)

Pei Yuan

Mathematics and Statistics

York University

Canada

[yuanp45@yorku.ca](mailto:yuanp45@yorku.ca)

Veronika Zarnitsyna

Microbiology and Immunology

Emory University

United States

[veronika.i.zarnitsyna@emory.edu](mailto:veronika.i.zarnitsyna@emory.edu)

Huaiping Zhu

Mathematics and Statistics

York University

Canada

[huaiping@yorku.ca](mailto:huaiping@yorku.ca)