

# Displaying and Interacting with Lists

**Dr. Abdelkarim Erradi**  
**CSE@QU**

# Outline

1. Displaying a List
2. Interacting with a List

# Displaying a List

# Displaying a List

- In apps it is common to display collections of items
- For displaying a small collection of items, a **Column** or **Row** layouts could be used
  - The **verticalScroll()** modifier could be applied to make the Column scrollable
  - The **horizontalScroll()** modifier could be applied to make the Row scrollable
- For displaying a large list, using a Column/Row layout can cause performance issues
  - since all the items will be composed and laid out whether or not they are visible
  - Use a Lazy List (i.e., LazyColumn or LazyRow) to only compose and lay out items which are **visible on screen**

# Displaying a List

Making the Column scrollable by using the **verticalScroll()** modifier

```
@Composable
fun SurahsList(surahs: List<Surah>) {
    Column(modifier =
        Modifier.verticalScroll(rememberScrollState()))
    {
        if (surahs.isEmpty()) {
            Text("Loading surahs failed.")
        } else {
            surahs.forEach {
                SurahCard(surah = it)
            }
        }
    }
}
```



# Common Modifiers

- `Column(modifier = Modifier.verticalScroll(rememberScrollState()))`

Makes the column scrollable


- `Row(modifier = Modifier.horizontalScroll(rememberScrollState()))`

Makes the row scrollable

- `Modifier.fillMaxWidth() /`  
`.fillMaxHeight() / .fillMaxSize()` -  
occupy the available space

# What is a Lazy List?

- A Lazy List is a scrollable container for displaying a list of composables
  - [LazyColumn](#) produces a vertically scrolling list, and [LazyRow](#) produces a horizontally scrolling list
- A flexible container for efficiently displaying, and interacting with large sets of data
  - As user scrolls, views are created to display new items
  - Efficient as it uses a limited number of views



# Lazy List methods

- Lazy List provides several functions for describing items in the layout:
  - **item()** to add a single item (e.g., header/footer)
  - **items(aList)** to add multiple items
  - **itemsIndexed(aList)** to add multiple items and provides an index

```
import androidx.compose.foundation.lazy.items
```

```
...
```

```
LazyColumn {  
    items(surahs) {  
        SurahCard(it)  
    }  
}
```





# Styling a List - Content spacing

- Use [Arrangement.spacedBy\(\)](#) to add spacing in-between items

```
LazyColumn(  
    verticalArrangement = Arrangement.spacedBy(4.dp),  
) {}
```

- Similarly, for LazyRow:

```
LazyRow(  
    horizontalArrangement = Arrangement.spacedBy(4.dp),  
) {}
```

# Styling a List – Content padding

- To add padding around the edges of the content pass some **PaddingValues** to the **contentPadding** parameter

```
LazyColumn(  
    contentPadding = PaddingValues(horizontal = 16.dp, vertical = 8.dp)  
) {}
```

- Adds 16.dp of padding to the horizontal edges (left and right), and then 8.dp to the vertical edges (top and bottom) of the content
- Padding is applied to the content, not to the LazyColumn itself

```

LazyColumn(contentPadding =
    PaddingValues(horizontal = 8.dp, vertical = 8.dp),
    verticalArrangement = Arrangement.spacedBy(8.dp)
) {
    item {
        Text(
            text = "سور القرآن الكريم",
            textAlign = TextAlign.Center,
            modifier = Modifier.fillMaxWidth(),
            style = TextStyle(
                fontWeight = FontWeight.Bold,
                fontSize = 24.sp,
                color = Color.Blue,
                textDirection = TextDirection.Rtl
            )
        )
    }
    items(surahs) {
        SurahCard(it)
    }
    item {
        Text(
            text = "$surahCount سورة - $ayaCount آية",
            textAlign = TextAlign.Center,
            modifier = Modifier.fillMaxWidth(),
            style = TextStyle(
                fontWeight = FontWeight.Bold,
                fontSize = 20.sp,
                color = Color.Blue,
                textDirection = TextDirection.Rtl
            )
        )
    }
}

```

Compose Lists




سور القرآن الكريم



1. الفاتحة - Al-Fatiha  
Aya count: 7



2. البقرة - Al-Baqara  
Aya count: 286




3. آل عمران - Aal-e-Imran  
Aya count: 200




4. النساء - An-Nisa  
Aya count: 176




110. النصر - An-Nasr  
Aya count: 3



111. المسد - Al-Masadd  
Aya count: 5



112. الإخلاص - Al-Ikhlās  
Aya count: 4



113. الفلق - Al-Falaq  
Aya count: 5



114. الناس - An-Nas  
Aya count: 6

114 سورة - 6236 آية

# Interacting with a List

# Search

# Sort

# Handling Item Clicked Event

# Add/Update a list item



# Swipe to Delete and Undo

# Pull to refresh

# Sticky headers

# Summary

- Use the **verticalScroll** or **horizontalScroll** modifiers to display a small list of composables in a Column or a Row
- For dynamic and larger lists use **LazyColumn** and **LazyRow** for the vertical and horizontal scenarios, respectively
- You can program various interactions with a displayed list including *search*, *sort*, *refresh*, *add*, *update* and *delete*

# Resources

- Displaying a list using Jetpack Compose

<https://developer.android.com/jetpack/compose/lists>