

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

Checker Input

Show

☒ source

☐ outline

☐ image report

Options...

Check by

text input

▼

☐ css

```
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">

  <!-- CSRF Token -->
  <meta name="csrf-token"
content="gMs7PjjtoN9xtjv1K0i8pAbA0SQGbbXXAebQbBta">

  <title>Eat&Peas</title>

  <!-- Scripts -->
  <script src="https://lbaw22134.lbaw.fe.up.pt/js/app.js" defer></script>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

1. **Error** Attribute `href` not allowed on element `img` at this point.

[From line 30, column 17; to line 31, column 105](#)

```

```

Attributes for element `img`:

[Global attributes](#)

[alt](#) — Replacement text for use when images are not available

[src](#) — Address of the resource

[srcset](#) — Images to use in different situations, e.g., high-resolution displays, small monitors, etc.

[sizes](#) — Image sizes for different page layouts

[crossorigin](#) — How the element handles crossorigin requests

[usemap](#) — Name of [image map](#) to use

[ismap](#) — Whether the image is a server-side image map  
[width](#) — Horizontal dimension  
[height](#) — Vertical dimension  
[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element  
[decoding](#) — Decoding hint to use when processing this image for presentation  
[loading](#) — Used when determining loading deferral

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 30, column 17; to line 31, column 105](#)

```
.....
```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 58, column 53; to line 59, column 80](#)

```
.....
```

4. **Error** Bad value `button` for attribute `type` on element `a`: Subtype missing.

[From line 76, column 13; to line 76, column 219](#)

```
<a class="btn navbar-toggler m-3" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarSup...ontent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-
```

5. **Error** Element `a` is missing required attribute `href`.

[From line 76, column 13; to line 76, column 219](#)

```
<a class="btn navbar-toggler m-3" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarSup...ontent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-
```

Attributes for element `a`:

[Global attributes](#)

[href](#) — Address of the [hyperlink](#)

[target](#) — [Navigable](#) for [hyperlink navigation](#)

[download](#) — Whether to download the resource instead of navigating to it, and its filename if so

[ping](#) — [URLs](#) to ping

[rel](#) — Relationship between the location in the document containing the [hyperlink](#) and the destination resource

[hreflang](#) — Language of the linked resource

[type](#) — Hint for the type of the referenced resource

[referrerpolicy](#) — [Referrer policy](#) for [fetches](#) initiated by the element

6. **Error** Element `<ul>` not allowed as child of element `<div>` in this context.

(Suppressing further errors from this subtree.)

[From line 83, column 21; to line 83, column 78](#)

```
<ul class="nav navbar-light justify-content-center w-100">
```

Contexts in which element `<ul>` may be used:

Where [flow content](#) is expected.

Content model for element `<ul>`:

Zero or more [li](#) and [script-supporting](#) elements.

Document checking completed.

## Source

```
1. <!doctype html>
2. <html lang="en">
3. <head>
4.   <meta charset="utf-8">
5.   <meta name="viewport" content="width=device-width, initial-
6.   scale=1">
7.   <!-- CSRF Token -->
8.   <meta name="csrf-token"
9.   content="gMs7PjjtoN9xtjv1K0i8pAbA0SQGbbXXAebQbBta">
10. <title>Eat&Peas</title>
11. <!-- Scripts -->
12. <script src="https://lbaw22134.lbaw.fe.up.pt/js/app.js" defer>
13. </script>
14. <script src="https://lbaw22134.lbaw.fe.up.pt/js/ajax.js" defer>
15. </script>
16. <!-- Fonts -->
17. <link rel="dns-prefetch" href="//fonts.gstatic.com">
18. <link href="https://fonts.googleapis.com/css?family=Nunito"
19. rel="stylesheet">
20. <!-- Styles -->
21. <link href="https://lbaw22134.lbaw.fe.up.pt/css/app.css"
22. rel="stylesheet">
23. </head>
24. <body >
25. <div id="app">
26.   <header style= "background-color: #7ec699;">
27.     <nav class="navbar navbar-light">
28.       <div class="container d-flex">
29.         <a href="https://lbaw22134.lbaw.fe.up.pt">
30.           
35.         </a>
```

```

33.         <a class="navbar-brand fs-1"
href="https://lbaw22134.lbaw.fe.up.pt">Eat&Peas</a>↵
34. ↵
35.         <!-- Search bar -->↵
36.         <form class="form-inline flex-grow-1 p-2"
action="https://lbaw22134.lbaw.fe.up.pt/searches" method="post">↵
37.             <input type="hidden" name="token"
value="gMs7PjjtoN9xtjv1K0i8pAbA0SQGbbXXAebQbBta">
<input class="form-control mr-sm-2" id="search-content" type="search"
placeholder="Search" name="content" aria-label="Search">↵
38.         </form>↵
39. ↵
40. ↵
41. ↵
42.             <div class="dropdown">↵
43.                 <a class="btn" href="#" role="button"
id="showNotifications" data-bs-toggle="dropdown" aria-expanded="false">↵
44.                     <svg xmlns="http://www.w3.org/2000/svg"
width="24" height="24" fill="currentColor" viewBox="0 0 16 16">↵
45.                         <path d="M8 16a2 2 0 0 0 2-2H6a2 2 0 0 0 2
2zm.995-14.901a1 1 0 1 0-1.99 0A5.002 5.002 0 0 0 3 6c0 1.098-.5 6-2
7h14c-1.5-1-2-5.902-2-7 0-2.42-1.72-4.44-4.005-4.901z"/>↵
46.                     </svg>↵
47.                 </a>↵
48. ↵
49.                 <div class="dropdown-menu" aria-
labelledby="showNotifications" style="overflow:scroll; height:
30rem;width: 30rem; transform: translate(-50%);">↵
50.                     </div>↵
51.                 </div>↵
52. ↵
53.                 <div class="fw-bold m-3">joe</div>↵
54. ↵
55.                 <!-- Username + profile picture -->↵
56.                 <div class="dropdown row">↵
57.                     <a class="btn" role="button" id="dropdownMenuLink"
data-bs-toggle="dropdown" aria-expanded="false">↵
58.                         ↵
60.                         </a>↵
61. ↵
62.                     <ul class="dropdown-menu" aria-
labelledby="dropdownMenuLink">↵
63.                         <li><a class="dropdown-item"
href="https://lbaw22134.lbaw.fe.up.pt/users/9">Profile</a></li>↵
64.                         <li><a class="dropdown-item"
href="https://lbaw22134.lbaw.fe.up.pt/posts/create">Create Post</a>
</li>↵
65.                         <li><a class="dropdown-item"
href="https://lbaw22134.lbaw.fe.up.pt/logout">
66.                             onclick="event.preventDefault();
document.getElementById('logout-form').submit();">↵
67.                             Logout↵
68.                         </a>↵
69.                         <form id="logout-form"
action="https://lbaw22134.lbaw.fe.up.pt/logout" method="POST" class="d-
none">↵
70.                             <input type="hidden" name="_token"
value="gMs7PjjtoN9xtjv1K0i8pAbA0SQGbbXXAebQbBta">
</form>↵
71.                         </li>↵
72.                     </ul>↵
73.                 </div>↵
74. ↵
75. ↵
76.                 <a class="btn navbar-toggler m-3" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarSupportedContent" aria-
controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">↵
77.                     <span class="navbar-toggler-icon"></span>↵
78.                 </a>↵
79.                 <div class="collapse navbar-collapse"
id="navbarSupportedContent">↵

```

```

80. ↵
81.         <!-- Right Side Of Navbar -->↵
82.         <ul class="nav navbar-light">↵
83.             <ul class="nav navbar-light justify-content-center
w-100">↵
84.                 <li class="nav-item" style="padding-top:0.75rem;
padding-left:2.75rem; padding-right:2.75rem;">↵
85.                     <a class="nav-link text-dark h5 fw-bold"
href="https://lbaw22134.lbaw.fe.up.pt/about">About Us</a>↵
86.                 </li>↵
87.                 <li class="nav-item" style="padding-top:0.75rem;
padding-left:2.75rem; padding-right:2.75rem;">↵
88.                     <a class="nav-link text-dark h5 fw-bold"
href="https://lbaw22134.lbaw.fe.up.pt/contacts">Contacts</a>↵
89.                 </li>↵
90.                 <li class="nav-item" style="padding-top:0.75rem;
padding-left:2.75rem; padding-right:2.75rem;">↵
91.                     <a class="nav-link text-dark h5 fw-bold"
href="https://lbaw22134.lbaw.fe.up.pt/help">Help</a>↵
92.                 </li>↵
93.                 <li class="nav-item" style="padding-top:0.75rem;
padding-left:2.75rem; padding-right:2.75rem;">↵
94.                     <a class="nav-link text-dark h5 fw-bold"
href="https://lbaw22134.lbaw.fe.up.pt/features">Main Features</a>↵
95.                 </li>↵
96.             </ul>↵
97.         ↵
98.     </ul>↵
99. ↵
100. ↵
101.     </div>↵
102. ↵
103. </div>↵
104. ↵
105. </nav>↵
106. ↵
107. </header>↵
108. ↵
109.     <main class="py-4">↵
110.         <div class="container d-flex flex-column justify-content-
around gap-4">↵
111.             style="margin: 0 auto; width: 50%">↵
112. ↵
113.                 <div class="flex-item mb-5">↵
114.                     <h1 class="fs-1 fw-bolder">Features</h1>↵
115.                     <p class="fs-4 fs-bold">Take a look at what we have to
offer!</p>↵
116.                 </div>↵
117. ↵
118.                 <div class="flex-item my-2 d-flex flex-row align-items-center
gap-3">↵
119.                     <div class="flex-item">↵
120.                         <h2 class="fs-3 fw-bold">Always Learning!</h2>↵
121.                         <p class="fs-5">↵
122.                             With Eat&Peas you can always learn how to cook
better!↵
123.                         </p>↵
124.                     </div>↵
125. ↵
126.                     <div class="flex-item mx-5">↵
127.                         ↵
128.                     </div>↵
129.                 </div>↵
130. ↵
131.                 <div class="flex-item my-2 d-flex flex-row align-items-center
gap-3">↵
132.                     <div class="flex-item">↵
133.                         <h2 class="fs-3 fw-bold">Stay always in touch with your
community!</h2>↵
134.                         <p class="fs-5">↵
135.                             Share with locals about your tradicional recipes,
always!↵
136.                         </p>↵
137.                     </div>↵
138. ↵

```

```

139.         <div class="flex-item mx-5">↵
140.             ↵
141.         </div>↵
142.     </div>↵
143. ↵
144.     <div class="flex-item my-2 d-flex flex-row align-items-center
gap-3">↵
145.         <div class="flex-item">↵
146.             <h2 class="fs-3 fw-bold">Leave your mark!</h2>↵
147.             <p class="fs-5">↵
148.                 Eat&Peas is the best place to learn everythig about
cuisine. <br>↵
149.                 Show your questions, answer the doubts of other.
<br>↵
150.                 We are here! <strong>The choice is yours!</strong>↵
151.             </p>↵
152.         </div>↵
153. ↵
154.         <div class="flex-item mx-5">↵
155.             ↵
156.         </div>↵
157.     </div>↵
158. ↵
159. </div>↵
160. </main>↵
161. <div style="padding: 2rem;">↵
162. ↵
163.     </div>↵
164. </div>↵
165. </body>↵
166. </html>

```

Used the HTML parser.

Total execution time 54 milliseconds.