SAFETY DATA SHEET

Version 5.4 Revision Date 02/26/2014 Print Date 04/07/2014

1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Potassium cyanide

Product Number : 207810 Brand : Sigma-Aldrich Index-No. : 006-007-00-5

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 151-50-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to metals (Category 1), H290 Acute toxicity, Oral (Category 2), H300 Acute toxicity, Inhalation (Category 2), H330 Acute toxicity, Dermal (Category 1), H310 Skin corrosion (Category 1A), H314 Serious eve damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 1), H370 Specific target organ toxicity - repeated exposure (Category 1), H372

Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H290 May be corrosive to metals.

H300 + H310 + H330 Fatal if swallowed, in contact with skin or if inhaled

H314 Causes severe skin burns and eye damage.

Sigma-Aldrich - 207810 Page 1 of 10

H370 Causes damage to organs. H372 Causes damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. Precautionary statement(s) Keep only in original container. P234 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P260 P262 Do not get in eyes, on skin, or on clothing. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face P280 protection. P284 Wear respiratory protection. IF SWALLOWED: Immediately call a POISON CENTER or doctor/ P301 + P310 physician. P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove P305 + P351 + P338 contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/ physician. P320 Specific treatment is urgent (see supplemental first aid instructions on this label). P361 Remove/Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. P363 P390 Absorb spillage to prevent material damage. P391 Collect spillage. Store in a well-ventilated place. Keep container tightly closed. P403 + P233 P405 Store locked up. P406 Store in corrosive resistant stainless steel container with a resistant inner liner. P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Contact with acids liberates very toxic gas.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Formula : CKN

 Molecular Weight
 : 65.12 g/mol

 CAS-No.
 : 151-50-8

 EC-No.
 : 205-792-3

 Index-No.
 : 006-007-00-5

Hazardous components

Component	Classification	Concentration				
Potassium cyanide						
-	Met. Corr. 1; Acute Tox. 2; Acute Tox. 1; Skin Corr. 1A; Eye Dam. 1; STOT SE 1; STOT RE 1; Aquatic Acute 1; H290, H300 + H310 + H330, H314, H370, H372, H400	-				

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 207810 Page 2 of 10

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eve contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Dry chemical Dry sand Alcohol-resistant foam

Unsuitable extinguishing media

Water Carbon dioxide (CO2)

5.2 Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NOx), Potassium oxides, Hydrogen cyanide (hydrocyanic acid)

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

no data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Sigma-Aldrich - 207810 Page 3 of 10

Provide appropriate exhaust ventilation at places where dust is formed. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Never allow product to get in contact with water during storage. Do not store near acids.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control parameters	Basis	
Potassium cyanide	151-50-8	TWA	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
	Remarks	Skin contact does contribute to exposure.			
		TWA	5 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
		Skin contact does contribute to exposure.			
		TWA	5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
		Skin designation			
		С	5 mg/m3	USA. ACGIH Threshold Limit Values (TLV)	
		Upper Respiratory Tract irritation Headache Nausea Thyroid effects Danger of cutaneous absorption varies			
		TWA	5 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
		С	4.7 ppm 5 mg/m3	USA. NIOSH Recommended Exposure Limits	
		10 minute c	10 minute ceiling value		

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Sigma-Aldrich - 207810 Page 4 of 10

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Melting point/range: 634 °C (1,173 °F) - lit.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

Colour: white

b) Odour no data availablec) Odour Threshold no data available

d) pH 11.5 at 20 g/l at 20 °C (68 °F)

u) pri 11.5 at 20 g/r at 20 0 (00 1)

point

nitial boiling point and 1,625 °C (2,957 °F)

boiling range

Melting point/freezing

g) Flash point no data available
h) Evapouration rate no data available
i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive limits no data available

k) Vapour pressure no data available

l) Vapour density no data available

m) Relative density 1.520 g/cm3

n) Water solubility 400 g/l at 20 °C (68 °F) - soluble

o) Partition coefficient: n-

octanol/water

log Pow: 0.44

p) Auto-ignition no data available temperature

q) Decomposition no data available

temperature

r) Viscosity no data available

Sigma-Aldrich - 207810 Page 5 of 10

s) Explosive properties no data availablet) Oxidizing properties no data available

9.2 Other safety information

no data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

Contact with acids liberates very toxic gas.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Avoid moisture.

10.5 Incompatible materials

Acids, Strong oxidizing agents, Iodine, permanganates, e.g. potassium permanganate, Peroxides, Metallic salts, Chloral hydrate, Alkaloids, Chlorates

10.6 Hazardous decomposition products

Other decomposition products - no data available

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LDLO Oral - Human - 2.857 mg/kg

LD50 Oral - mouse - 8.5 mg/kg

LD50 Oral - rabbit - 5 mg/kg

LD50 Oral - rat - 6 mg/kg

Inhalation: no data available

Dermal: no data available

LD50 Intraperitoneal - rat - 4 mg/kg

Remarks: Lungs, Thorax, or Respiration:Other changes.

LD50 Subcutaneous - rat - 7.814 mg/kg

LD50 Intravenous - rat - 3.6 mg/kg

Remarks: Behavioral:Altered sleep time (including change in righting reflex). Behavioral:Convulsions or effect on seizure threshold. Lungs, Thorax, or Respiration:Dyspnea.

LD50 Intraperitoneal - mouse - 5.991 mg/kg

Remarks: Behavioral: Convulsions or effect on seizure threshold. Lungs, Thorax, or Respiration: Respiratory stimulation.

LD50 Subcutaneous - mouse - 6.5 mg/kg

LD50 Intravenous - mouse - 2.6 mg/kg

Remarks: Peripheral Nerve and Sensation:Flaccid paralysis without anesthesia (usually neuromuscular blockage). Behavioral:Convulsions or effect on seizure threshold. Lungs, Thorax, or Respiration:Respiratory stimulation.

LD50 Subcutaneous - dog - 6 mg/kg

Remarks: Behavioral: Convulsions or effect on seizure threshold.

LD50 Intravenous - cat - 2.2 mg/kg

LD50 Intraperitoneal - rabbit - 3.972 mg/kg

Remarks: Blood:Other changes.

Sigma-Aldrich - 207810 Page 6 of 10

LD50 Subcutaneous - rabbit - 4 mg/kg

Remarks: Lungs, Thorax, or Respiration:Other changes.

LD50 Intramuscular - rabbit - 3.256 mg/kg

LD50 Ocular - rabbit - 7.87 mg/kg

Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste): Eye: Other. Behavioral: Ataxia. Lungs, Thorax, or Respiration: Respiratory stimulation.

LD50 Intramuscular - Pigeon - 4 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

Hamster fibroblast

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

no data available

Specific target organ toxicity - single exposure

Ingestion - Causes damage to organs. - Heart, Testes

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

no data available

Additional Information

Repeated dose toxicity - rat - male - Oral - No observed adverse effect level - 40 mg/kg RTECS: TS8750000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Lung irritation, Cyanosis, Central nervous system depression, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., May cause argyria (a slate-gray or bluish discoloration of the skin and deep tissues due to the deposit of insoluble albuminate of silver)., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Inhalation may provoke the following symptoms:, spasm, inflammation and edema of the bronchi, Aspiration or inhalation may cause chemical pneumonitis., pulmonary edema, Lungs, CNS depression with hypertension or circulatory failure, and respiratory depression

Liver - Irregularities - Based on Human Evidence

Liver - Irregularities - Based on Human Evidence

Sigma-Aldrich - 207810 Page 7 of 10

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 0.052 mg/l - 96.0 h

LC50 - Lepomis macrochirus - 0.45 mg/l - 96.0 h

Toxicity to daphnia and

other aquatic invertebrates

Toxicity to algae

EC50 - Daphnia magna (Water flea) - 2 mg/l - 48 h

EC50 - Daphnia magna (Water flea) - 0.53 mg/l - 24 h EC50 - Daphnia magna (Water flea) - 2 mg/l - 48 h

EC50 - Daphnia magna (Water flea) - 0.53 mg/l - 24 h

IC50 - Scenedesmus quadricauda (Green algae) - 0.03 mg/l - 192 h

Toxicity to bacteria - Bacteria - 0.6 - 2.3 mg/l - 0.5 h

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 42 d

Result: 99 % - Readily biodegradable.

Chemical Oxygen < 1 mg/g Demand (COD)

12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 16 Weeks

- 20.8 µg/l

Bioconcentration factor (BCF): 170

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1680 Class: 6.1 Packing group: I

Proper shipping name: Potassium cyanide, solid

Reportable Quantity (RQ): 10 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 1680 Class: 6.1 Packing group: I EMS-No: F-A, S-A

Proper shipping name: POTASSIUM CYANIDE, SOLID

Sigma-Aldrich - 207810 Page 8 of 10

Marine pollutant: Marine pollutant

IATA

UN number: 1680 Class: 6.1 Packing group: I

Proper shipping name: Potassium cyanide, solid

15. REGULATORY INFORMATION

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. Revision Date

Potassium cyanide 151-50-8 2007-03-01

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date

Potassium cyanide 151-50-8 2007-03-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

CAS-No. Revision Date

Potassium cyanide 151-50-8 2007-03-01

Pennsylvania Right To Know Components

CAS-No. Revision Date

Potassium cyanide 151-50-8 2007-03-01

New Jersey Right To Know Components

CAS-No. Revision Date

Potassium cyanide 151-50-8 2007-03-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Eye Dam. Serious eye damage
H290 May be corrosive to metals.

H300 Fatal if swallowed.

H300 + H310 + Fatal if swallowed, in contact with skin or if inhaled

H330

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H370 Causes damage to organs.

H372 Causes damage to organs through prolonged or repeated exposure.

HMIS Rating

Health hazard: 4
Chronic Health Hazard: *
Flammability: 0
Physical Hazard 0

Sigma-Aldrich - 207810 Page 9 of 10

NFPA Rating

Health hazard: 4
Fire Hazard: 0
Reactivity Hazard: 0

Further information

Copyright 2014 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Preparation Information

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.4 Revision Date: 02/26/2014 Print Date: 04/07/2014

Sigma-Aldrich - 207810 Page 10 of 10