Material Safety Data Sheet

Version 5.0 Revision Date 11/30/2012 Print Date 04/07/2014

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Arsenic(III) chloride

Product Number : 200077 Brand : Aldrich

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Carcinogen, Target Organ Effect, Toxic by inhalation., Highly toxic by ingestion, Highly toxic by skin absorption

Target Organs

Skin, Lungs

GHS Classification

Acute toxicity, Oral (Category 2)
Acute toxicity, Inhalation (Category 3)
Acute toxicity, Dermal (Category 2)
Acute aquatic toxicity (Category 1)
Chronic aquatic toxicity (Category 1)

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H300 + H310 Fatal if swallowed or in contact with skin

H331 Toxic if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash hands thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing.

P302 + P350 IF ON SKIN: Gently wash with plenty of soap and water.
P310 Immediately call a POISON CENTER or doctor/ physician.

P501 Dispose of contents/ container to an approved waste disposal plant.

HMIS Classification

Health hazard: 3
Chronic Health Hazard: *
Flammability: 0
Physical hazards: 0

NFPA Rating

Health hazard: 3 Fire: 0 Reactivity Hazard: 0

Potential Health Effects

Inhalation Toxic if inhaled. May cause respiratory tract irritation.

Skin May be fatal if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation. **Ingestion** May be fatal if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : AsCl₃

Molecular Weight : 181.28 g/mol

Component	Concentration	
Arsenic(III) chloride		
CAS-No.	7784-34-1	-
EC-No.	232-059-5	
Index-No.	033-002-00-5	

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Arsenic oxides

Further information

The product itself does not burn.

6. ACCIDENTAL RELEASE MEASURES

Aldrich - 200077 Page 2 of 7

Personal precautions

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive. Moisture sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis		
Remarks	Substance I	Substance listed; for more information see OSHA document 1910.1017				
	See 1910.10	See 1910.1018				
Arsenic(III) chloride	7784-34-1	TWA	0.01 mg/m3	USA. ACGIH Threshold Limit Values (TLV)		
		Lung cancer Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Confirmed human carcinogen varies				
		С	0.002 mg/m3	USA. NIOSH Recommended Exposure Limits		
	Potential Occupational Carcinogen OSHA considers 'Inorganic Arsenic' to mean copper acetoarsenite & all inorganic compounds containing arsenic except ARSINE. See Appendix A 15 minute ceiling value					

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid

Colour colourless

Safety data

pH no data available

Melting point/range: -16 °C (3 °F) - lit.

point/freezing point

Boiling point 130.2 °C (266.4 °F) - lit.

Flash point not applicable
Ignition temperature no data available
Auto-ignition no data available

temperature

Lower explosion limit no data available
Upper explosion limit no data available
Vapour pressure no data available

Density 2.15 g/cm3 at 25 °C (77 °F)

Water solubility no data available Partition coefficient: no data available

n-octanol/water

Relative vapor

density

no data available

Odour no data available
Odour Threshold no data available
Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Materials to avoid

Sodium/sodium oxides, acids, Potassium, Bases, Aluminum, Oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas, Arsenic oxides Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

LD50 Oral - rat - 48 mg/kg

Aldrich - 200077 Page 4 of 7

Remarks: Behavioral:Somnolence (general depressed activity). Behavioral:Excitement. Lungs, Thorax, or Respiration:Dyspnea.

Inhalation LC50

Dermal LD50

LD50 Dermal - rat - 80 mg/kg

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: 1 - Group 1: Carcinogenic to humans (Arsenic(III) chloride)

1 - Group 1: Carcinogenic to humans (Arsenic(III) chloride)

NTP: Known to be human carcinogen (Arsenic(III) chloride)

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation Toxic if inhaled. May cause respiratory tract irritation.

Ingestion May be fatal if swallowed.

Skin May be fatal if absorbed through skin. May cause skin irritation.

Eyes May cause eye irritation.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea

Synergistic effects

no data available

Additional Information

RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

Aldrich - 200077 Page 5 of 7

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 1560 Class: 6.1 Packing group: I

Proper shipping name: Arsenic trichloride

Reportable Quantity (RQ): 1 lbs

Marine Pollutant: No

Poison Inhalation Hazard: Hazard zone B

IMDG

UN number: 1560 Class: 6.1 Packing group: I EMS-No: F-A, S-A

Proper shipping name: ARSENIC TRICHLORIDE

Marine Pollutant: No

IATA

UN number: 1560 Class: 6.1

Proper shipping name: Arsenic trichloride IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

15. REGULATORY INFORMATION

OSHA Hazards

Carcinogen, Target Organ Effect, Toxic by inhalation., Highly toxic by ingestion, Highly toxic by skin absorption

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

Arsenic(III) chloride CAS-No. Revision Date 2007-07-01

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Arsenic(III) chloride CAS-No. Revision Date 7784-34-1 2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Aldrich - 200077 Page 6 of 7

Massachusetts Right To Know Components

Arsenic(III) chloride	CAS-No. 7784-34-1	Revision Date 2007-07-01
Pennsylvania Right To Know Components Arsenic(III) chloride	CAS-No. 7784-34-1	Revision Date 2007-07-01
New Jersey Right To Know Components Arsenic(III) chloride	CAS-No. 7784-34-1	Revision Date
California Prop. 65 Components WARNING! This product contains a chemical known to the State of California to cause cancer. Arsenic(III) chloride	CAS-No. 7784-34-1	Revision Date 2007-09-28

16. OTHER INFORMATION

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - 200077 Page 7 of 7