Material Safety Data Sheet

Version 5.1 Revision Date 07/18/2013 Print Date 08/29/2013

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Peracetic acid solution

Product Number 77240

Brand Sigma-Aldrich

Supplier Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

+1 800-325-5832 Telephone Fax +1 800-325-5052 (314) 776-6555

Emergency Phone # (For

both supplier and manufacturer)

Preparation Information Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Combustible Liquid, Organic Peroxide, Target Organ Effect, Highly toxic by inhalation, Toxic by ingestion, Harmful by skin absorption., Corrosive, Carcinogen

Target Organs

Teeth., Kidney, Eyes, Skin, Respiratory system

GHS Classification

Flammable liquids (Category 3) Oxidizing liquids (Category 1) Acute toxicity, Oral (Category 4) Acute toxicity, Inhalation (Category 2) Acute toxicity, Dermal (Category 4) Skin corrosion (Category 1A) Serious eye damage (Category 1) Skin sensitisation (Category 1) Acute aquatic toxicity (Category 2)

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H226 Flammable liquid and vapour.

H271 May cause fire or explosion; strong oxidiser. H302 + H312 Harmful if swallowed or in contact with skin Causes severe skin burns and eye damage. H314

H317 May cause an allergic skin reaction.

H330 Fatal if inhaled. H401 Toxic to aquatic life. Precautionary statement(s)

P220 Keep/Store away from clothing/ combustible materials. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P284 Wear respiratory protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

HMIS Classification

Health hazard: 3
Chronic Health Hazard: *
Flammability: 2
Physical hazards: 1

NFPA Rating

Health hazard: 3
Fire: 2
Reactivity Hazard: 1
Special hazard.: OX

Potential Health Effects

Inhalation May be fatal if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

Skin Causes skin burns.

Eyes Causes eye burns. Causes severe eye burns.

Ingestion Toxic if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Peroxyacetic acid

Component		Classification	Concentration
Acetic acid			
CAS-No.	64-19-7	Flam. Liq. 3; Skin Corr. 1A;	30 - 50 %
EC-No.	200-580-7	H226, H314	
Index-No.	607-002-00-6		
Peracetic acid		-	1
CAS-No.	79-21-0	Flam. Liq. 3; Org. Perox. D;	30 - 50 %
EC-No.	201-186-8	Acute Tox. 4; Skin Corr. 1A;	
Index-No.	607-094-00-8	Aquatic Acute 1; H226, H242,	
		H302 + H312 + H332, H314,	
		H400	
Hydrogen peroxide			
CAS-No.	7722-84-1	Ox. Liq. 1; Acute Tox. 4; Skin	5 - 10 %
EC-No.	231-765-0	Corr. 1A; H271, H302 + H332,	
Index-No.	008-003-00-9	H314	

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Sigma-Aldrich - 77240 Page 2 of 8

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: 2 - 8 °C

Light sensitive.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Acetic acid	64-19-7	TWA	10 ppm	USA. ACGIH Threshold Limit Values (TLV)

Sigma-Aldrich - 77240 Page 3 of 8

Remarks	Eye & Uppe	Eye & Upper Respiratory Tract irritation Pulmonary function			
		STEL	15 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Eye & Upper Respiratory Tract irritation Pulmonary function				
		ST	15 ppm 37 mg/m3	USA. NIOSH Recommended Exposure Limits	
		TWA	10 ppm 25 mg/m3	USA. NIOSH Recommended Exposure Limits	
		TWA	10 ppm 25 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
	The value in mg/m3 is approximate.				
Hydrogen peroxide	7722-84-1	TWA	1 ppm	USA. ACGIH Threshold Limit Values (TLV)	
Remarks	Eye, skin, & Upper Respiratory Tract irritation Confirmed animal card relevance to humans		ritation Confirmed animal carcinogen with unknown		
		TWA	1 ppm 1.4 mg/m3	USA. NIOSH Recommended Exposure Limits	
		TWA	1 ppm 1.4 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
	The value in mg/m3 is approximate.				
		TWA	1 ppm 1.4 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 30 min

Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Sigma-Aldrich - 77240 Page 4 of 8 Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Other protection

Faceshield (8-inch minimum).

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid

Colour no data available

Safety data

pH no data available

Melting no data available

point/freezing point

Boiling point no data available

Flash point 56 °C (133 °F) - closed cup

Ignition temperature no data available
Auto-ignition no data available

temperature

Lower explosion limit no data available
Upper explosion limit no data available

Vapour pressure 27 hPa (20 mmHg) at 25 °C (77 °F)

Density 1.15 g/cm3 at 20 °C (68 °F)

Water solubility no data available Partition coefficient: no data available

n-octanol/water

Relative vapour

density

no data available

Odour no data available
Odour Threshold no data available
Evapouration rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

Strong reducing agents, Strong bases, Soluble carbonates and phosphates, Amines, Alcohols, Heavy metal salts

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - no data available

Sigma-Aldrich - 77240 Page 5 of 8

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50 Inhalation LC50 Dermal LD50

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

Eyes: no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Hydrogen peroxide)

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be fatal if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

IngestionToxic if swallowed.SkinCauses skin burns.

Eyes Causes eye burns. Causes severe eye burns.

Signs and Symptoms of Exposure

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects

no data available

Additional Information

RTECS: Not available

12. ECOLOGICAL INFORMATION

Sigma-Aldrich - 77240 Page 6 of 8

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 3105 Class: 5.2 (8) Packing group: II

Proper shipping name: Organic peroxide type D, liquid (Peroxyacetic acid, type D, stabilized)

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 3105 Class: 5.2 (8) EMS-No: F-J, S-R Proper shipping name: ORGANIC PEROXIDE TYPE D, LIQUID (PEROXYACETIC ACID, TYPE D)

Marine pollutant: No

IATA

UN number: 3105 Class: 5.2 (HEAT, 8)

Proper shipping name: Organic peroxide type D, liquid (Peroxyacetic acid, type D)

15. REGULATORY INFORMATION

OSHA Hazards

Combustible Liquid, Organic Peroxide, Target Organ Effect, Highly toxic by inhalation, Toxic by ingestion, Harmful by skin absorption., Corrosive, Carcinogen

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

 Hydrogen peroxide
 CAS-No.
 Revision Date

 Hydrogen peroxide
 7722-84-1
 1993-04-24

 Peracetic acid
 79-21-0
 1993-04-24

SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

Peracetic acid CAS-No. Revision Date 79-21-0 1993-04-24

Sigma-Aldrich - 77240 Page 7 of 8

SARA 311/312 Hazards

Fire Hazard, Reactivity Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Acetic acid Hydrogen peroxide Peracetic acid	CAS-No. 64-19-7 7722-84-1 79-21-0	Revision Date 1993-04-24 1993-04-24 1993-04-24
Pennsylvania Right To Know Components		
, , ,	CAS-No.	Revision Date
Acetic acid	64-19-7	1993-04-24
Hydrogen peroxide	7722-84-1	1993-04-24
Peracetic acid	79-21-0	1993-04-24
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Acetic acid	64-19-7	1993-04-24
Hydrogen peroxide	7722-84-1	1993-04-24
Peracetic acid	79-21-0	1993-04-24

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Text of H-code(s) and R-phrase(s) mentioned in Section 3

Acute Tox.	Acute toxicity
Aquatic Acute	Acute aquatic toxicity
Flam. Liq.	Flammable liquids
H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H271	May cause fire or explosion; strong oxidiser.
H302 + H312 +	Harmful if swallowed, in contact with skin or if inhaled
H332	
H302 + H332	Harmful if swallowed or if inhaled
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
Org. Perox.	Organic peroxides
Ox. Liq.	Oxidizing liquids
Skin Corr.	Skin corrosion

Further information

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 77240 Page 8 of 8