REGIONALIZED INVENTORY DATA AND LCIA WITH ECOSPOLD2

Chris Mutel

ETH Zurich, Institute for Environmental Engineering, Ecological Systems Design Group

Email contact: <u>mutel@ifu.baug.ethz.ch</u>






GIS inventory locations


- Each location is as polygon, line, or point
 - Only (multi)
 polygons are used
 - Polygons are lists of lon/lat coordinates
- Coordinates stored in master XML file
 - Reference to "short name", e.g. "US"

-81.462893482732994, 28.480404546052991



Adding new locations


ecospold2 geography utilities



geography.ecoinvent.org

This is the official way to add new locations to the ecoinvent 3 database. Click on "POLYGON".

ecospold2 geography utilities



geography.ecoinvent.org

Draw new polygons with the editing toolbar. Each vertex is a single click - a double click closes the polygon. You can then fill in extra data.

ecospold2 geography utilities




After saving, you can export the XML file, which should be emailed to the ecoinvent geography editor.

Global datasets



Global reference activity



Regional dataset

- same reference product
- different production volume
- different set of inputs



RoW (Rest of World) dataset

- same reference product
- global regional P.V.
- difference in set of inputs

Credit: http://politicalcalculations.blogspot.ch/2010/02/how-science-is-supposed-to-work.html#.UkCXtGRjQXU

0

The global reference activity can be split into regional datasets and a "Rest of World" dataset. Emission factors and inputs multiplied by production volumes should sum to the global values.

Spatial resolution

Number of inventory datasets per location, ecoinvent 3.01	
Global	2836
"Rest of World"	2132
Europe	1077
Switzerland	1020
Cut-out continents (e.g. Europe without Switzerland)	119
Other country-level	1583
UN regions & subregions	28
Canadian provinces	268
Transmission grids	219

LCI databases are not yet regionalizing at a high spatial resolution

Strengths & weaknesses

- Good at handling arbitrary geometries
- Good at automatically calculating "Rest of World"
- Good start for regionalized LCA
- Bad at "cut-out" geometries
- Bad at small overlaps
- Bad at points and lines

"Cut-out" geometries are things like "Europe without Switzerland."

Small overlaps are when GIS coordinates for countries overlap by a few cm², due to different data sources.

There is no clear procedure for points and lines, due to "no overlapping" rule.


8

Regionalized LCIA

- Standard is in progress
 - ... for many moons
- Basic idea is simple

```
-Shapes
  -Shape id="some id"
  -KML
-CFs
  -CF shape_id="some id" value="1.0" weight="1.0" flow="some flow"
  -Parameterization also possible
```

Change of support problem



Eidgenössische Technische Hochschule Zürich Swiss Federal Institute of Technology Zurich


www.ifu.ethz.ch/ESD



10

How do we match LCI and LCIA maps? One way is by area.

Change of support problem



Eidgenössische Technische Hochschule Zürich Swiss Federal Institute of Technology Zurich

www.ifu.ethz.ch/ESD



11

Another way is by measuring industrial activity. Many times population density is used as a proxy for industrial activity.

Open questions

- Global coverage of regionalized inventories
- Lines and points without double counting
- Matching spatial scales
 - Weighting and proxy weighting
 - Uncertainty mixes
 - GIS in LCA software?
- Other approaches exist e.g. offshoring presentation









Thank you for your attention.

