Coding & Solution

Date	28 September 2026
Team ID	SWTID-2026-3161
Project Name	Script-Controlled ACL – Restrict Record Access Based on Field Value
Maximum Marks	5 Marks

Coding & Solution

This section evaluates the quality and completeness of your implemented code and the overall solution. Your submission should demonstrate working functionality, clean code practices, and alignment with your defined requirements.

Solution Summary

Field	Details
Repository Link / URL	[Paste your GitHub / GitLab link here]
Programming Language(s)	JavaScript (ServiceNow server-side scripting)
Framework(s) Used	ServiceNow platform – Access Control (ACL) rules, Script Includes, Roles
Key Features Implemented	1. Script-controlled ACL that restricts record access based on a field value. 2. Role-based check combined with the field-value condition in the ACL script. 3. Access-check logic kept in a reusable Script Include. 4. Users who do not meet the condition cannot read/write the restricted records. 5. Tested with different users and roles to verify allowed and denied access.
Pending / Incomplete Features	1. Extending the ACL to other tables. 2. More automated test cases for edge scenarios.
Setup / Run Instructions	1. Log in to your ServiceNow instance (Personal Developer Instance) as admin. 2. Create the Script Include and add the access-check code. 3. Create the ACL (System Security > Access Control) on the target table/field with type Record and the required operation. 4. In the ACL Script section, call the Script Include and return true/false. 5. Assign roles to test users and impersonate them to verify access.

Code Quality Checklist

S.No	Criteria	Status (Yes / No)
1	Code is modular and organized into functions / classes	Yes
2	Meaningful variable and function names are used	Yes
3	Code includes comments / documentation where necessary	Yes
4	Error handling is implemented for critical operations	Yes

5	The application runs without critical errors	Yes
6	Code is committed to a version control repository	Yes

Additional Notes / Comments:

The script-controlled ACL restricts record access based on a field value using a reusable Script Include. Access is denied by default if the condition is not met or an error occurs. The solution was tested by impersonating users with different roles.