


Predictive Survey Report



1. Project Information

Project name: red saúde

Customer: Rede Saúde

Site location:

Contact Person:

Project notes:

2. Map Saúde

2.1. Access Point Locations




Access Point information				
Name	Model	Mounting	Band	Power (dBm)
AP 1	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 2	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 4	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 5	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 7	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 8	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 9	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 10	Generic-Omni	ceiling	2.4 Ghz	14

			5 Ghz	14
AP 11	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 12	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 14	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 17	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 18	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 19	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 26	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 28	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 29	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 31	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 35	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 28	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 22	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14
AP 22	Generic-Omni	ceiling	2.4 Ghz	14
			5 Ghz	14


2.2 Signal Strength maps

RSSI, Receive Signal Strength Indicator, heatmap is an indication of power level being received by a wireless terminal at any given point of the floorplan. While signal strength, alone, doesn't guarantee the performance of your wireless network, usually higher RSSI translates into higher data rates.

2.2.1 Saúde Signal Strength 2.4Ghz. Threshold -65dBm



2.2.2 Saúde Signal Strength 5Ghz. Threshold -65dBm



Notes

Notes