



Study Statistics: dream_P10

Overview of study dream_P10's key statistics by sample, including the number of sample's name, sex, number of mutations such as Single Nucleotide Variation (SNVs) or small Indels, Copy Number Variations (CNVs), and the number of intersections between mutations and CNVs.

The intersection statistics indicate the number of matches that occurred between SNVs and/or small indels contained in CNVs during preprocessing prior to clonal inference using Pyclone-VI and Phyclone. Intersections that have passed the Pyclone-VI filter can be found in the Clonal Alterations and Gene Alterations sections.

The Pyclone-VI filter is based on the following aspects:

- Mutations that have a major copy number equals to 0.
- Mutations with missing coverage data (ref and/or alt counts).

The source files are available at: results/dream_P10/report/components/report_panel*.tsv.

Sample Name tumour	Sex unknown	Tumor Content 0.95
SNVs/Indels 8192	CNAs 75	SNV-CNA Intersects 8069

Drug Summary

The Drug Summary provides a high-level overview of the therapeutic candidates identified across the entire study. For each drug, the table reports the number of genetic alterations supporting its prioritization, its regulatory approval status (APPROVED, CLINICAL_TRIALS, or EXPERIMENTAL), and the type of interaction with the affected genes (DIRECT TARGET as DT, BIOMARKER as BM, or PATHWAY_MEMBER as PM).

This report was generated in clinical mode. In clinical mode, results are filtered more stringently, excluding drugs with experimental status and pathway member interaction type. In discovery mode, no filters are applied, and all drug hits identified are displayed regardless of their experimental status or interaction type.

This table summarizes up to 25 top-ranked drug candidates derived from the mutational landscape of all samples included in the study. A detailed per-clone breakdown is available in the Drug Prioritization section.

The DScore in PanDrugs2 can be negative. Its range spans from -1 to 1, where negative values indicate drug resistance and positive values indicate drug sensitivity. Drugs with a DScore greater than 0.7 will be highlighted in bold.

The source files are available at: results/dream_P10/report/components/drug_summary.tsv.

Drug	Status	Max. dScore	Target Clones	Gene Interactions	Drug Response
7440-50-8	APPROVED	0.712	0, 1, 4	DT: C1S, HEPHL1, P4HB	SENSITIVITY
DRONEDARONE	APPROVED	0.312	1, 3, 4	DT: ADRA2C; PM: MED12L	SENSITIVITY
HYDROMORPHONE	APPROVED	0.715	0, 1	DT: OPRD1	SENSITIVITY
DIPHENOXYLATE	APPROVED	0.712	0, 1	DT: OPRD1	SENSITIVITY
LOPERAMIDE	APPROVED	0.712	0, 1	DT: OPRD1	SENSITIVITY
NALOXONE HYDROCHLORIDE	APPROVED	0.712	0, 1	DT: OPRD1	SENSITIVITY
NALOXONE	APPROVED	0.316	0, 1	DT: OPRD1	SENSITIVITY
NALTREXONE	APPROVED	0.316	0, 1	DT: OPRD1	SENSITIVITY
CODEINE	APPROVED	0.315	0, 1	DT: OPRD1	SENSITIVITY
FENTANYL	APPROVED	0.315	0, 1	DT: OPRD1	SENSITIVITY

Drug	Status	Max. dScore	Target Clones	Gene Interactions	Drug Response
HYDROCODONE	APPROVED	0.315	0, 1	DT: OPRD1	SENSITIVITY
MORPHINE	APPROVED	0.315	0, 1	DT: OPRD1	SENSITIVITY
NALBUPHINE	APPROVED	0.315	0, 1	DT: OPRD1	SENSITIVITY
BUTORPHANOL	APPROVED	0.314	0, 1	DT: OPRD1	SENSITIVITY
NALMEFENE	APPROVED	0.314	0, 1	DT: OPRD1	SENSITIVITY
OXYCODONE	APPROVED	0.314	0, 1	DT: OPRD1	SENSITIVITY
ALVIMOPAN	APPROVED	0.313	0, 1	DT: OPRD1	SENSITIVITY
BUPRENORPHINE	APPROVED	0.313	0, 1	DT: OPRD1	SENSITIVITY
NALDEMEDINE	APPROVED	0.313	0, 1	DT: OPRD1	SENSITIVITY
OXYMORPHONE	APPROVED	0.313	0, 1	DT: OPRD1	SENSITIVITY
SAMIDORPHAN	APPROVED	0.313	0, 1	DT: OPRD1	SENSITIVITY
SUFENTANIL	APPROVED	0.313	0, 1	DT: OPRD1	SENSITIVITY
TRAMADOL	APPROVED	0.313	0, 1	DT: OPRD1	SENSITIVITY
7440-66-6	APPROVED	0.312	0, 1	DT: C1S, P4HB	SENSITIVITY
AMISULPRIDE	APPROVED	0.312	0, 1	DT: OPRD1	SENSITIVITY


Clonal Evolution Analysis

Analysis of clonal evolution patterns and proportions across samples.

Clonal Tree

The phylogenetic tree is inferred using PhyClone, based on PyClone-VI results. PyClone-VI first clusters mutations according to their variant allele frequencies and copy number evidence, and PhyClone then uses these clusters to reconstruct the clonal evolutionary hierarchy.


The source files are available at: [results/dream_P10/report/components/clonal_tree.png](#) and [results/dream_P10/report/components/mutation_contribution/{sample_id}_mutation_contribution.png](#).



Clonal Proportions

Based on the phylogeny results obtained by Phyclone, the spheres of clones show the distribution of the clonal population in each sample.


The source files are available at: [results/dream_P10/report/components/spheres_of_clones/{sample_id}_sphere_of_clones.png](#).



Clonal Alterations

The Variant Allele Frequencies (VAF) heatmaps of each sample represent the evolutionary dynamics within the tumor(s). The distribution of VAF intensity patterns for each mutation in the different clones evidences how certain mutations are shared in the same clone from different samples or produce divergence and give rise to different evolutionary branches, representing the temporal sequence of mutational events. It allows to understand tumor heterogeneity among cell populations, with the aim of highlighting which clones may influence cancer progression or therapy resistance. By default, only MODERATE and HIGH impact mutations are considered.

The source files are available at: results/dream_P10/report/components/vaf_heatmaps/sampled/{sample_id}_sampled_vaf_heatmap.png.



Pharmacogenomics

Gene Alterations

Both SNVs and small indels (if selected at the beginning of the workflow) used in clone inference are displayed with the most relevant information at the clone and sample level. To sum up the results, this section only shows top 10 mutations per clone with moderate or high impact.

Mutations are sorted using the following criteria:

- Clone.

- Mutation positon.
- Impact: High and Moderate.

The source files are available at: results/dream_P10/report/components/gene_alterations.tsv.

Clone	Mutation ID	Gene Symbol	Ensembl ID	VAF	Consequence	Impact
0	1:2591579:C:T	MMEL1	ENSG00000142606	tumour: 0.598	missense_variant	MODERATE
0	1:13780925:G:A	PRDM2	ENSG00000116731	tumour: 0.507	missense_variant	MODERATE
0	1:19197676:C:T	UBR4	ENSG00000127481	tumour: 0.470	missense_variant	MODERATE
0	1:28862936:C:T	OPRD1	ENSG00000116329	tumour: 0.444	missense_variant	MODERATE
0	1:52361003:C:T	CC2D1B	ENSG00000154222	tumour: 0.464	missense_variant	MODERATE
0	1:151133425:C:T	SEMA6C	ENSG00000143434	tumour: 0.525	missense_variant	MODERATE
0	1:201648894:G:C	NAV1	ENSG00000134369	tumour: 0.494	missense_variant	MODERATE
0	1:228059262:G:C	WNT3A	ENSG00000154342	tumour: 0.512	missense_variant	MODERATE
0	7:138868051:C:A	KIAA1549	ENSG00000122778	tumour: 0.613	missense_variant	MODERATE
0	8:22139496:G:A	REEP4	ENSG00000168476	tumour: 0.872	missense_variant	MODERATE
1	1:44000792:C:T	SLC6A9	ENSG00000196517	tumour: 0.389	missense_variant	MODERATE
1	1:202310292:A:G	LGR6	ENSG00000133067	tumour: 0.411	missense_variant	MODERATE
1	4:3767852:G:A	ADRA2C	ENSG00000184160	tumour: 0.755	missense_variant	MODERATE
1	4:143699741:G:A	FREM3	ENSG00000183090	tumour: 0.829	missense_variant	MODERATE
1	8:140450902:C:T	TRAPPC9	ENSG00000167632	tumour: 0.845	missense_variant	MODERATE
1	8:143159669:C:T	LY6H	ENSG00000176956	tumour: 0.729	missense_variant	MODERATE
1	9:127313492:C:T	GARNL3	ENSG00000136895	tumour: 0.397	missense_variant,NMD_transcript_variant	MODERATE
1	13:98006285:A:T	IPO5	ENSG00000065150	tumour: 0.820	missense_variant	MODERATE
1	15:47766657:C:G	SEMA6D	ENSG00000137872	tumour: 0.418	missense_variant	MODERATE
1	15:72407163:C:G	TMEM202	ENSG00000187806	tumour: 0.411	missense_variant	MODERATE
3	1:47438490:G:C	FOXD2	ENSG00000186564	tumour: 0.148	missense_variant	MODERATE
3	1:120816823:A:G	NBPF26	ENSG00000273136	tumour: 0.061	missense_variant	MODERATE
3	2:64989809:G:A	SLC1A4	ENSG00000115902	tumour: 0.235	missense_variant	MODERATE
3	2:234496472:C:T	ARL4C	ENSG00000188042	tumour: 0.111	missense_variant	MODERATE
3	6:135323243:T:G	AHI1	ENSG00000135541	tumour: 0.092	missense_variant	MODERATE
3	7:94428371:C:G	COL1A2	ENSG00000164692	tumour: 0.061	missense_variant	MODERATE
3	12:106239142:G:A	CKAP4	ENSG00000136026	tumour: 0.176	missense_variant	MODERATE
3	14:24319747:C:A	ADCY4	ENSG00000129467	tumour: 0.140	missense_variant	MODERATE
3	19:8697869:C:T	ACTL9	ENSG00000181786	tumour: 0.104	missense_variant	MODERATE
4	11:120327420:G:A	TLCD5	ENSG00000181264	tumour: 0.421	stop_gained	HIGH
4	11:124893968:T:A	ROBO4	ENSG00000154133	tumour: 0.600	stop_gained	HIGH
4	1:18376978:G:A	IGSF21	ENSG00000117154	tumour: 0.328	missense_variant	MODERATE
4	2:112399742:C:G	RGPD8	ENSG00000169629	tumour: 0.319	missense_variant	MODERATE
4	2:112417214:T:C	RGPD8	ENSG00000169629	tumour: 0.317	missense_variant	MODERATE
4	2:132417850:G:A	GPR39	ENSG00000183840	tumour: 0.338	missense_variant	MODERATE
4	3:9552630:C:T	LHFPL4	ENSG00000156959	tumour: 0.340	missense_variant	MODERATE
4	3:48661820:G:A	CELSR3	ENSG00000008300	tumour: 0.588	missense_variant	MODERATE
4	3:48752272:G:A	PRKAR2A	ENSG00000114302	tumour: 0.483	missense_variant	MODERATE
4	3:147412581:G:A	ZIC1	ENSG00000152977	tumour: 0.578	missense_variant	MODERATE

Drug Prioritization

The small variant analysis performed by PanDrugs2 displays only mutations deemed clinically relevant.

The filtering criteria are as follows:

Somatic alterations were analyzed with PanDrugs2 using the tumour VCF as input. The tool annotates all variants, retains genes carrying variants with moderate or high functional impact, and then prioritizes drugs according to two scores: the GScore, which reflects the biological relevance and druggability of the altered gene, and the DScore, which estimates drug suitability based on available evidence, type of drug–gene interaction and clinical development status. Results can be filtered by drug status (approved, in clinical trials or experimental), by interaction type (direct vs indirect) and by tumour indication; treatments with DScore ≥ 0.7 and GScore ≥ 0.6 are considered Best Therapeutic Candidates (BTCs) and will be highlighted in bold.

The table below provides a simplified overview of the drugs targeting the affected genes, with the top 3 drugs selected per genetic alteration and ranked by Status and dScore.

Drugs are sorted using the following criteria:

- Clone.
- Mutation position.
- Status: APPROVED, CLINICAL_TRIALS, and EXPERIMENTAL.
- Interaction type: DIRECT_TARGET, BIOMARKER, and PATHWAY_MEMBER.

This report was generated in clinical mode. In clinical mode, results are filtered more stringently, excluding drugs with experimental status and pathway member interaction type. In discovery mode, no filters are applied, and all drug hits identified are displayed regardless of their experimental status or interaction type.

The source files are available at: results/dream_P10/report/components/gene_alterations.tsv.

Clone	Mutation ID	Gene Symbol	VAF	Drug	Status	Interaction Type	Driver Gene	dScore	gScore	Cancer	Source
0	12:7070529:G:A	C1S	tumour: 0.898	7440-50-8	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.712	0.345	CLINICAL_CANCER	DrugBank
				CONESTAT ALFA	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.312	0.345	nan	DrugBank
				7440-66-6	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.312	0.345	nan	DrugBank
0	1:28857272:T:C	OPRD1	tumour: 0.514	HYDROMORPHONE	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.715	0.472	CLINICAL_CANCER	DrugBank; GuideToPharmacology; TEND; TTD; TdgClinicalTrial
				DIPHENOXYLATE	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.712	0.472	CLINICAL_CANCER	DrugBank
				LOPERAMIDE	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.712	0.472	CLINICAL_CANCER	DrugBank; TTD
0	1:28862936:C:T	OPRD1	tumour: 0.444	HYDROMORPHONE	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.715	0.472	CLINICAL_CANCER	DrugBank; GuideToPharmacology; TEND; TTD; TdgClinicalTrial
				DIPHENOXYLATE	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.712	0.472	CLINICAL_CANCER	DrugBank
				LOPERAMIDE	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.712	0.472	CLINICAL_CANCER	DrugBank; TTD
0	1:74254707:C:A	TNNI3K	tumour: 0.446	FOSTAMATINIB	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.732	0.327	CLINICAL_CANCER	DrugBank
1	17:81847335:G:A	P4HB	tumour: 0.373	RALOXIFENE	APPROVED	BIOMARKER	UNCLASSIFIED	0.812	0.386	BREAST	DTC
				7440-50-8	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.712	0.386	CLINICAL_CANCER	DrugBank
				7440-66-6	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.312	0.386	nan	DrugBank
1	1:28844792:T:C	OPRD1	tumour: 0.365	HYDROMORPHONE	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.715	0.472	CLINICAL_CANCER	DrugBank; GuideToPharmacology; TEND; TTD; TdgClinicalTrial
				DIPHENOXYLATE	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.712	0.472	CLINICAL_CANCER	DrugBank
				LOPERAMIDE	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.712	0.472	CLINICAL_CANCER	DrugBank; TTD
1	1:44000792:C:T	SLC6A9	tumour: 0.389	BITOPERTIN	CLINICAL_TRIALS	BIOMARKER	UNCLASSIFIED	0.013	0.325	nan	ChEMBLInteractions; GuideToPharmacology
1	1:74522939:G:A	TNNI3K	tumour: 0.377	FOSTAMATINIB	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.732	0.327	CLINICAL_CANCER	DrugBank
1	4:3767852:G:A	ADRA2C	tumour: 0.755	CABERGOLINE	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.713	0.380	CLINICAL_CANCER	DrugBank; GuideToPharmacology
				CARVEDILOL	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.712	0.380	CLINICAL_CANCER	DrugBank
				CLOZAPINE	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.712	0.380	CLINICAL_CANCER	DrugBank
3	2:64989809:G:A	SLC1A4	tumour: 0.235	ALANINE	CLINICAL_TRIALS	DIRECT_TARGET	UNCLASSIFIED	0.112	0.319	nan	DrugBank

Clone	Mutation ID	Gene Symbol	VAF	Drug	Status	Interaction Type	Driver Gene	dScore	gScore	Cancer	Source
3	5:33938127:C:T	RXFP3	tumour: 0.105	RELAXIN	CLINICAL_TRIALS	BIOMARKER	UNCLASSIFIED	0.012	0.196	nan	GuideToPharmacology
3	7:94428371:C:G	COL1A2	tumour: 0.061	OCRIPLASMIN	APPROVED	BIOMARKER	UNCLASSIFIED	0.212	0.244	nan	ChEMBLInteractions
4	11:102693961:C:T	MMP27	tumour: 0.383	MARIMASTAT	CLINICAL_TRIALS	DIRECT_TARGET	UNCLASSIFIED	0.512	0.196	CANCER	DrugBank
4	11:94075251:C:T	HEPH1	tumour: 0.321	7440-50-8	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.712	0.319	CLINICAL_CANCER	DrugBank
4	16:56978185:C:G	CETP	tumour: 0.193	TAMOXIFEN	APPROVED	BIOMARKER	UNCLASSIFIED	0.812	0.325	BREAST	NCI
				ATORVASTATIN	APPROVED	BIOMARKER	UNCLASSIFIED	0.611	0.325	CLINICAL_CANCER	PharmGKB
				LOVASTATIN	APPROVED	BIOMARKER	UNCLASSIFIED	0.611	0.325	CLINICAL_CANCER	PharmGKB
4	5:33936850:C:T	RXFP3	tumour: 0.324	RELAXIN	CLINICAL_TRIALS	BIOMARKER	UNCLASSIFIED	0.012	0.196	nan	GuideToPharmacology
4	7:143267674:G:A	GSTK1	tumour: 0.284	GLUTATHIONE	APPROVED	DIRECT_TARGET	UNCLASSIFIED	0.312	0.200	nan	DrugBank
				GLUTATHIONE SULFINATE	CLINICAL_TRIALS	DIRECT_TARGET	UNCLASSIFIED	0.112	0.200	nan	DrugBank

Glossary of Terms

Clone

A population of tumor cells that all share a specific set of mutations inherited from a common ancestor cell. Ideally, each cluster of mutations identified by PyClone-VI would correspond to a biologically distinct clone.

Cluster

Groups of cancer cells that share a common set of somatic mutations, which are inferred by clustering mutations with similar cellular prevalence estimates across one or more tumor samples.

Driver Gene

Genes whose mutations are responsible for the development and progression of cancer.

dScore

Pandrugs' indicator which measures the suitability of the treatment for a particular patient. It ranges from -1 to 1, with the negative values corresponding to resistance and the positive values corresponding to sensitivity.

gScore

Pandrugs' indicator which measures the biological relevance of a gene in the tumoral process and its druggability. It ranges from 0 to 1, with higher values corresponding to more relevant and actionable targets.

Interaction Type

Drugs approved for cancer treatment were manually classified into 7 different groups: chemotherapy, targeted therapy, hormone therapy, immunotherapy, photodynamic therapy, combination therapy, and other.

Pandrugs

A bioinformatics platform to prioritize anticancer drug treatments according to individual multi-omics data.

Parent cells

Group of cells that are set to be the origin of the tumor's phylogeny while performing the clustering and the clonal tree. The estimation of the proportions of parent cells may vary depending on the samples provided.

Study

Group of biologically related samples that are analyzed together in Clonucopy. The experimental design and grouping criteria are defined according to specific research objectives, allowing multiple use cases adapted to the needs of the comparative analysis.

Variant Allele Frequencies (VAF)

A biomarker that expresses the proportion of sequencing reads that support a specific variant allele relative to the total number of reads within a genomic locus. It ranges from 0 to 1.