

Anatomical Structures - CT-Pop Cell Types Stacked Bar Graphs - Notebook

Contents

| | | |
|----------|--|----------|
| 1 | Environment | 1 |
| 2 | Load Data | 2 |
| 3 | Preparing Data | 2 |
| 4 | Subsetting data by Organ | 2 |
| 5 | Visualization | 2 |
| 5.1 | Heart - Anatomical Structure - Cell Types | 3 |
| 5.2 | Kidney - Anatomical Structure - Cell Types | 3 |
| 5.3 | Large Intestine | 4 |
| 5.4 | Small Intestine | 5 |
| 5.5 | Lung | 6 |

1 Environment

```
library(tidyr)
library(plyr)
library(dplyr)
library(magrittr)
library(ggplot2)
library(stringr)

options(scipen = 999)

knitr::opts_chunk$set(
  echo = FALSE,
  message = FALSE,
  warning = FALSE,
```

```
fig.align='center',  
fig.pos='H',  
fig.path = "../output/barplots/",  
dev = c("pdf"),  
dpi=500  
)
```

2 Load Data

3 Preparing Data


4 Subsetting data by Organ

5 Visualization


Base design for 100% stacked bar graphs representing the cell types commonly identified in anatomical structures within donated organs.

For each set of records associated with organs: Bars represent an anatomical structure, Bar segments are associated with Cell Type percentage measures values segments should total to at most 1 or 100%. mean cell type percentage calculation - organ, sex, tool, as Bar color represents cell types Facets represent combination of analytic tool and gender OR analytic method.


5.1 Heart - Anatomical Structure - Cell Types




5.2 Kidney - Anatomical Structure - Cell Types



5.3 Large Intestine



5.4 Small Intestine



5.5 Lung

