

Community First Aider

Scenario - Summative

Adult CPR Scenario – Football tournament

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty providing first aid cover at a local community football tournament and have just been called over to a pitch where one of the players has collapsed and is on the floor, not moving. A bystander tells you the patient's name is Paul Jennings, and he is 56 years old. No other history is known.

Patient briefing

You are a 56-year-old male – Paul Jennings - found lying on your back, still and quiet, non-responsive and not breathing. (Manikin can be used initially).

Patient simulation

- Unresponsive, not breathing having collapsed on the football pitch
- Pale, cold, clammy skin, grey pallor. Bluish tinge to lips
- When successfully revived after CPR/AED, breathing will then be seen, but you remain unresponsive. (A learner may be required to step into the scenario after manikin has been used for the first part of treatment and will then portray an unresponsive but breathing patient.)

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
AVPU	Unresponsive	Unresponsive
Respiration rate	0/min	12/min
Pulse rate	0 bpm	60 bpm
Pain score	Unable to obtain	Unable to obtain
Temperature	36°C	36.5°C

Complaint	Collapse
History	The patient was playing in a community football match and collapsed suddenly with no warning
Previous medical history	None known
Drug history/allergies	None known
Injuries/illnesses	No illnesses known. No visible injuries
Additional information	None known

Danger	None
Response	Unresponsive
Catastrophic haemorrhage	None
Airway	Able to open airway, no obstruction visible, patient unable to maintain own airway
Breathing	Non-visible
Circulation	No bleeding. Circulation appears not to be effective (hypoxic/no breaths)

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?"	➤ Provide appropriate treatment ➤ Call for appropriate help.
Stage three - Recovery	➤ "Would a set of observations be beneficial?"	➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover"	➤ Provide handover to the ambulance crew ○ Complete and submit ePRF.

Community First Aider

Scenario - Summative

Adult CPR Scenario - Theatre

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty providing first aid at a local theatre for an amateur dramatic show. You are called to an incident involving a young, male member of the lighting/sound crew who has been injured through a faulty appliance.

Patient briefing

You are a 24-year-old man, named Toby Rogers, and are a lighting/sound operative at a local show where you have just received an electric shock. You have electrical burn wounds to your hand and knee and are unresponsive and not breathing. (Patient will initially be a manikin)

Patient simulation

- Unresponsive, not breathing, having collapsed after an electrical accident whilst working on show lighting/sound
- Pale, cold, clammy skin, grey pallor. Bluish tinge to lips. Electrical burn entry wound to hand and exit wound to the knee
- When successfully revived after CPR/AED, breathing will then be seen, but you remain unresponsive. (A learner may be required to step into the scenario after manikin has been used for the first part of treatment and will then portray an unresponsive but breathing patient)

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
ACVPU	Unresponsive	Unresponsive
Respiration rate	0/min	12/min
Pulse rate	0 bpm	52 bpm
Pain score	Unable to obtain	Unable to obtain
Temperature	36°C	36.5°C

Complaint	Electrical injuries/unresponsive, not breathing
History	Received electric shock whilst operating lights/sound for the show
Previous medical history	Asthma. (Information from colleagues)
Drug history/allergies	Ventolin inhaler. (Information from colleagues)
Injuries/illnesses	No illnesses known. Current electrical burn injuries to hand and knee, unresponsive and not breathing
Additional information	None

Danger	Electricity – The patient is not connected to the electrical source and it has been isolated
Response	Unresponsive
Catastrophic haemorrhage	None
Airway	Able to open airway, no obstruction visible, patient unable to maintain own airway
Breathing	Nonvisible
Circulation	No bleeding. Circulation appears not to be effective (hypoxic/no breaths)

Community First Aider

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?"	➤ Provide appropriate treatment ➤ Call for appropriate help.
Stage three - Recovery	➤ "Would a set of observations be beneficial?"	➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover"	➤ Provide handover to ambulance crew ➤ Complete and submit ePRF.

Community First Aider

Scenario - Summative

Child CPR Scenario – Country fayre

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty providing first aid cover with your team at a large country fayre with many stalls and hundreds of people on site, surrounded by fields of farm animals with a stream running through the area.

You have been called to treat a 6-year-old child who has been pulled out of the stream by her father, having been found floating face down a few moments ago.

Patient briefing

Child manikin can be used as a patient initially.

Patient simulation

When successfully revived after CPR/AED, breathing will then be seen, but the casualty will remain unresponsive. (A learner may be required to step into the scenario after manikin has been used for the first part of treatment and will then portray an unresponsive but breathing patient.)

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
ACVPU	Unresponsive	Unresponsive
Respiration rate	0/min	14/min
Pulse rate	0 bpm	68 bpm
Pain score	Unable to obtain	Unable to obtain
Temperature	36°C	36.5°C

Complaint	Drowning
History	The patient was found floating face down in a stream, pulled out by her father. Had been seen on dry land just a few minutes before
Previous medical history	None reported
Drug history/allergies	None known
Injuries/illnesses	No illnesses known. No visible injuries
Additional information	None

Danger	Stream/slippery ground
Response	Unresponsive
Catastrophic haemorrhage	None
Airway	Able to open airway, no obstruction visible, patient unable to maintain own airway
Breathing	Nonvisible
Circulation	No bleeding. Circulation appears not to be effective (hypoxic/no breaths)

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?"	➤ Provide appropriate treatment ➤ Call for appropriate help.
Stage three - Recovery	➤ "Would a set of observations be beneficial?"	➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover"	➤ Provide handover to ambulance crew ○ Complete and submit ePRF.

Community First Aider

Scenario - Summative

Child CPR Scenario - Sports day

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at a school sports day. During the 200-metre race, one of the competitors seemingly slows down before falling to the ground. After a few seconds, you realise they're not getting up or moving, you make your way over to the child to check they're okay.

Bystander briefing

You are the school's First Aider. Today is sports day and you are supporting the St John Ambulance Community First Aiders. During the 200-metre race, you see a 9-year-old child slow down and then collapse on the field. You know the child wasn't feeling well earlier, but they wanted to run this race. You walk towards them and arrive at the same time as the St John Ambulance volunteer.

Patient simulation

- The patient will be a junior resus manikin is to be used
- The trainer/demonstrator will inform the learner that the patient begins to breathe again after 2 minutes of CPR.

Resources

- Little junior manikin
- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
ACVPU	Unresponsive	Pain
Respiration rate	0/min	18/min
Pulse rate	0 bpm	78 bpm
Pain score	Unable to obtain	Unable to obtain
Temperature	37°C	37°C

Complaint	The child collapsed and is not moving after competing in a race
History	Casualty was reported to feel generally unwell before the race. Started competing in the race before seemingly slowing and collapsing.
Previous medical history	None
Drug history/allergies	No medication No allergies known
Injuries/illnesses	Cardiac arrest
Additional information	N/A

Danger	None
Response	Unresponsive
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	None
Circulation	None

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?"	➤ Provide appropriate treatment ➤ Call for appropriate help.
Stage three - Recovery	➤ "Would a set of observations be beneficial?"	➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover"	➤ Provide handover to ambulance crew ➤ Complete and submit ePRF.

Community First Aider

Scenario - Summative

Infant CPR Scenario – Family day

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at a local family fun day. The event is targeted at young families with children aged 10 & under. You are in the first aid post when a member of the public frantically runs in with a baby in their arms. They frantically pass the baby at you and scream "They're not waking up! Help me please!".

Bystander briefing

You are the mother/father of the 6-month-old Teddy Mardon you have taken Teddy to the local family fun day. Teddy has been crying a lot more than usual lately and had a particularly bad night, waking up more than usual. You put Teddy in his pushchair where he fell asleep. When you checked on him about 10 minutes later, you couldn't wake him up.

Patient simulation

Infant resus manikin is to be used.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
ACVPU	Unresponsive	Unresponsive
Respiration rate	0/min	0/min
Pulse rate	0 bpm	0 bpm
Pain score	Unable to obtain	Unable to obtain
Temperature	Not taken	Not taken

Complaint	Baby not waking up
History	Mother unable to wake their baby from sleep, last saw the baby awake 10 minutes ago
Previous medical history	They are usually fit and well however has been crying more regularly in the last 12 hours
Drug history/allergies	No medication, No allergies known
Injuries/illnesses	Cardiac arrest
Additional information	N/A

Danger	None
Response	Unresponsive
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	None
Circulation	None

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?"	➤ Provide appropriate treatment ➤ Call for appropriate help.
Stage three - Recovery	"Would a set of observations be beneficial?"	➤ Take a full set of observations ○ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover"	➤ Provide handover to ambulance crew ○ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Asthma scenario – Car boot

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are attending a local car boot organised by the Rotary Club for a fundraising day. There are several little stalls selling local products alongside car boots. You have been posted to a small wooden shed far away from the event, and a patient walks up to you out of breath. They are struggling to breathe and their teenage child who is with them looks very concerned and worried and begins to cry. They inform you they have medication, but they have left it in their car which is roughly 100 metres away from where you are standing. You will have another First Aider with you in this scenario, if not, the child will be able to go to the car for you.

Brief for patient

You're feeling increasingly short of breath and will use your inhaler when you receive one. You'll be embarrassed and blame another member of the public for smoking nearby as the cause of the attack. You will be more concerned for your child than yourself.

Patient simulation

- Breathless and concerned
- Trying to explain what car you have to other people to get your medication
- Worried about their upset child.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	23/min	17/min
Pulse rate	71bpm	68bpm
Pain score	4/10	1/10
Temperature	37.1°c	37.1°c

Complaint	Asthma attack caused by cigarette smoke
History	They are aware they have asthma
Previous medical history	They had one recently due to the same issue
Drug history/allergies	They had two 500mg of paracetamol this morning for shoulder pain
Injuries/illnesses	Nothing of note
Additional information	Nothing of note

Danger	Other individuals and the need to get to a car park for the medication
Response	Alert and responsive
Catastrophic haemorrhage	Nothing of note
Airway	Having an asthma attack
Breathing	Having an asthma attack
Circulation	No issue

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate care, treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance if required etc).
Stage four - Handover	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything?"	➤ Provide handover to ambulance crew, appropriate follow-up advice to the patient, or signposting to further medical attention ➤ Complete and submit ePRF.

Community First Aider

Scenario - Summative

Bleeding scenario – Steam rally

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at a local steam rally. You are dispatched urgently to reports of a casualty who has injured their hand in the mechanism of a steam engine. When you arrive, the patient is in large amounts of pain and their hand appears mangled and bleeding heavily.

Patient briefing

You have been exhibiting your vintage steam engine at a rally. Somehow you have accidentally got your hand caught in part of the mechanism and this has led to a crush of the lower part of your hand. Initially, you are alert and in lots of pain but your level of response is rapidly decreasing until the bleeding slows.

Patient simulation

- The patient will have a wound that simulates the lower part of their hand being partially amputated
- The patient is incredibly distressed.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Negative
ACVPU	Alert (moving into voice)	Alert
Respiration rate	22/min	14/min
Pulse rate	120bpm	100bpm
Pain score	10/10	9/10
Temperature	37°C	37°C

Complaint	Large open wound on the wrist
History	The patient's hand got caught in part of the mechanism of a steam engine
Previous medical history	Usually fit and well
Drug history/allergies	No medication No allergies known
Injuries/illnesses	Catastrophic haemorrhage
Additional information	N/A

Danger	Unknown whereabouts of the attacker
Response	Alert but becoming gradually unresponsive
Catastrophic haemorrhage	Yes - hand
Airway	Clear and open
Breathing	Hyperventilating
Circulation	Fast pulse and rhythm. The patient is becoming pale

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover"	➤ Provide handover to the ambulance crew ➤ Complete and submit ePRF.

Community First Aider

Scenario - Summative

Bleeding scenario – Music festival

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at a free music festival when a group of teenagers suddenly rush into the treatment centre pushing their friend in front of you. They're screaming and blood is pouring from their arm. Their hand is at an unusual angle, they lift their hand, and you can see the bone.

Patient briefing

You have been walking through the park with your mates when a man with a large knife approached you and after an altercation he slashed across your wrist with the blade, partially amputating your hand. Initially, you are alert but your level of response is rapidly decreasing until the bleeding slows

Patient simulation

- The patient will have a large open wound on the inside of their wrist, simulating a partial amputation
- The patient is incredibly distressed.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
ACVPU	Alert (moving into voice)	Alert
Respiration rate	20/min	14/min
Pulse rate	110bpm	100bpm
Pain score	10/10	7/10
Temperature	37°C	37°C

Complaint	Large open wound on wrist
History	The patient has been attacked by a bladed weapon at an event
Previous medical history	Usually fit and well
Drug history/allergies	No medication No allergies known
Injuries/illnesses	Catastrophic haemorrhage
Additional information	The attacker is nowhere to be seen but could still be on the site

Danger	Unknown whereabouts of the attacker
Response	Alert but becoming gradually unresponsive
Catastrophic haemorrhage	Yes - wrist
Airway	Clear and open
Breathing	Hyperventilating
Circulation	Fast pulse and rhythm. Patient is becoming pale

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover"	➤ Provide handover to ambulance crew ➤ Complete and submit ePRF.

Community First Aider

Scenario - Summative

Choking scenario – Care home fun day

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at the local care home's fun day. One of the residents, Joyce, has her daughter, Grace, visiting. You hear Joyce shouting for help. You rush back to find Grace clutching at her throat and Joyce crying out "She's choking".

Patient briefing

You are a 52-year-old female named Grace Kelly and you are visiting your Mum in her new care home. You have been enjoying biscuits whilst catching up when you choke on a gingersnap. You cannot breathe and are starting to panic. Initially, you only respond to voice but if given appropriate treatment will become more responsive.

Patient simulation

- The patient will simulate difficulty breathing, speaking, or coughing
- The patient will have a red puffy face
- There will be signs of distress, and they may point to their throat or grasp their neck.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Choking vest.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Voice	Alert
Respiration rate	0/min	16/min
Pulse rate	110bpm	100bpm
Pain score	Unable to obtain	5 (ribs, back, and throat all in pain)
Temperature	37.5°c	37°c

Complaint	Choking on food
History	The patient has been choking on food in a care home.
Previous medical history	Usually fit and well
Drug history/allergies	No medication No allergies known
Injuries/illnesses	Choking
Additional information	N/A

Danger	Hot coffee on the side
Response	Responds to voice
Catastrophic haemorrhage	None
Airway	Obstructed
Breathing	None
Circulation	Fast pulse and rhythm. The patient is red and puffy

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Community First Aider

Scenario - Summative

Choking scenario – Country show

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering in the treatment centre of the County Show. A father comes rushing in with his 8-year-old daughter in his arms. She is clasping at her throat and not talking.

Patient briefing

You are an 8-year-old female named Lexi Kowalski and you have come to the county show with your parents. You have been chewing a button off your jumper and accidentally swallowed it causing you to choke. You cannot breathe and are starting to panic. Initially, you only respond to voice but if given appropriate treatment will become more responsive.

Patient simulation

- The patient will simulate difficulty breathing, speaking, or coughing
- The patient will have a red puffy face
- There will be signs of distress, and they may point to their throat or grasp their neck.

Resources

- Full training FA kit (including GSL, AED and ePRF)
- Choking vest.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Voice	Alert
Respiration rate	0/min	16/min
Pulse rate	110bpm	100bpm
Pain score	Unable to obtain	5 (ribs, back and throat all in pain)
Temperature	37.5°C	37°C

Complaint	Choking on a button
History	The patient at a country show has reported that their 8-year-old daughter is choking on a button
Previous medical history	Usually fit and well
Drug history/allergies	Epi-pen Allergic to peanuts
Injuries/illnesses	Choking
Additional information	N/A

Danger	No danger
Response	Responds to voice
Catastrophic haemorrhage	None
Airway	Obstructed
Breathing	None
Circulation	Fast pulse and rhythm. The patient is red and puffy

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Community First Aider

Scenario - Summative

Choking scenario - Rugby stadium

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are providing first aid cover at the busy rugby stadium for the cup final match. Control dispatch you to the patient at the top of North Stand who is having difficulty breathing.

Patient briefing

You are a lifelong fan of your local Rugby team. You have come to the game with your son as you haven't go out of the house on your own since a recent fall. However, having got a bit excited when your team scored a try, you accidentally inhaled whilst eating your pie. You are now choking; you cannot breathe and are starting to panic. Initially, you only respond to voice but if given appropriate treatment will become more responsive.

Patient simulation

- The patient will simulate difficulty breathing, speaking, or coughing
- The patient will have a red puffy face
- There will be signs of distress, and they may point to their throat or grasp their neck.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Choking vest.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Voice	Alert
Respiration rate	0/min	16/min
Pulse rate	110bpm	100bpm
Pain score	Unable to obtain	4 (ribs, back and throat painful)
Temperature	Not taken	37°C

Complaint	Difficulty breathing
History	The patient is in the stands at a rugby match and started choking on their food
Previous medical history	History of unexplained falls
Drug history/allergies	Cod liver oil tablets
Injuries/illnesses	No allergies known
Additional information	Choking

Danger	Height and steepness of the stairs
Response	Responds to voice
Catastrophic haemorrhage	None
Airway	Obstructed
Breathing	None
Circulation	Fast pulse and rhythm. Patient is red and puffy

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Community First Aider

Scenario - Summative

Recovery scenario - Festival

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at a large festival, and a group of students have attended. One of the students has been drinking in excess during the performance and has gone to the bathroom. You are called to them by friends whom they are with. They are unresponsive with vomit coming out of their mouth in the small space between the cubicle and the wall.

Patient briefing

You are a young student who has been drinking heavily. You are unresponsive and unable to respond to any questions given by the First Aider.

Patient simulation

- The patient is unresponsive, in a tight cubicle stall
- After being placed into the recovery position, they gradually become responsive
- They have been drinking heavily so when they become responsive, they have slurred speech.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
ACVPU	Unresponsive	Voice
Respiration rate	3/min	5/min
Pulse rate	90bpm	82bpm
Pain score	Unknown	Unknown
Temperature	36.4°C	36.4°C

Complaint	Unresponsive and airways blocked by vomit
History	Heavy drinking, no food in 6 hours
Previous medical history	Suffers from anxiety
Drug history/allergies	No other narcotics ingested
Injuries/illnesses	Nothing of note
Additional information	They are very concerned about where their phone is when they recover

Danger	Airways and positioning impacted
Response	Unresponsive
Catastrophic haemorrhage	None
Airway	Currently not open due to vomit
Breathing	Currently not breathing due to an unopen airway
Circulation	Nothing of note

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover"	➤ Provide handover to the ambulance crew ➤ Complete and submit ePRF.

Community First Aider

Scenario - Summative

Recovery scenario - Poisoning

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You and another First Aider are on foot patrol for the evening carnival procession when a member of the public comes up and says there is a person collapsed on the floor. You are ushered into the area where you find the individual, as you approach there are scattered beer cans/bottles on the floor, and it appears the person has vomited.

Patient briefing

Lying on the floor with bottles surrounding you. You have vomited. You should only respond following being placed into the recovery position showing slight recovery.

Patient simulation

- Patient simulation information
- Coughing slightly but drifting in and out of responsiveness
- Make groaning noises but no words.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Unresponsive	Voice
Respiration rate	25/min	24/min
Pulse rate	61 bpm	62 bpm
Pain score	0/10 - unable to assess	0/10 - unable to assess
Temperature	35.0°C	36.3°C

Complaint	Changing levels of responsiveness and breathing
History	Found lying on the floor with bottles around, appears to have vomited
Previous medical history	None/Not Known
Drug history/allergies	None/Not Known
Injuries/illnesses	None/Not Known
Additional information	Nothing of note

Danger	Glass bottles, vomit
Response	Responds to voice or unresponsive
Catastrophic haemorrhage	None
Airway	Open and clear
Breathing	Yes
Circulation	Yes

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate care, treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance if required etc).
Stage four - Handover	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything?"	➤ Provide handover to ambulance crew, appropriate follow-up advice to the patient, or signposting to further medical attention ➤ Complete and submit ePRF.

Community First Aider

Scenario - Summative

Recovery scenario - Stadium

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You have been called to reports of a patient who has suffered a seizure. When you arrive, the seizure has ended but they are unresponsive and lying on their back. They have fallen between a set of stadium stand seats, and a crowd has gathered around the casualty. They have a metal bracelet on their wrist that their friend is drawing your attention to.

Patient briefing

You have epilepsy and convulsive seizures are a normal part of your life. You have a medical-alert tag that explains that you are medicated but you still have a few seizures every single day. You will become alert after being placed in the recovery position, you will decline all further treatment and tell the First Aider to 'go away'.

Patient simulation

- The patient will lie unresponsive until placed in the recovery position
- Once in the recovery position they will start to regain responsiveness
- When responsive, inform the first aider of their epilepsy and decline any further treatment.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Carry chair.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Unresponsive	Alert
Respiration rate	20/min	21/min
Pulse rate	90bpm	82bpm
Pain score	Unknown	0/10
Temperature	37°C	37°C

Complaint	Suffered a seizure
History	You are unsure of any patient history as the patient is unresponsive. You have been called by bystanders who do not know them
Previous medical history	Has medicated epilepsy but still has occasional seizures
Drug history/allergies	Takes medication for their epilepsy
Injuries/illnesses	Nothing apart from the issue
Additional information	Nothing of note

Danger	The seats are close to the casualty
Response	The casualty is currently unresponsive
Catastrophic haemorrhage	Nothing present
Airway	Compromised due to casualties' position - saliva also at the back of the airway
Breathing	Labored due to position
Circulation	Nothing of note

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, etc).
Stage four - Debrief	➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Allergy scenario – Fun day

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are providing first aid at a local fun day in a park where families are gathered for picnics and activities. You are called over to a patient who has been stung by a bee and is experiencing an allergic reaction. They are sat down, in obvious distress.

Patient briefing

You are attending a fun day in the park with your family. You have been stung by a bee and are experiencing an allergic reaction. You are in pain and are having difficulty breathing. You know you're allergic, but you haven't had a severe reaction for many years. You do have your auto-injector in the car.

Patient simulation

- The patient is lying on the ground, clutching their chest and gasping for air
- Their face appears swollen and there is visible redness and hives on their skin.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert (moving into voice)	Alert
Respiration rate	8/min	16/min
Pulse rate	120 bpm	95 bpm
Pain score	Unable to obtain	3/10
Temperature	37.2°C	37.2°C

Complaint	Anaphylaxis
History	Has been stung by a bee
Previous medical history	Known allergy to bee stings
Drug history/allergies	Has one auto-injector with them. Does not take any other medication
Injuries/illnesses	N/A
Additional information	They are feeling incredibly distressed

Danger	No immediate danger
Response	Alert but deteriorating
Catastrophic haemorrhage	None
Airway	Compromised
Breathing	Reduced
Circulation	Nothing of note

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?"	➤ Provide appropriate treatment ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything?"	➤ Provide handover to ambulance crew, appropriate follow-up advice to the patient, or signposting to further medical attention ➤ Complete and submit ePRF.

Allergy scenario – Food festival

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are providing first aid at a local food festival. While walking around, you are called over to a young woman who is experiencing an allergic reaction to the food she has eaten. The woman is sitting at her table, in obvious distress.

Patient briefing

You are experiencing a severe allergic reaction to the food you have eaten at a food festival. You are in pain and are having difficulty breathing.

Patient simulation

- The patient is sitting at her table in a large marquee, clutching their chest and gasping for air
- Their face appears swollen and there is visible redness and hives on their skin.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert (moving into voice)	Alert
Respiration rate	8/min	16/min
Pulse rate	120 bpm	95 bpm
Pain score	Unable to obtain	3/10
Temperature	37.2°C	37.2°C

Complaint	Anaphylaxis
History	Has just finished eating a burger
Previous medical history	Known allergy to sesame
Drug history/allergies	Has one auto-injector with them. Does not take any other medication
Injuries/illnesses	N/A
Additional information	They are feeling incredibly distressed

Danger	No immediate danger
Response	Alert but deteriorating
Catastrophic haemorrhage	None
Airway	Compromised
Breathing	Reduced
Circulation	Nothing of note

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?"	➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Allergy scenario – Gurdwara

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are providing first aid coverage for a local children's fun day at the Sikh temple. There are bouncy castles and several local community stands, and there is a stand selling flowers. A child approaches you with their eyes streaming water and sneezing, they inform you they have a pollen allergy.

Patient briefing

You are experiencing an allergic reaction due to the pollen in the air on a hot summer day. Your parent can be found by the bouncy castle but is not currently with you when you are talking to the first aider.

Patient simulation

- The patient is a younger individual.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	17/min	16/min
Pulse rate	78 bpm	76 bpm
Pain score	1/10	1/10
Temperature	37.2°c	37.2°c

Complaint	Allergic reaction to pollen
History	Is known to be allergic to pollen
Previous medical history	Nothing of note
Drug history/allergies	Normally takes an anti-histamine every day, but forgot today
Injuries/illnesses	N/A
Additional information	Nothing of note

Danger	No immediate danger
Response	Alert
Catastrophic haemorrhage	None
Airway	A bit sneezy
Breathing	Breathing normally
Circulation	Nothing of note

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?"	➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Asthma – Small community music event

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are attending a small battle of the band's music event held between two local schools, and it is being hosted in a large park. Roughly 100 people are attending this, with their families watching the performance. People enjoy live music and various activities. It is a cold winters night. You have been called to assist an individual who is experiencing breathing difficulties and was enjoying the festival. They have a blue asthma inhaler in their bag along with a brown inhaler.

Brief for patient

You're feeling increasingly short of breath and will use your inhaler when the First Aider arrives. You'll express tightness in your chest, finding it hard to speak in full sentences. You will be incorrectly using your brown inhaler as you very rarely experience asthma attacks and have not had one in a few years.

Patient simulation

- Patient simulation information
- The patient appears visibly distressed, struggling to breathe and communicating in short, gasping sentences
- They'll be using their inhaler, but their condition won't significantly improve
- Expresses frustration about missing out on the festival activities due to the asthma attack, feeling disappointed about the interruption.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	28/min	22/min
Pulse rate	89bpm	84bpm
Pain score	3/10	2/10
Temperature	37.2°c	37.3°c

Complaint	Asthma attack
History	Has not had an asthma attack in years
Previous medical history	They have had the flu recently
Drug history/allergies	Inhalers
Injuries/illnesses	None
Additional information	Nothing of note

Danger	Nothing of note
Response	Fully responding
Catastrophic haemorrhage	Nothing of note
Airway	Breathing is affected due to the asthma attack
Breathing	Breathing is affected due to the asthma attack
Circulation	No issues

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate care, treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance if required etc).
Stage four - Handover	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything?"	➤ Provide handover to ambulance crew, appropriate follow-up advice to the patient, or signposting to further medical attention ➤ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Asthma attack - Charity fun run

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are at a community fun run, where people are raising money for charity whilst dressed in superhero costumes. You have been called to attend an individual who is short of breath and was participating in the run. They have a blue asthma inhaler in their bum-bag.

Patient briefing

You are feeling extremely short of breath and will be using an inhaler when the First Aider arrives. You'll mention feeling tightness in your chest and will be struggling to speak in full sentences. You will also convey your worry about missing out on the run and inquire about the event. Additionally, you'll be concerned about using your inhaler too frequently and may express reluctance or fear about it as you have recently read an internet site that said overuse might be bad for you.

Patient simulation

- The patient will appear distressed and will be struggling to breathe, speaking in short, gasping sentences
- They'll be using their inhaler, but the condition won't seem to improve significantly
- Expresses concern about participating in the run and feeling upset about the asthma attack interrupting their enjoyment
- May be worried about using the inhaler repeatedly and its impact or potential side effects.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	27/min	22/min
Pulse rate	89bpm	82bpm
Pain score	4/10	2/10
Temperature	37.4°c	37.4°c

Complaint	Asthma attack
History	Has asthma and medication prescribed
Previous medical history	Nothing of note
Drug history / allergies	Has taken several puffs of their inhaler (cannot remember how many)
Injuries / illnesses	Having an asthma attack
Additional information	Nothing of note

Danger	None shown
Response	Clear response
Catastrophic haemorrhage	No issue
Airway	Having an asthma attack
Breathing	Rapid breathing
Circulation	No circulation issues

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate care, treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance if required etc).
Stage four - Handover	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything?"	➤ Provide handover to ambulance crew, appropriate follow-up advice to the patient, or signposting to further medical attention ➤ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Burns scenario – Bonfire night

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at a local Bonfire Night celebration. There are fireworks and a bonfire and, despite warnings not to, many of the crowd have brought sparklers and lit them. You are on a foot patrol when you see a young child bring the hot end of a used sparkler up to their face, burning themselves. The nearest source of cold water is the treatment centre about 30 yards away.

Patient briefing

You are an 8-year-old. You have been at a bonfire event with your family and have been playing with sparklers. You were distracted by the fireworks and accidentally placed the hot end of your used sparkler against your face.

Patient simulation

- The patient will have red skin and swelling along their cheek
- The patient will be in significant pain
- The patient's parents will be concerned.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Wheelchair.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	19/min	15/min
Pulse rate	84bpm	79bpm
Pain score	6/10	5/10
Temperature	37.3°C	37°C

Complaint	Burn to face
History	The patient has a dry burn on their face caused by a used sparkler
Previous medical history	Usually fit and well
Drug history/allergies	No medication
Injuries/illnesses	No allergies known
Additional information	Burns – superficial

Danger	Crowds, other sparklers
Response	Alert
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	Slightly fast and shallow
Circulation	Slightly elevated pulse

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Burns scenario – Christmas lights

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at a Christmas light switch-on. The event has a large area designated for catering. You are called to a patient in this area who has reportedly been splashed with hot cooking oil. The nearest safe source of running cold water is a tap about 100 metres away from the call.

Patient briefing

You have been working in a mobile fish and chip van which is currently at a Christmas light switch on. As you have put the chips in the fryer the boiling oil has splashed back over your hands, arms, and neck.

Patient simulation

- The patient will have red skin over their hands, arms, and neck
- The patient will be in significant pain.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Moving and handling equipment.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	19/min	15/min
Pulse rate	92bpm	79bpm
Pain score	7/10	5/10
Temperature	37.3°C	37°C

Complaint	Burn by cooking oil
History	The patient has been splashed with hot cooking oil
Previous medical history	Usually fit and well
Drug history/allergies	No medication
Injuries/illnesses	No allergies known
Additional information	Scalds – partial thickness

Danger	Hot surfaces in the van
Response	Alert
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	Slightly fast and shallow
Circulation	Slightly elevated pulse

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Burns scenario – Football stadium

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at the football stadium for a winter match as a Community First Aider. You are supported by other first aid roles and can contact them for assistance if required. You are called to the terrace (halfway up West Stand) to a patient who has scalded their hands and arms on a hot drink. The nearest source of running cold water is the treatment centre at the bottom of the stand.

Patient briefing

You are watching football with your partner who has bought you both a hot chocolate. As your partner has made their way along the aisle with the drinks, they tripped and spilled scalding hot chocolate over your hands and arms.

Patient simulation

- The patient will have red skin over their hands and arms
- The patient will be in significant pain.

Resources

- Full training FA kit (including GSL, AED and ePRF)
- Moving and handling equipment.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	20/min	15/min
Pulse rate	90bpm	79bpm
Pain score	7/10	5/10
Temperature	37.3°C	37°C

Complaint	Burns to hands
History	The patient has had scalding hot chocolate accidentally spilt on their hands
Previous medical history	Usually fit and well
Drug history/allergies	No medication
Injuries/illnesses	No allergies known
Additional information	Scalds – superficial

Danger	The steepness of the stairs and the crowd
Response	Alert
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	Slightly fast and shallow
Circulation	Slightly elevated pulse

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Minor injuries – Craft fayre

Please read the brief below. There are prompts provided to give to the learners should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are at a community fayre. A patient has come to you with a small cut on their finger after accidentally cutting themselves with a craft knife.

Patient briefing

You have a small cut on your finger from accidentally cutting yourself with a craft knife.

Patient simulation

- The patient will have a small cut on their finger that is bleeding slightly
- The patient be in some pain but will be able to move their finger and talk normally.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	21/min	16/min
Pulse rate	72bpm	71bpm
Pain score	7/10	2/10
Temperature	37.3°C	37°C

Complaint	Small cut on the finger
History	Accidentally did it, tells you it's the worst pain they have ever been in
Previous medical history	Nothing relevant
Drug history/allergies	Nothing relevant
Injuries/illnesses	Nothing relevant
Additional information	Nothing relevant

Danger	There is a small craft knife somewhere
Response	Alert
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	Fast at first, but slows down when explaining the issue
Circulation	Nothing of note

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate care, treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance if required etc).
Stage four - Debrief	➤ "Before you discharge the patient from your care, do you need to tell them anything?"	➤ Provide handover to ambulance crew (if required), appropriate follow-up advice to the patient, or signposting to further medical attention ➤ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Minor wounds scenario – Park event

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are at a park event. A member of the public has approached you with a small graze on their arm after falling off a bike.

Patient briefing

You have a small graze on your arm from falling off your bike.

Patient simulation

- The patient will have a small graze on their arm that is bleeding slightly
- The patient may be in some pain but will be able to move their arm and talk normally.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	20/min	19/min
Pulse rate	82bpm	79bpm
Pain score	2/10	3/10
Temperature	37.2°c	37.1°c

Complaint	Slight graze on the arm
History	Fell off their bike
Previous medical history	Has angina
Drug history/allergies	Has GTN spray for angina
Injuries/illnesses	Had a heart attack a year ago
Additional information	Nothing relevant

Danger	There are several members of the public still cycling around the patient
Response	Alert
Catastrophic haemorrhage	None
Airway	No issues
Breathing	Normal
Circulation	Normal

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc.)
Stage four - Debrief	➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide appropriate follow-up advice to the patient, or signposting to further medical attention ➤ Complete and submit ePRF.

Minor wounds scenario – School sports day

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty at a school sports day. A child has come to you with a small cut on their knee and grazes on their hands after tripping over while running.

Patient briefing

You are a 10-year-old child who has a small cut on your knee from falling over while running, they fell near a pile of scrap metal.

Patient simulation

- The patient will have a small cut on their knee that is bleeding slightly
- They will have redness and dirt on their palms
- They may be in some pain but will be able to walk and talk normally.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	21/min	19/min
Pulse rate	72bpm	70bpm
Pain score	4/10	2/10
Temperature	37.3°c	37.2°c

Complaint	Cut on the knee from falling over
History	Small pieces of dirt inside the wound
Previous medical history	Has not had a tetanus immunisation
Drug history/allergies	Nonrelevant
Injuries/illnesses	No tetanus immunisation
Additional information	The injury was sustained near a pile of dirt and scrap metal

Danger	No danger
Response	Alert
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	Normal
Circulation	Normal

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc.)
Stage four - Debrief	➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Fracture scenario – BMX track

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are covering a BMX track for a local cycling event. You have been called to a patient who has fallen off their bike and landed on their hand. This has resulted in an open fracture to their right arm. They are in a lot of pain. The casualty will be wearing a helmet. They are currently sitting on the side of the track.

Patient briefing

You are in immense pain and will be asking the first aider to not look at it, you will keep saying "I don't want to see it". If the First Aider knocks into it you will make them aware of the pain it causes you. You will also ask the First Aider about your bike and if it is okay. You are bleeding from the area and are worried about getting it on your nice white cycling shorts.

Patient simulation

- The patient will be pale in colour and sweating
- Moans and groans when the first aider touches the area
- They have an open fracture wound to their right arm.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	21/min	16/min
Pulse rate	89 bpm	62 bpm
Pain score	9/10	6/10
Temperature	37.2°c	37.2°c

Complaint	Open fracture in the right arm
History	They have eaten regularly before exercising today
Previous medical history	Has asthma
Drug history / allergies	Has an asthma inhaler - they are allergic to ibuprofen
Injuries / illnesses	They have anxiety and OCD
Additional information	They are feeling incredibly self-conscious

Danger	Racers going past your treatment
Response	Alert and responsive
Catastrophic haemorrhage	There is a lot of bleeding but not requiring tourniquets
Airway	Open
Breathing	Rapid and panicked
Circulation	Bleeding from the arm but strong pulse

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to ambulance crew or appropriate follow-up advice to the patient ○ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Fracture scenario – Carol concert

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

It is December, and you are on duty at a carol concert at a large local church on a cold evening. As you arrive, you are ushered by a steward to a patient. The patient has come to the event by train. She was running to catch the train and caught her leg between the train and the platform. She has walked into the church very awkwardly as to not miss the service but is now in a lot of pain. There is some redness on the front of her leg, but there are no signs of obvious deformity.

Patient briefing

You have a fractured leg, but you worry about being a burden. You are cold after sitting outside the service for 20 minutes due to difficulty walking and are showing signs of hyperthermia. You have tenderness when your leg is touched and a throbbing pain. You are hard of hearing so unless a first aider talks loudly/you can lip lead communication can be difficult for you.

Patient simulation

- The patient will be pale in colour
- Tenderness and none-load bearing on leg
- Agitated as you want to get on with your day and not be a burden.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	20/min	16/min
Pulse rate	87 bpm	67 bpm
Pain score	7/10	4/10
Temperature	36.4°C	36.8°C

Complaint	Tenderness in the lower leg
History	Caught and twisted while boarding train
Previous medical history	Hard of hearing, has ear drops prescribed due to earwax build-up
Drug history / allergies	None
Injuries / illnesses	Is hard of hearing due to partial deafness
Additional information	Nothing of note

Danger	Cold December day and currently sitting outside
Response	Alert
Catastrophic haemorrhage	None present
Airway	Open
Breathing	Slightly slower
Circulation	Nothing of note
Disability	Nothing of note
Exposure	Cold December day and feeling cold

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to ambulance crew or appropriate follow-up advice to the patient ○ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Fracture scenario – Football stadium

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You have been called to an incident in the catering area of the stadium. A fan has 'hopped' to this area with his friend after a suspected broken ankle suffered in between the stadium seats while celebrating a goal. His friend is adamant that the patient is fine, and they will just go to A&E at the end of the game.

Patient briefing

You are in a lot of pain but because your friend is there you are trying to pretend it doesn't hurt that much. You have one eye on the football match to keep track of the score. Your ankle is broken and cannot support any weight and you are holding back tears. You sustained the injury while jumping over a seat to get to your friend after celebrating a goal. You attempted to stand up to prove 'it's not that bad', but you fell over near the catering section of the stands. His friend keeps trying to suggest his friend just tries to stand up so they can go to the hospital after the game has finished.

Patient simulation

- The patient will be pale in colour and sweating
- Moans and groans when the first aider touches the area
- Not being honest about the level of pain they are in.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	20/min	16/min
Pulse rate	87 bpm	67 bpm
Pain score	8/10	5/10
Temperature	37.2°C	37.2°C

Complaint	Potentially broken ankle
History	Tripped over and twisted within a closed stadium seat,
Previous medical history	Broke the other ankle a year ago
Drug history/allergies	Allergic to penicillin, took an antihistamine this morning for recurring hay fever
Injuries/illnesses	Broken ankle
Additional information	Ate a pie 45 minutes prior. Had a soft drink immediately afterwards

Danger	Members of catering staff walking past
Response	Alert
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	Faster than normal
Circulation	Fast pulse and rhythm, patient is pale

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ○ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Nosebleed scenario – School fayre

Please read the brief below. There are prompts provided to give to the learners should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty providing first aid cover at a school fair with many attendees. You have been called to treat a 12-year-old student (Max) who has been experiencing a nosebleed for the last 20 minutes. Max is feeling lightheaded and dizzy, and the bleeding is not slowing down.

Patient briefing

You are a 12-year-old student who has been experiencing a nosebleed for the last 20 minutes. You are feeling lightheaded and dizzy.

Patient simulation

- Nose is actively bleeding, and blood is flowing down his face.
- Pale, sweaty, and dizzy.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	13/min	14/min
Pulse rate	71bpm	69bpm
Pain score	3/10	3/10
Temperature	37.3°c	36.7°c

Complaint	A nosebleed that will not stop
History	Has never had a nosebleed before
Previous medical history	He had chicken pox a year ago
Drug history/allergies	Nothing relevant
Injuries/illnesses	Nothing relevant
Additional information	The patient has gone incredibly pale and wobbly

Danger	Nonrelevant
Response	Response level is dropping
Catastrophic haemorrhage	Not relevant
Airway	Breathing through mouth
Breathing	Getting slower
Circulation	Bleeding from nose frequently

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc.).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Nosebleed scenario – Sports tournament

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty providing first aid cover at a sports tournament. You have been called to treat a 16-year-old athlete who has been hit in the nose during a game and is experiencing a nosebleed. Please assess and treat the patient appropriately.

Patient briefing

You are a 16-year-old athlete who has been hit in the nose during a game and is experiencing a nosebleed.

Patient simulation

- Nose is actively bleeding and blood is flowing down his face
- Feeling dizzy and reports feeling pain and tenderness in his nose
- Nose appears to be swollen and he is having difficulty breathing through his nose

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	18/min	16/min
Pulse rate	78bpm	72bpm
Pain score	4/10	2/10
Temperature	37.5°c	37.3°c

Complaint	Nosebleed
History	No relevant history
Previous medical history	No relevant history
Drug history/allergies	Allergic to latex gloves
Injuries/illnesses	Nothing of note
Additional information	The nose looks slightly deformed

Danger	Sports events going on around
Response	Alert
Catastrophic haemorrhage	None
Airway	Breathing through their mouth, not their nose
Breathing	Breathing through mouth
Circulation	Bleeding from nose

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Poisoning scenario – Gardening club

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are at a local gardening centre providing an open day showing the topiary local contestants are creating. One of the contestants, Mary, has used a fertiliser but has accidentally swallowed the poison instead of the flask of tea she was reaching for. Their stomach hurts because they feel sick.

Patient briefing

You will be panicked and concerned that they have swallowed the poison, but they are in no alert or alarm. You will keep suggesting to the First Aider you want to be sick. After a minute, begin to throw up.

Patient simulation

- Feeling very sick
- Very panicked and worried.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	25/min	22/min
Pulse rate	81bpm	76bpm
Pain score	4/10	3/10
Temperature	37.2°c	37.2°c

Complaint	Swallowed a poison accidentally
History	See above
Previous medical history	Nothing of note
Drug history/allergies	Nothing of note
Injuries/illnesses	Nothing of note
Additional information	Nothing of note

Danger	The location of the poison
Response	The response is normal
Catastrophic haemorrhage	Nothing of note
Airway	They may have a slight burn in their airway from the poison
Breathing	Panicked breathing
Circulation	No circulation issues

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate care, treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance if required etc).
Stage four - Handover	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything?"	➤ Provide handover to ambulance crew, appropriate follow-up advice to the patient, or signposting to further medical attention ➤ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Sprain scenario – local sports game

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You provide first aid at a local sporting event where several teams compete. You are called over to a patient who has injured their ankle on the field during a football match. The patient is sitting on the ground, in obvious pain.

Patient briefing

You are playing football and tripped, twisting your ankle while running across the pitch. You are in pain and don't want to put any weight on your ankle.

Patient simulation

- The patient is lying on the ground, holding their ankle
- Their ankle appears swollen and there is visible bruising
- They are unable to stand or walk on their own.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Moving and handling equipment.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	13/min	15/min
Pulse rate	93 bpm	82 bpm
Pain score	7/10	6/10
Temperature	37.4°c	37.3°c

Complaint	Injured ankle whilst playing football
History	Nothing of note
Previous medical history	N/A
Drug history/allergies	N/A
Injuries/illnesses	Damaged knee ligaments from a previous injury 5 months prior
Additional information	N/A

Danger	Football matches going on around you
Response	Responsive
Catastrophic haemorrhage	N/A
Airway	Open and clear
Breathing	Shallow and deep - attempting to control breathing
Circulation	No visible circulation issues

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Sprain scenario – Walking event

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are providing first aid at a large charity walk. A casualty comes into your treatment centre with the support of two friends. They are complaining of pain in their knee after they slipped descending a steep slope. Their breathing is rapid and their temperature is high from the exercise before the fall.

Patient briefing

You have injured your knee while descending a steep slope during a hike. You are in pain and cannot put any weight on your knee.

Patient simulation

- The patient's knee appears swollen and there is visible bruising
- The patient is unable to stand or walk on her own and is currently being supported by two friends.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	23/min	19/min
Pulse rate	87 bpm	86 bpm
Pain score	7/10	5/10
Temperature	36.7°c	36.7°c

Complaint	Slipped and sprained ankle
History	Injury occurred
Previous medical history	They take medication for depression
Drug history/allergies	They are allergic to shellfish and is carrying an auto-injector
Injuries/illnesses	Severe allergic reaction to shellfish. Is living with depression
Additional information	Nothing of note

Danger	A steep slope is potentially hazardous to the first aider
Response	Fully responsive
Catastrophic haemorrhage	N/A
Airway	Open and clear
Breathing	Panicked and rapid
Circulation	No circulation issues

Community First Aider Scenario

	Scenario lead Prompts to help learner	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "Before you discharge the patient from your care, do you need to tell them anything?"	➤ Provide appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Community First Aider

Scenario - Formative

Strain scenario – Country show

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are providing first aid at a busy country show, where exhibitors and contractors are engaged in various activities. While on a foot patrol, you come across a contractor who has strained his wrist while lifting a heavy load. The contractor is sitting down, holding his wrist in pain.

Patient briefing

You are a contractor at a country show who has strained your wrist while lifting a heavy load of fencing. You are in pain and unable to move your wrist without feeling discomfort.

Patient simulation

- The patient is sitting down, holding his wrist
- His wrist appears swollen and there is visible bruising
- He is unable to move his wrist without feeling discomfort.

Resources

- Full training FA kit (including GSL, AED and ePRF)
- Moving and handling equipment.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	19/min	15/min
Pulse rate	78bpm	75bpm
Pain score	4/10	4/10
Temperature	36.7°c	36.7°c

Complaint	Strained wrist
History	The injury occurred less than ten minutes ago
Previous medical history	Has gout
Drug history/allergies	No allergies known
Injuries/illnesses	He is suffering from gout
Additional information	Nothing of note

Danger	Crowds of people and heavy objects nearby
Response	Responsive
Catastrophic haemorrhage	N/A
Airway	Open
Breathing	Acceptable
Circulation	Bruising on wrist

Community First Aider Scenario

	Scenario lead Prompts to help learners	Community First Aider Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the casualty?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the casualty ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the casualty to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide appropriate follow-up advice to the patient ➤ Complete and submit ePRF.