

Emergency Responder – Scenario 1

Sprain – Sports competition

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty at a busy sporting event, where several teams are competing. You are called over to a patient who has injured their ankle on the field during a football match. The patient is sitting on the ground, in obvious pain.

Patient brief

You are playing football and tripped, twisting your ankle while running across the pitch. You are in pain and don't want to put any weight on your ankle.

Patient simulation

- The patient is lying on the ground, holding their ankle
- Their ankle appears swollen and there is visible bruising
- They are unable to stand or walk on their own.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Moving and handling equipment.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	13/min	15/min
Pulse rate	93 bpm	82 bpm
Pain score	7/10	6/10
Temperature	37.4°C	37.3°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	88%	93%
Blood glucose	7 mmol/L	6 mmol/L
Blood pressure	125/85 mmHg	119/79 mmHg

Complaint	Injured ankle whilst playing football
History	Nothing of note
Previous medical history	N/A
Drug history/allergies	N/A
Injuries/illnesses	Damaged knee ligaments from a previous injury 5 months prior
Additional information	N/A

Danger	Football matches going on around you
Response	Alert and responsive
Catastrophic haemorrhage	N/A
Airway	Open and clear
Breathing	Shallow and deep - attempting to control breathing
Circulation	No visible circulation issues
Disability	Alert and responsive
Exposure	Outside, patient was recently physically exerting themselves

Emergency Responder Scenario 1

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 2

Sprain – Walking event

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You are providing first aid at a large charity walk. A patient comes into your treatment centre with the support of two friends. They are complaining of pain in their knee after they slipped descending a steep slope. Their breathing is rapid and their temperature is high from the exercise before the fall.

Patient brief

You have injured your knee while descending a steep slope during a hike. You are in pain and cannot put any weight on your knee.

Patient simulation

- The patient's knee appears swollen and there is visible bruising
- The patient is unable to stand or walk on her own and is currently being supported by two friends.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	23/min	19/min
Pulse rate	104 bpm	86 bpm
Pain score	7/10	5/10
Temperature	36.7°C	36.7°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	90%	92%
Blood glucose	8 mmol/L	7 mmol/L
Blood pressure	121/81 mmHg	114/74 mmHg

Complaint	Slipped and sprained ankle
History	Injury occurred
Previous medical history	They take medication for depression
Drug history/allergies	They are allergic to shellfish and is carrying an auto-injector
Injuries/illnesses	Severe allergic reaction to shellfish. Is living with depression
Additional information	Nothing of note

Danger	A steep slope is potentially hazardous to the first aider
Response	Alert and responsive
Catastrophic haemorrhage	N/A
Airway	Open and clear
Breathing	Panicked and rapid
Circulation	No circulation issues
Disability	Alert and responsive
Exposure	Outside

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 3

Strain – Country show

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are providing first aid at a busy country show, where exhibitors and contractors are engaged in various activities. While on a foot patrol, you come across a contractor who has strained his hand and forearm while lifting a heavy load. The contractor is sitting down, holding his hand in pain.

Patient brief

You are a contractor at a country show who has strained your hand and forearm while lifting a heavy load of fencing. You are in pain and unable to move your hand or wrist without feeling discomfort.

Patient simulation

- The patient is sitting down, holding his hand
- There is light bruising on the back of the hand and forearm
- He is unable to move his hand or wrist without feeling discomfort.

Resources

- Full training FA kit (including GSL, AED and ePRF)
- Moving and handling equipment.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	19/min	15/min
Pulse rate	78 bpm	75 bpm
Pain score	4/10	4/10
Temperature	36.7°C	36.7°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	92%	95%
Blood glucose	4 mmol/L	4 mmol/L
Blood pressure	118/80 mmHg	110/75 mmHg

Complaint	Strained hand and forearm
History	The injury occurred less than ten minutes ago
Previous medical history	Has gout
Drug history/allergies	No allergies known
Injuries/illnesses	He is suffering from gout
Additional information	Nothing of note

Danger	Crowds of people and heavy objects nearby
Response	Alert and responsive
Catastrophic haemorrhage	N/A
Airway	Open
Breathing	Acceptable
Circulation	Light bruising on the back of the hand and forearm
Disability	Alert and responsive
Exposure	Nothing of note

Emergency Responder Scenario 3

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 4

Nosebleed – Air Show

Please read the brief below. There are prompts provided to give to the learners should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty providing first aid cover at a large air show. You have been called to treat a 12-year-old visiting with his school (Max), who has been experiencing a nosebleed for the last 20 minutes. Max is feeling lightheaded and dizzy, and the bleeding is not slowing down.

Patient brief

You are a 12-year-old student called Max who has been experiencing a nosebleed for the last 20 minutes. You are feeling lightheaded and dizzy.

Patient simulation

- Nose is actively bleeding, and blood is flowing down his face
- Pale, sweaty, and dizzy.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	13/min	14/min
Pulse rate	71 bpm	69 bpm
Pain score	3/10	3/10
Temperature	37.3°C	36.7°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	98%	98%
Blood glucose	3.8 mmol/L	3.9 mmol/L
Blood pressure	83/51 mmHg	81/ 49 mmHg

Complaint	A nosebleed that will not stop
History	Has never had a nosebleed before
Previous medical history	He had chicken pox a year ago
Drug history/allergies	Nothing relevant
Injuries/illnesses	Nothing relevant
Additional information	The patient has gone incredibly pale and wobbly

Danger	Nonrelevant
Response	Response level is dropping
Catastrophic haemorrhage	Not relevant
Airway	Breathing through mouth
Breathing	Getting slower
Circulation	Heavy bleeding from nose
Disability	Response level is dropping
Exposure	Outside

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 5

Nosebleed – Sports Tournament

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty providing first aid cover at a sports tournament. You have been called to treat a 16-year-old athlete who has been hit in the nose during a game and is experiencing a nosebleed. Please assess and treat the patient appropriately.

Patient brief

You are a 16-year-old athlete who has been hit in the nose during a game and is experiencing a nosebleed.

Patient simulation

- ▶ Nose is actively bleeding and blood is flowing down his face
- ▶ Feeling dizzy and reports feeling pain and tenderness in his nose
- ▶ Nose appears to be swollen and he is having difficulty breathing through his nose.

Resources

- ▶ Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	18/min	16/min
Pulse rate	78 bpm	72 bpm
Pain score	4/10	2/10
Temperature	37.5°C	37.3°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	92%	95%
Blood glucose	5.3 mmol/L	5.3 mmol/L
Blood pressure	91/61 mmHg	91/61 mmHg

Complaint	Nosebleed
History	No relevant history
Previous medical history	No relevant history
Drug history/allergies	Allergic to latex gloves
Injuries/illnesses	Nothing of note
Additional information	The nose looks slightly deformed

Danger	Sports events going on around
Response	Alert & responsive
Catastrophic haemorrhage	None
Airway	Breathing through their mouth, not their nose
Breathing	Breathing through mouth
Circulation	Bleeding from nose
Disability	Alert & responsive
Exposure	Outdoors, patient was recently physically exerting themselves

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 6

Minor Wounds – Craft Festival

Please read the brief below. There are prompts provided to give to the learners should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are at a major craft festival. A patient has come to you with a small cut on their finger after accidentally cutting themselves with a craft knife.

Patient brief

You have a small cut on your finger from accidentally cutting yourself with a craft knife.

Patient simulation

- The patient will have a small cut on their finger that is bleeding slightly
- The patient be in some pain but will be able to move their finger and talk normally.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	21/min	16/min
Pulse rate	72 bpm	71 bpm
Pain score	7/10	2/10
Temperature	37.3°C	37°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	96%	97%
Blood glucose	4.1 mmol/L	4.0 mmol/L
Blood pressure	95/65 mmHg	95/65 mmHg

Complaint	Small cut on the finger
History	Accidently did it, tells you it's the worst pain they have ever been in
Previous medical history	Nothing relevant
Drug history/allergies	Nothing relevant
Injuries/illnesses	Nothing relevant
Additional information	Nothing relevant

Danger	There is a small craft knife somewhere
Response	Alert and responsive
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	Fast at first, but slows down when explaining the issue
Circulation	Nothing of note
Disability	Alert and responsive
Exposure	No concerns

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 7

Minor Wounds – Park Event

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are at a park event. A member of the public has approached you with a small graze on their arm after falling off a bike.

Patient brief

You have a small graze on your arm from falling off a bike.

Patient simulation

- The patient will have a small graze on their arm that is bleeding slightly
- The patient may be in some pain but will be able to move their arm and talk normally.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	20/min	19/min
Pulse rate	82 bpm	79 bpm
Pain score	2/10	3/10
Temperature	37.2°C	37.1°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	95%	98%
Blood glucose	3.8 mmol/L	3.9 mmol/L
Blood pressure	101/63 mmHg	102/62 mmHg

Complaint	Slight graze on the arm
History	Fell off their bike
Previous medical history	Has angina
Drug history/allergies	Has GTN spray for angina
Injuries/illnesses	Had a heart attack a year ago
Additional information	Nothing relevant

Danger	There are several members of the public still cycling around the patient
Response	Alert and responsive
Catastrophic haemorrhage	None
Airway	No issues
Breathing	Normal
Circulation	Normal
Disability	Alert and responsive
Exposure	No concerns

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 8

Minor Wounds – Inter-schools sports competition

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty at a sports competition between primary schools from across the county. A child has come to you with a small cut on their knee and grazes on their hands after tripping over while running.

Patient brief

You are a 10-year-old child who has a small cut on your knee from falling over while running. You noticed broken metal on the ground where you fell. Your parents weren't able to come to see you compete today.

Patient simulation

- The patient will have a small cut on their knee that is bleeding slightly
- They will have redness and dirt on their palms
- They may be in some pain but will be able to walk and talk normally.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	21/min	19/min
Pulse rate	72 bpm	70 bpm
Pain score	4/10	2/10
Temperature	37.3°C	37.2°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	96%	96%
Blood glucose	3.8 mmol/L	3.9 mmol/L
Blood pressure	103/71 mmHg	101/70 mmHg

Complaint	Cut on the knee from falling over
History	Small pieces of dirt inside the wound
Previous medical history	Has not had a tetanus immunisation
Drug history/allergies	None relevant
Injuries/illnesses	No tetanus immunisation
Additional information	The injury was sustained near a pile of dirt and scrap metal

Danger	No danger
Response	Alert and responsive
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	Normal
Circulation	Normal
Disability	Alert and responsive
Exposure	Outdoors, but no specific concerns

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 9

Asthma – Music festival

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You are attending a music festival, attended by a few thousand people, who are enjoying the live music on various stages. You have been called to assist an individual near an outdoor stage who is experiencing breathing difficulties and was enjoying the festival. They have a blue asthma inhaler in their bag along with a brown inhaler.

Patient brief

You're feeling increasingly short of breath and will use your inhaler when the Emergency Responder arrives. You'll express tightness in your chest, finding it hard to speak in full sentences. You will be incorrectly using your brown inhaler as you very rarely experience asthma attacks and have not had one in a few years. You'll be embarrassed and blame other members of the public for smoking nearby as the cause of the attack.

Patient simulation

- ▶ The patient appears visibly distressed, struggling to breathe and communicating in short, gasping sentences
- ▶ They'll be using their inhaler, but their condition won't significantly improve
- ▶ Expresses frustration about missing out on the festival activities due to the asthma attack, feeling disappointed about the interruption.

Resources

- ▶ Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	28/min	22/min
Pulse rate	89 bpm	84 bpm
Pain score	3/10	2/10
Temperature	37.2°C	37.3°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	91%	95%
Blood glucose	7 mmol/L	5 mmol/L
Blood pressure	130/87 mmHg	112/78 mmHg

Complaint	Asthma attack
History	Has not had an asthma attack in years
Previous medical history	They have had the flu recently
Drug history/allergies	Inhalers
Injuries/illnesses	None
Additional information	Nothing of note

Danger	High number of bystanders enjoying the music around you and the patient
Response	Alert and responsive
Catastrophic haemorrhage	Nothing of note
Airway	Breathing is affected due to the asthma attack
Breathing	Breathing is affected due to the asthma attack
Circulation	No issues
Disability	Alert and responsive
Exposure	Nothing of note

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 10

Asthma – Christmas Market

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You are attending a large Christmas Market on a cold, winters night. The market is very busy, full of stalls and a lot of people. You have been posted to a small wooden shed on the outskirts of the event, and a patient walks up to you out of breath. They are struggling to breathe and their child who is with them looks very concerned and worried and begins to cry. They inform you they have medication, but they have left it in their car which is roughly 100 metres away from where you are standing. You will have another Emergency Responder with you in this scenario, if not, the child will be able to go to the car for you.

Patient brief

You're feeling increasingly short of breath and will use your inhaler when you receive one. You think it's the cold air that has set it off. You will be more concerned for your child than yourself.

Patient simulation

- Breathless and concerned
- Trying to explain what car you have to other people to get your medication
- Worried about their upset child.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	23/min	17/min
Pulse rate	71 bpm	68 bpm
Pain score	4/10	1/10
Temperature	37.1°C	37.1°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	92%	98%
Blood glucose	8 mmol/L	4 mmol/L
Blood pressure	135/85 mmHg	120/80 mmHg

Complaint	Asthma attack
History	They are aware they have asthma
Previous medical history	Have been having asthma attacks more often recently
Drug history/allergies	They had two 500mg of paracetamol this morning for shoulder pain
Injuries/illnesses	Nothing of note
Additional information	Nothing of note

Danger	Other individuals and the need to get to a car park for the medication
Response	Alert and responsive
Catastrophic haemorrhage	Nothing of note
Airway	Having an asthma attack
Breathing	Having an asthma attack
Circulation	No issue
Disability	Alert and responsive
Exposure	Cold winter night

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder - Scenario 11

Asthma attack - Marathon

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You are at a marathon. You have been called to attend an individual who is short of breath and was participating in the run. They have a blue asthma inhaler in their bum-bag.

Patient brief

You feel extremely short of breath and will be using an inhaler when the Emergency Responder arrives. You'll mention feeling tightness in your chest and will be struggling to speak in full sentences. You will also convey your worry about not finishing the marathon and inquire about the event. Additionally, you'll be concerned about using your inhaler too frequently and may express reluctance or fear about it as you have recently read an internet site that said overuse might be bad for you.

Patient simulation

- The patient will appear distressed and will be struggling to breathe, speaking in short, gasping sentences
- They'll be using their inhaler, but the condition won't seem to improve significantly
- Expresses concern about participating in the marathon and feeling upset about the asthma attack affecting their time
- May be worried about using the inhaler repeatedly and its impact or potential side effects.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	27/min	22/min
Pulse rate	89 bpm	82 bpm
Pain score	4/10	2/10
Temperature	37.4°C	37.4°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	88%	93%
Blood glucose	6 mmol/L	4 mmol/L
Blood pressure	127/88 mmHg	114/78 mmHg

Complaint	Asthma attack
History	Has asthma and medication prescribed
Previous medical history	Nothing of note
Drug history / allergies	Has taken several puffs of their inhaler (cannot remember how many)
Injuries / illnesses	Having an asthma attack
Additional information	Nothing of note

Danger	None shown
Response	Alert and responsive
Catastrophic haemorrhage	No issue
Airway	Having an asthma attack
Breathing	Rapid breathing
Circulation	No circulation issues
Disability	Alert and responsive
Exposure	Patient was running a marathon

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 12

Chest Pain – Changing Rooms

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You have been called to a patient in the changing rooms who is struggling to catch their breath. As you approach, you can see they are pale, cold, clammy, and struggling to breathe.

Patient brief

You are a referee at a football match. After running and sending a player off for a bad challenge, you felt a tightness in your chest. You continued the match, but at half time have walked off the pitch into the changing room. You have called for help as you are struggling to catch your breath, and have pain in your chest which is radiating down your arm. You are very frightened.

Patient simulation

- The patient appears very pale, cold and clammy
- The patient's breathing is fast and shallow
- They are feeling slightly light-headed and feel sick
- They have central chest pain, which seems to be spreading to the arm.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	25/min	25/min
Pulse rate	120 bpm	120 bpm
Pain score	9/10	9/10
Temperature	37.2°C	37.2°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	90%	92%
Blood glucose	7.1 mmol/L	7.1 mmol/L
Blood pressure	77/48 mmHg	80/50 mmHg

Complaint	Central chest pain
History	Referee at a football match
Previous medical history	No previous medical history
Drug history/allergies	Nothing noted
Injuries/illnesses	Possible heart attack
Additional information	Nothing of note

Danger	Nothing of note
Response	Alert and responsive
Catastrophic haemorrhage	Nothing of note
Airway	Nothing noted
Breathing	Fast and shallow
Circulation	Appear pallor; pulse is difficult to find in the wrist; it is fast, weak and erratic
Disability	Alert and responsive
Exposure	No concerns

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 13

Chest Pain – Football

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You have been called to a patient sitting in the football stand. As you approach, you can see they are pale, cold, clammy, and struggling to breathe.

Patient brief

You were attending a local football match, and you felt okay when you arrived, but in the last 30 minutes, something didn't feel quite right. You have some mild discomfort in your chest, and you are feeling a little lightheaded, but this isn't that unusual when you over-exert yourself, as you suffer from angina. You have been given medication for the angina, it's in your coat pocket somewhere.

Patient simulation

- ▶ The patient appears very pale, cold and clammy
- ▶ The patient's breathing is fast and shallow
- ▶ They are feeling slightly light-headed and feel sick
- ▶ They have central chest pain, which seems to be spreading to the arm.

Resources

- ▶ Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	25/min	25/min
Pulse rate	120bpm	120bpm
Pain score	9/10	9/10
Temperature	37.2°C	37.2°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	90%	92%
Blood glucose	7.1 mmol/L	7.1 mmol/L
Blood pressure	124/90 mmHg	124/90 mmHg

Complaint	Central chest pain
History	Football match
Previous medical history	History of angina
Drug history/allergies	GTN spray
Injuries/illnesses	Possible heart attack
Additional information	Nothing of note

Danger	Nothing of note
Response	Alert and responsive
Catastrophic haemorrhage	Nothing of note
Airway	Nothing noted
Breathing	Fast and shallow
Circulation	Appear pallor; pulse is difficult to find in the wrist; it is fast, weak and erratic
Disability	Alert and responsive
Exposure	Outdoors

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 14

Chest Pain – Toilets

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You are volunteering at a football match when you are called to the toilets to treat an elderly patient who is feeling unwell. They appear pale, cold, and clammy, and complain of indigestion which has been affecting them all day and won't go away.

Patient brief

You appear very pale, cold, and clammy. You have been suffering from indigestion all day, and no matter what you did, you couldn't relieve it.

Patient simulation

- The patient appears very pale, cold and clammy
- The patient's breathing is fast and shallow
- They are feeling slightly light-headed and feel sick
- They have central chest pain, which seems to be spreading to the arm.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	25/min	25/min
Pulse rate	120 bpm	120 bpm
Pain score	9/10	9/10
Temperature	37.2°C	37.2°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	85%	89%
Blood glucose	8.5 mmol/L	8.2 mmol/L
Blood pressure	70/40 mmHg	70/40 mmHg

Complaint	Central chest pain
History	Football match
Previous medical history	Reports suffering from indigestion all day.
Drug history/allergies	Penicillin
Injuries/illnesses	Possible heart attack
Additional information	Nothing of note

Danger	Nothing of note
Response	Alert and responsive
Catastrophic haemorrhage	Nothing of note
Airway	Nothing noted
Breathing	Fast and shallow
Circulation	Appear pallor; pulse is difficult to find in the wrist; it is fast, weak and erratic
Disability	Alert and responsive
Exposure	No concerns

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 15

Stroke – Night Time Economy

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are setting up a treatment centre on the high street in preparation for a Night Time Economy duty when you notice an elderly person sitting on a bench, looking disoriented and struggling to speak.

Patient brief

You have been shopping in the local high street and were about to head home, when you started feeling out of sorts. You've taken a seat on a bench in the high street to take a drink, but you can't pick up your bottle. When you try to talk, it's difficult for people to understand you, and you appear to be dribbling, which you find very embarrassing.

Patient simulation

- The side of the patient's face appears to have dropped
- The patient is slurring their words and their speech is difficult to understand
- They also appear to have some arm weakness.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Positive	Positive
ACVPU	Alert	Alert
Respiration rate	12/min	14/min
Pulse rate	100 bpm	110 bpm
Pain score	1/10	1/10
Temperature	37.2°C	37.2°C
Pupil size	Uneven and not reactive	Uneven and not reactive
Pulse oximetry	86%	84%
Blood glucose	7.9 mmol/L	7.8 mmol/L
Blood pressure	150/90 mmHg	150/90 mmHg

Complaint	Arm weakness, facial weakness, slurred speech
History	Sat in the park
Previous medical history	High blood pressure and cholesterol
Drug history/allergies	Simvastatin, Ramipril
Injuries/illnesses	Possible stroke
Additional information	Nothing of note

Danger	Nothing of note
Response	Alert and responsive – but difficult to understand
Catastrophic haemorrhage	Nothing of note
Airway	Nothing noted
Breathing	Nothing noted
Circulation	Nothing noted
Disability	Alert and responsive – but difficult to understand
Exposure	Outdoors late in the day

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 16

Stroke – Care Home

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are in a local care home providing support. You are chatting to a couple of residents when you notice that one is slurring their words a little.

Patient brief

You were talking to someone when you suddenly found it difficult to get your words out correctly; you know what you want to say, but when you talk, it all comes out wrong. A carer went to give you a cup of tea, but when they handed it to you, you dropped it as your arm/hand didn't work

Patient simulation

- The side of the patient's face appears to have dropped
- The patient is slurring their words, and their speech is difficult to understand
- They also appear to have some arm weakness.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Positive	Positive
ACVPU	Alert	Alert
Respiration rate	12/min	14/min
Pulse rate	100bpm	110bpm
Pain score	1/10	1/10
Temperature	37.2°C	37.2°C
Pupil size	Uneven and not reactive	Uneven and not reactive
Pulse oximetry	89%	85%
Blood glucose	8.1 mmol/L	8.1 mmol/L

Complaint	Arm weakness, facial weakness, slurred speech
History	Sat in the park
Previous medical history	High blood pressure, diabetic type 2
Drug history/allergies	Ramipril, metformin
Injuries/illnesses	Possible stroke
Additional information	Nothing of note

Danger	Nothing of note
Response	Alert and responsive – but difficult to understand
Catastrophic haemorrhage	Nothing of note
Airway	Nothing noted
Breathing	Nothing noted
Circulation	Nothing noted
Disability	Alert and responsive – but difficult to understand
Exposure	Nothing noted

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 17

Stroke – First Aid Post

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

A patient has walked into your first aid post complaining that they feel unwell and slightly weak. You struggle to understand them, as they are slurring their words.

Patient brief

You make your way to a first aid post as you have started to feel unwell and weak. When you are talking, people struggle to understand you. You have also noticed that you have begun to dribble, and your hand doesn't feel quite right.

Patient simulation

- The patient's face appears to have dropped on one side
- The patient is slurring their words, and their speech is difficult to understand
- They also appear to have some arm weakness.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Positive	Positive
ACVPU	Alert	Alert
Respiration rate	12/min	14/min
Pulse rate	100 bpm	110 bpm
Pain score	1/10	1/10
Temperature	37.2°C	37.2°C
Pupil size	Uneven and not reactive	Uneven and not reactive
Pulse oximetry	85%	83%
Blood glucose	13.1 mmol/L	13.1 mmol/L
Blood pressure	148/93 mmHg	150/95 mmHg

Complaint	Arm weakness, facial weakness, slurred speech
History	Sat in the park
Previous medical history	High blood pressure, diabetic type 2
Drug history/allergies	Ramipril, metformin
Injuries/illnesses	Possible stroke
Additional information	Nothing of note

Danger	Nothing of note
Response	Alert and responsive - but difficult to understand
Catastrophic haemorrhage	Nothing of note
Airway	Nothing noted
Breathing	Nothing noted
Circulation	Nothing noted
Disability	Alert and responsive - but difficult to understand
Exposure	Nothing of note

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manage scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 18

Low Blood Sugar – Charity Event

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are attending a large charity event, with live music, food and drink, and various performances. Roughly 1700 people are attending, with families watching the performance in the main ring. You have been called to assist an individual behaving oddly, not like their normal self.

Patient brief

It's now 3 p.m., and you missed lunch because you were covering for someone who didn't turn up to help on your stall and you had breakfast early around 6am. You have started to feel a little light-headed and have started to become a bit grumpy and argumentative, not your normal self.

Patient simulation

- ▶ The patient appears visibly pale, cold and clammy
- ▶ They are feeling slightly lightheaded and unsteady on their feet
- ▶ The Emergency Responders have been called over by the patient's friend as they don't appear to be their normal self.

Resources

- ▶ Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	14/min	16/min
Pulse rate	95 bpm	75 bpm
Pain score	1/10	1/10
Temperature	37.2°C	37.3°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	91%	93%
Blood glucose	3.2 mmol/L	4.5 mmol/L
Blood pressure	85/58 mmHg	90/60 mmHg

Complaint	Low blood sugar
History	Missed lunch and had breakfast early
Previous medical history	No previous medical history
Drug history/allergies	None
Injuries/illnesses	None
Additional information	Nothing of note

Danger	Nothing of note
Response	Alert and responsive
Catastrophic haemorrhage	Nothing of note
Airway	Nothing noted
Breathing	Nothing noted
Circulation	Appear pallor
Disability	Alert and responsive
Exposure	Outdoors

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 19

Low Blood Sugar – Country Fair

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You notice a young girl stumbling towards your first aid station. She looks pale and complains of feeling dizzy and weak. Her friends are concerned and accompany her.

Patient brief

You were attending a local country fair when you started feeling dizzy and weak. You had been dancing and playing games with your friends, which likely contributed to your symptoms. You do not have any known medical conditions, but your friends mentioned that you hadn't eaten much during the fair.

Patient simulation

- The patient appears visibly pale, cold and clammy
- They are feeling slightly light-headed and unsteady on their feet.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	14/min	16/min
Pulse rate	82 bpm	75 bpm
Pain score	1/10	1/10
Temperature	37.5°C	37.2°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	92%	95%
Blood glucose	3.5 mmol/L	5.1 mmol/L
Blood pressure	83/54 mmHg	90/60 mmHg

Complaint	Low blood sugar
History	Dancing and playing games at the country fair, doesn't seem to have eaten anything at the fair
Previous medical history	No previous medical history
Drug history/allergies	None
Injuries/illnesses	None
Additional information	Nothing of note

Danger	Nothing of note
Response	Alert and responsive
Catastrophic haemorrhage	Nothing of note
Airway	Nothing noted
Breathing	Nothing noted
Circulation	Appear pallor
Disability	Alert and responsive
Exposure	Outdoors, recent physical exertion

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 20

Low Blood Sugar – 10K Run

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are an Emergency Responder providing coverage during a 10K run event. The weather is warm, and participants are pushing their limits. Suddenly, one of the runner's staggers and appears disoriented. You approach them to assess the situation.

Patient brief

You are midway through the 10K run. The sun is beating down, and the race is intense. Suddenly, you feel disoriented, shaky, and extremely hungry. You recognise the signs of low blood sugar and need assistance.

Patient simulation

- The patient appears visibly pale, cold and clammy
- They are feeling slightly light-headed and unsteady on their feet.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	14/min	16/min
Pulse rate	100 bpm	75 bpm
Pain score	1/10	1/10
Temperature	37.5°C	37.2°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	90%	93%
Blood glucose	2.5 mmol/L	3.9 mmol/L
Blood pressure	83/56 mmHg	89/59 mmHg

Complaint	Low blood sugar
History	10k run on a warm day
Previous medical history	No previous medical history
Drug history/allergies	None
Injuries/illnesses	None
Additional information	Nothing of note

Danger	Nothing of note
Response	Alert and responsive
Catastrophic haemorrhage	Nothing of note
Airway	Nothing noted
Breathing	Nothing noted
Circulation	Appear pallor
Disability	Alert and responsive
Exposure	Outdoors, patient has been physically exerting themself

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 21

Bleeding – Charity Dance Event

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You are volunteering at a charity dance event. The event has its own catering team. You are called into the kitchen to find one of the catering team has a large shard of glass sticking out of their hand.

Patient brief

You have been working as part of the catering team at a charity dance event. You have tried to catch a falling glass resulting in it cutting your hand and a large shard of glass becoming embedded. You are alert and in considerable pain, you want to pull the glass out of your hand.

Patient simulation

- The patient will have a large open wound on the palm of their hand with a shard of glass sticking out
- The patient is incredibly distressed.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	Not taken	14/min
Pulse rate	Not taken	95 bpm
Pain score	8/10	7/10
Temperature	Not taken	37°C
Pupil size	Not taken	Equal and reactive
Pulse oximetry	Not taken	93%
Blood glucose	Not taken	3.9 mmol/L
Blood pressure	Not taken	88/55 mmHg

Complaint	Cut hand on glass
History	The patient has tried to catch a falling drinks glass
Previous medical history	Usually fit and well
Drug history/allergies	No medication No allergies known
Injuries/illnesses	Shard of glass embedded in the palm of their hand
Additional information	N/A

Danger	Broken glass on the ground
Response	Alert and responsive
Catastrophic haemorrhage	No
Airway	Clear and open
Breathing	Quickened
Circulation	Fast pulse and rhythm. The patient is becoming pale
Disability	Alert and responsive
Exposure	No concerns

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 22

Bleeding – Music Festival

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at a music festival when a group of teenagers suddenly rush into the treatment centre pushing their friend in front of you. They're screaming and blood is pouring from their arm. Their hand is at an unusual angle, they lift their hand, and you can see the bone.

Patient brief

You have been walking through the park with your mates when a man with a large knife approached you and after an altercation he slashed across your wrist with the blade, partially amputating your hand. Initially, you are alert, but your level of response is rapidly decreasing until the bleeding slows.

Patient simulation

- ▶ The patient will have a large open wound on the inside of their wrist, simulating a partial amputation
- ▶ The patient is incredibly distressed.

Resources

- ▶ Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
ACVPU	Alert (moving into voice)	Alert
Respiration rate	Not taken	14/min
Pulse rate	Not taken	100 bpm
Pain score	10/10	7/10
Temperature	Not taken	37°C
Pupil size	Not taken	Equal and reactive
Pulse oximetry	Not taken	87%
Blood glucose	Not taken	7.3 mmol/L
Blood pressure	Not taken	75/51 mmHg

Complaint	Large open wound on wrist
History	The patient has been attacked by a bladed weapon at an event
Previous medical history	Usually fit and well
Drug history/allergies	No medication No allergies known
Injuries/illnesses	Life-threatening bleeding
Additional information	The attacker is nowhere to be seen but could still be on the site

Danger	Unknown whereabouts of the attacker
Response	Alert but becoming gradually unresponsive
Catastrophic haemorrhage	Yes - wrist
Airway	Clear and open
Breathing	Hyperventilating
Circulation	Fast pulse and rhythm. Patient is becoming pale
Disability	Alert but becoming gradually unresponsive
Exposure	No concerns

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 23

Bleeding – Steam Rally

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You are volunteering at a local steam rally. You are dispatched urgently to reports of a patient who has injured their hand in the mechanism of a steam engine. When you arrive, the patient is in large amounts of pain and their hand appears mangled and bleeding heavily.

Patient brief

You have been exhibiting your vintage steam engine at a rally. Somehow you have accidentally got your hand caught in part of the mechanism and this has led to a crush of the lower part of your hand. Initially, you are alert and in lots of pain but your level of response is rapidly decreasing until the bleeding slows.

Patient simulation

- ▶ The patient will have a wound that simulates the lower part of their hand being partially amputated
- ▶ The patient is incredibly distressed.

Resources

- ▶ Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Negative
ACVPU	Alert (moving into voice)	Alert
Respiration rate	Not taken	14/min
Pulse rate	Not taken	100bpm
Pain score	10/10	9/10
Temperature	Not taken	37°C
Pupil size	Not taken	Equal and reactive
Pulse oximetry	Not taken	90%
Blood glucose	Not taken	7.1 mmol/L
Blood pressure	Not taken	87/57 mmHg

Complaint	Large open wound on the wrist
History	The patient's hand got caught in part of the mechanism of a steam engine
Previous medical history	Usually fit and well
Drug history/allergies	No medication No allergies known
Injuries/illnesses	Life-threatening bleeding
Additional information	N/A

Danger	Mechanical equipment around patient, crowds
Response	Alert but becoming gradually unresponsive
Catastrophic haemorrhage	Yes - hand
Airway	Clear and open
Breathing	Hyperventilating
Circulation	Fast pulse and rhythm. The patient is becoming pale
Disability	Alert but becoming gradually unresponsive
Exposure	Outdoors

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 24

Fracture – Mountain Biking Competition

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You are covering a mountain biking competition. You have been called to a patient who has fallen off their bike and landed on their hand during a race. This has resulted in an open fracture to their right arm. They are in a lot of pain. The patient will be wearing a helmet. They are currently sitting on the side of the track.

Patient brief

You are in immense pain and will be asking the Emergency Responder to not look at it, you will keep saying "I don't want to see it". If the Emergency Responder knocks into it, you will make them aware of the pain it causes you. You will also ask the Emergency Responder about your bike and if it is okay. You are bleeding from the area and are worried about getting it on your nice white cycling shorts.

Patient simulation

- The patient will be pale in colour and sweating
- Moans and groans when the Emergency Responder touches the area
- They have an open fracture wound to their right arm.

Resources

- Bike helmet
- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	Not taken	16/min
Pulse rate	Not taken	62 bpm
Pain score	9/10	6/10
Temperature	Not taken	37.2°C
Pupil size	Not taken	Equal and reactive
Pulse oximetry	Not taken	93%
Blood glucose	Not taken	6.7 mmol/L
Blood pressure	Not taken	90/60 mmHg

Complaint	Open fracture in the right arm
History	They ate regularly before exercising today
Previous medical history	Has asthma
Drug history / allergies	Has an asthma inhaler - they are allergic to ibuprofen
Injuries / illnesses	They have anxiety and OCD
Additional information	They are feeling incredibly self-conscious

Danger	Racers going past you and the patient
Response	Alert and responsive
Catastrophic haemorrhage	There is a lot of bleeding but not requiring tourniquets
Airway	Open
Breathing	Rapid and panicked
Circulation	Bleeding from the arm but strong pulse
Disability	Alert and responsive
Exposure	Outside, patient has been physically exerting themselves

Emergency Responder Scenario

	Scenario lead Prompts to help learner	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 25

Fracture – Protest

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

It is December, and you are on duty at a major protest in the city centre. As you arrive, you are ushered by a steward to a patient. The patient has come to the event by train. She was running to catch the train and caught her leg between the train and the platform. She has walked from the station to the location very awkwardly as to not miss the protest but is now in a lot of pain. There is some redness on the front of her leg, but there are no signs of obvious deformity.

Patient brief

You have a fractured leg, but you worry about being a burden. You are cold after sitting outside for 20 minutes and are showing signs of hypothermia. You have tenderness when your leg is touched and a throbbing pain. You are hard of hearing so unless the Emergency Responder talks loudly or ensures that you can lip read, communication can be difficult for you.

Patient simulation

- The patient will be pale in colour
- Tenderness and none-load bearing on leg
- Agitated as you want to get on with your day and not be a burden.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	20/min	16/min
Pulse rate	87 bpm	67 bpm
Pain score	7/10	4/10
Temperature	34.4°C	36.8°C
Pupil size	Slightly large, but equal and reactive	Equal and reactive
Pulse oximetry	93%	96%
Blood glucose	7 mmol/L	6 mmol/L
Blood pressure	145/95 mmHg	140/89 mmHg

Complaint	Tenderness in the lower leg
History	Caught and twisted while boarding train
Previous medical history	Hard of hearing, has ear drops prescribed due to earwax build-up
Drug history / allergies	None
Injuries / illnesses	Is hard of hearing due to partial deafness
Additional information	Nothing of note

Danger	Cold December day and currently sitting outside
Response	Alert and responsive
Catastrophic haemorrhage	None present
Airway	Open
Breathing	Slightly slower
Circulation	Nothing of note
Disability	Alert and responsive
Exposure	Cold December day and feeling cold

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 26

Fracture – Football stadium

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You have been called to an incident in the catering area of the stadium. A fan has 'hopped' to this area with his friend after a suspected broken ankle suffered in between the stadium seats while celebrating a goal. His friend is adamant that the patient is fine, and they will just go to A&E at the end of the game.

Patient brief

You are in a lot of pain but because your friend is there you are trying to pretend it doesn't hurt that much. You have one eye on the football match to keep track of the score. Your ankle is broken and cannot support any weight and you are holding back tears. You sustained the injury while jumping over a seat to get to your friend after celebrating a goal. You attempted to stand up to prove 'it's not that bad', but you fell over near the catering section of the stands. His friend keeps trying to suggest his friend just tries to stand up so they can go to the hospital after the game has finished.

Patient simulation

- The patient will be pale in colour and sweating
- Moans and groans when the Emergency Responder touches the area
- Not being honest about the level of pain they are in.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	20/min	16/min
Pulse rate	87 bpm	67 bpm
Pain score	8/10	5/10
Temperature	37.2°C	37.2°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	88%	93%
Blood glucose	12 mmol/L	12 mmol/L
Blood pressure	121/87 mmHg	115/76 mmHg

Complaint	Potentially broken ankle
History	Tripped over and twisted within a closed stadium seat,
Previous medical history	Broke the other ankle a year ago
Drug history/allergies	Allergic to penicillin, took an antihistamine this morning for recurring hay fever
Injuries/illnesses	Broken ankle
Additional information	Ate a pie 45 minutes prior. Had a soft drink immediately afterwards

Danger	Members of catering staff walking past
Response	Alert and responsive
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	Faster than normal
Circulation	Fast pulse and rhythm, patient is pale
Disability	Alert and responsive
Exposure	No concerns

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 27

Moving and Handling – Treatment Centre to Hospital Transport

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct procedure is followed, the patient's condition will remain stable.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at a walking event, and have been asked to move a patient with an injured ankle to meet transport which will take them to the hospital for an X-ray. This will involve moving them across rough ground, both rocky tracks and grassy areas. Before you take them, you need to do a set of observations.

Patient brief

You have injured your ankle at a walking event, and are being sent to the hospital to get an X-ray. You can use your non-injured foot to stand up and can transfer from the chair into the wheelchair without any assistance. You are in a lot of pain and have been crying a lot.

Patient simulation

- The patient will be in pain.

Resources

- Wheelchair
- Blanket (not essential).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
AVPU	Alert	Alert
Respiration rate	14/min	12/min
Pulse rate	92 bpm	85 bpm
Pain score	6/10	5/10
Temperature	37°C	37°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	96%	97%
Blood glucose	4.8 mmol/L	4.7 mmol/L
Blood pressure	115/78 mmHg	112/76 mmHg

Complaint	Ankle pain requires being taken for an X-ray
History	Rolled their ankle whilst out country walking
Previous medical history	Usually fit and well
Drug history/allergies	No medication
Injuries/illnesses	No allergies known
Additional information	Unknown

Danger	Outdoor location, rough ground, rocky tracks and grass
Response	Fully responsive
Catastrophic haemorrhage	Nothing of note
Airway	No note of concern
Breathing	Breathing a bit strangely, they have just been crying
Circulation	Their foot is swelling badly
Disability	Cannot place weight on their foot
Exposure	They were outside in the countryside

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Check the condition of wheelchair – brakes work, tyres pumped up, wheels turn cleanly, lap belt present – clip works, strap not frayed, footplates present work, grips on handles present ➤ Ensure the wheelchair is clean – remember IPC.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Explain to the patient about moving from chair to wheelchair – gain consent ➤ Ensure that the chair is on a flat surface and ensure the brakes are on ➤ Assist or encourage the patient to move into the wheelchair ➤ Ensure footplates are used, the lap belt is on and tight.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Decide which route to take – remember the use of lifts, use of ramps, and crowds of people ➤ Explain to the patient that you are going to start moving ➤ Ensure that someone is walking ahead of the wheelchair to clear the way, open doors, and advise of hazards ➤ When at destination – repeat steps in stage 2 (belt removed first, footplates moved so patient can put foot/feet on the floor, encourage/assist patient to move).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover"	➤ Ensure wheelchair is cleaned after patient use – remember IPC ➤ Store safely in folded position and ready for next use.

Emergency Responder – Scenario 28

Moving and Handling – Arena Food Court

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct procedure is followed, the patient's condition will remain stable.

Learner briefing (to be read out to the learner(s) providing first aid)

You are called to bring a wheelchair to collect a patient from the arena food court who needs to be assessed in the treatment centre. There are steps and a ramp between the food court and the treatment centre. Once back at the treatment centre, you will need to conduct a full set of observations.

Patient brief

You are suffering from abdominal pain, so can't walk to the treatment centre to be seen by the first aid team, but you can move yourself so don't need any assistance to get into the wheelchair.

Patient simulation

- The patient will be in pain.

Resources

- Wheelchair
- Blanket (not essential).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
AVPU	Alert	Alert
Respiration rate	12/min	12/min
Pulse rate	75 bpm	65 bpm
Pain score	5/10	4/10
Temperature	37.1°C	37°C
Pupil size	Even and reactive	Even and reactive
Pulse oximetry	97%	97%
Blood glucose	7.3 mmol/L	7.2 mmol/L
Blood pressure	91/68 mmHg	92/67 mmHg

Complaint	Abdominal pain
History	Casualty was watching the show when they suddenly felt a sharp pain in their abdomen
Previous medical history	None
Drug history/allergies	None
Injuries/illnesses	Unknown
Additional information	None

Danger	Busy arena food court, crowds and obstacles are likely
Response	Fully responsive
Catastrophic haemorrhage	Nothing of note
Airway	Open
Breathing	Slightly deep
Circulation	No circulation issues
Disability	Nothing of note
Exposure	Nothing of note

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Check the condition of wheelchair - brakes work, tyres pumped up, wheels turn cleanly, lap belt present - clip works, strap not frayed, footplates present work, grips on handles present ➤ Ensure the wheelchair is clean - remember IPC.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Explain to the patient about moving from chair to wheelchair - gain consent ➤ Ensure that the chair is on a flat surface and ensure the brakes are on ➤ Assist or encourage the patient to move into the wheelchair ➤ Ensure footplates are used, the lap belt is on and tight.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Decide which route to take - remember the use of lifts, use of ramps, and crowds of people ➤ Explain to the patient that you are going to start moving ➤ Ensure that someone is walking ahead of the wheelchair to clear the way, open doors, and advise of hazards ➤ When at destination - repeat steps in stage 2 (belt removed first, footplates moved so patient can put foot/feet on the floor, encourage/assist patient to move).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover"	➤ Ensure wheelchair is cleaned after patient use - remember IPC ➤ Store safely in folded position and ready for next use.

Emergency Responder – Scenario 29

Moving and Handling – Back Pain

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct procedure is followed, the patient's condition will remain stable.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at a local event, and have been asked to assist a patient with back pain who needs the toilet. Once you have returned to the first aid post, you need to take a full set of observations.

Patient brief

You are suffering from back pain, and desperately need the toilet. You can (albeit slowly) get into the wheelchair. You do not require any assistance once you are in the bathroom.

Patient simulation

- ▶ The patient will be in pain.

Resources

- ▶ Wheelchair
- ▶ Blanket (not essential).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
AVPU	Alert	Alert
Respiration rate	12/min	12/min
Pulse rate	75 bpm	75 bpm
Pain score	5/10	5/10
Temperature	37°C	37°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	97%	97%
Blood glucose	5.1 mmol/L	4.9 mmol/L
Blood pressure	145/89 mmHg	145/89 mmHg

Complaint	Back pain
History	Elderly person injured their back lifting grandchild, currently resting and awaiting HCP advice
Previous medical history	None
Drug history/allergies	None
Injuries/illnesses	No allergies known
Additional information	None

Danger	Limited space in the bathroom, crowds and obstacles between first aid post and bathroom
Response	Nothing of concern
Catastrophic haemorrhage	Nothing of concern
Airway	Nothing of concern
Breathing	Nothing of concern
Circulation	Nothing of concern
Disability	They have back pain
Exposure	They will need to use the toilet

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Check the condition of wheelchair – brakes work, tyres pumped up, wheels turn cleanly, lap belt present – clip works, strap not frayed, footplates present work, grips on handles present ➤ Ensure the wheelchair is clean – remember IPC.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Explain to the patient about moving from chair to wheelchair – gain consent ➤ Ensure that the chair is on a flat surface and ensure the brakes are on ➤ Assist or encourage the patient to move into the wheelchair ➤ Ensure footplates are used, the lap belt is on and tight.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Decide which route to take – remember the use of lifts, use of ramps, and crowds of people ➤ Explain to the patient that you are going to start moving ➤ Ensure that someone is walking ahead of the wheelchair to clear the way, open doors, and advise of hazards ➤ When at destination – repeat steps in stage 2 (belt removed first, footplates moved so patient can put foot/feet on the floor, encourage/assist patient to move).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover"	➤ Ensure wheelchair is cleaned after patient use – remember IPC ➤ Store safely in folded position and ready for next use.

Emergency Responder – Scenario 30

Helmet Removal – BMX Crash

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is followed, the patient's condition will remain stable.

Learner brief (to be read out to the learner(s) providing first aid)

You are volunteering at a local BMX event and have been called to assist a rider who has crashed during a race. The rider is still wearing their helmet and has not moved since the fall. You are the first responder on scene. You must assess the situation, ensure scene safety, and safely remove the helmet, if appropriate, while assessing for potential spinal injuries. A full set of baseline observations is required. When stabilising them, the patient goes unresponsive and begins to vomit.

Patient brief

You've crashed your BMX after landing badly on a jump. You hit your head and shoulder and are feeling dizzy and disoriented. You haven't taken your helmet off yet and are unsure if you should move. Your neck feels sore and stiff, and you're worried something might be wrong. You're anxious, breathing fast, and feeling slightly sick. Your name is Gary Thomas and you are 17 years old. You will go unresponsive and the Trainer will inform the responder that you have vomited.

Patient simulation

- The patient will be nervous and slightly confused
- They will be compliant but scared about removing their helmet
- They may feel neck pain when touched or moved.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Helmet (to simulate removal technique)
- Blanket (optional for comfort and warmth).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	22/min	28/min
Pulse rate	110 bpm	88 bpm
Pain score	7/10	5/10
Temperature	37.2°C	36.9°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	97%	98%
Blood glucose	5.2 mmol/L	5.1 mmol/L
Blood pressure	126/84 mmHg	118/78 mmHg

Complaint	Headache and neck pain after falling from BMX at speed
History	Injured after coming off a jump. Hit shoulder and head
Previous medical history	Healthy and active teenager
Drug history/allergies	No medication or known allergies
Injuries/illnesses	Helmet still in place, dizziness with neck and pain and nausea
Additional information	Nothing of note

Danger	BMX track has uneven ground and spectators
Response	Alert but slightly disorientated
Catastrophic haemorrhage	Nothing of note
Airway	Clear and speaking in full sentences
Breathing	Rapid but not laboured
Circulation	Slight bruising on shoulder with good capillary refill
Disability	Complaining of neck pain
Exposure	Outside, and wearing helmet and protective clothing

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "How would manage any other riders?" ➤ "Do you need any PPE for this patient?" ➤ Do you have concerns for spinal injuries?	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Stabilise the patients head and spine ➤ Decide if helmet removal is necessary ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do we need to remove the helmet?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "As they are now vomiting, what should we do?" ➤ "Would keeping them warm be appropriate?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Successful removal of the helmet ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 31

Helmet Removal – Equestrian Incident

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is followed, the patient's condition will remain stable.

Learner brief (to be read out to the learner(s) providing first aid)

You are on duty at a local circus event and have been called to assist a performer who has fallen from a horse during a routine. The horse was spooked by a loud noise, and the rider was thrown off, landing face-first on the ground. The rider is wearing an equestrian helmet and has sustained a facial injury that is bleeding heavily. They are semi-conscious and unable to remove the helmet themselves. You must assess the patient, manage the bleeding, and remove the helmet to allow proper airway management and access to the injury. A full set of observations is required.

Patient brief

You've fallen off a horse during a circus act and hit your face hard on the ground. Your nose is bleeding heavily, and your helmet feels tight and uncomfortable. You're disoriented and in pain. You're starting to panic because it's hard to breathe through your nose, and blood is going into your mouth. You don't remember the fall clearly and your neck feels sore. You can create your own name/address for any further information required for the Emergency Responder.

Patient simulation

- The patient will be semi-alert, confused, and in pain
- They may become more anxious due to restricted breathing and blood loss
- They will struggle to speak clearly due to the nosebleed and blood in the mouth.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Helmet (to simulate removal technique), if no equestrian helmet is available use any other helmet
- Blanket (optional for comfort and warmth)
- Gauze pads or dressings for bleeding.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Responds to voice	Alert
Respiration rate	26/min	20/min
Pulse rate	118 bpm	98 bpm
Pain score	8/10	6/10
Temperature	37.2°C	37.1°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	96%	98%
Blood glucose	5.0 mmol/L	5.1 mmol/L
Blood pressure	130/85 mmHg	120/78 mmHg

Complaint	Facial injury and nosebleed, breathing partially obstructed
History	Injured after coming off a jump. Landed on face and shoulder
Previous medical history	Professional performer and fit and healthy
Drug history/allergies	No medication or known allergies
Injuries/illnesses	Facial trauma, bleeding from the nose and mouth with neck pain
Additional information	Crowd of children are watching the events. The horse is also still around

Danger	Indoor circus ring, lights noise animals and crowds
Response	Responds to voice initially, confused and bleeding
Catastrophic haemorrhage	Facial bleeding is moderate not catastrophic
Airway	Airway is compromised by blood with gurgling sounds
Breathing	Rapid and shallow
Circulation	Pale skin with a fast pulse, capillary refill is quick
Disability	Disorientated and unable to recall fall, sore neck
Exposure	Mild abrasions due to protective gear

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "How would manage any other riders?" ➤ "Do you need any PPE for this patient?" ➤ Do you have concerns for spinal injuries?	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Stabilise the patients head and spine ➤ Decide if helmet removal is necessary ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do we need to remove the helmet?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Explain the treatment to the patient ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "As they are now vomiting, what should we do?" ➤ "Would keeping them warm be appropriate?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Successful removal of the helmet ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 32

Helmet Removal – Motorcyclist Seizure

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is followed, the patient's condition will remain stable.

Learner brief (to be read out to the learner(s) providing first aid)

You are part of a volunteer response team at a local motorcycle rally and have been called to an incident where a rider has lost control of their bike. Bystanders report that the rider began having a seizure while riding, then came off the motorcycle at low speed. You arrive on scene to find the rider unresponsive and wearing a full-face helmet. Their breathing is noisy, and they are making gurgling sounds. You must assess the patient, remove the helmet using a safe method, and begin appropriate treatment. A full set of observations is required.

Patient brief

You have epilepsy and have had a seizure while riding your motorbike. You blacked out and crashed into a grass verge. You're now semi-conscious and struggling to breathe properly. You can't speak or move much, and your body feels heavy. You're confused and feel pain in your shoulder and side.

Patient simulation

- The patient will be initially unresponsive, with gurgling/snoring sounding breathing
- They will become responsive once their airway is cleared
- Possible shallow breathing and dazed
- They have shoulder pain on movement.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Helmet (to simulate removal technique)
- Blanket (optional for comfort and warmth).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Unresponsive	Responds to voice
Respiration rate	8/min	17/min
Pulse rate	62 bpm	76 bpm
Pain score	Unable to ascertain	4/10 (shoulder)
Temperature	Unable to ascertain	37.1°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	92%	97%
Blood glucose	4.2 mmol/L	4.2 mmol/L
Blood pressure	100/65 mmHg	110/67 mmHg

Complaint	Seizure whilst roading motorcycle, was unresponsive with compromised airway
History	Had a seizure while riding. Landed on face and shoulder
Previous medical history	Epilepsy diagnosed 5 years ago
Drug history/allergies	Prescribed anticonvulsant medication, forgot to take today
Injuries/illnesses	Shoulder abrasion, complaining of pain
Additional information	Full motorcyclist gear

Danger	Bike still running, potential traffic
Response	Initially unresponsive
Catastrophic haemorrhage	None noted
Airway	Compromised, gurgling due to helmet and position
Breathing	Slow, shallow and noisy
Circulation	Pale skin with a fast pulse, capillary refill is quick
Disability	Disorientated following seizure
Exposure	Mild abrasions due to protective gear

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "How would manage any other riders?" ➤ "Do you need any PPE for this patient?" ➤ Do you have concerns for spinal injuries?	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Stabilise the patients head and spine ➤ Decide if helmet removal is necessary ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do we need to remove the helmet?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Explain the treatment to the patient ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "As they are now vomiting, what should we do?" ➤ "Would keeping them warm be appropriate?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Successful removal of the helmet ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 33

Poisoning – Charity Auction

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are covering a charity fundraising auction to raise money for a large community centre in the city. St John runs network nights in this centre, so a lot of St John staff and volunteers are taking part for charity prizes, including a giant inflatable tennis ball and cardboard cutouts of celebrities. As well as the prizes, the organisers have provided cakes and other sweet nibbles. Unfortunately, the dairy products inside a homemade cake were out of date, causing food poisoning. A patient has just walked up to you and is about to vomit.

Patient brief

You will be reaching for a sick bag and feel ill.

Patient simulation

- ▶ Gagging and struggling to stay standing
- ▶ Looking for a sick bag
- ▶ They may be crying, and have intestinal discomfort.

Resources

- ▶ Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
AVPU	Alert	Alert
Respiration rate	18/min	18/min
Pulse rate	74 bpm	75 bpm
Pain score	4/10	4/10
Temperature	37.1°C	37.2°C
Pupil size	Uneven and not reactive	Equal and reactive
Pulse oximetry	94%	96%
Blood glucose	17.1 mmol/L	14.3 mmol/L
Blood pressure	88/59 mmHg	85/57 mmHg

Complaint	Stomach pain and feeling sick
History	Eaten a cake
Previous medical history	Nothing of note
Drug history/allergies	Nothing of note
Injuries/illnesses	Nothing of note
Additional information	Nothing of note

Danger	Nothing of note
Response	Alert and responsive
Catastrophic haemorrhage	Not applicable
Airway	Burning airway after being sick
Breathing	Nothing of note
Circulation	Nothing of note
Disability	Alert and responsive
Exposure	Nothing of note

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 34

Poisoning – Flower Show

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty at a flower show, being hosted in a garden centre. Contestants are showing off the topiary they have created throughout the centre. One of the contestants has accidentally swallowed fertiliser instead of their drink, after picking up the wrong bottle. Their stomach hurts because they feel sick.

Patient brief

You will be panicked and concerned that you have swallowed something poisonous. You will keep suggesting to the Emergency Responder that you want to be sick. After a minute, begin to throw up.

Patient simulation

- Feeling very nauseous
- Very panicked and worried.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	25/min	22/min
Pulse rate	81 bpm	76 bpm
Pain score	4/10	3/10
Temperature	37.2°C	37.2°C
Pupil size	Uneven and not reactive	Equal and reactive
Pulse oximetry	87%	86%
Blood glucose	12.8 mmol/L	13.5 mmol/L
Blood pressure	73/51 mmHg	73/51 mmHg

Complaint	Swallowed a poison accidentally
History	See above
Previous medical history	Nothing of note
Drug history/allergies	Nothing of note
Injuries/illnesses	Nothing of note
Additional information	Nothing of note

Danger	The location of the poison
Response	Alert & responsive
Catastrophic haemorrhage	Nothing of note
Airway	They may have a slight burn in their airway from the poison
Breathing	Panicked breathing
Circulation	No circulation issues
Disability	Alert & responsive
Exposure	No concerns

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manage scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 35

Intoxication – Alcohol

Please read the brief below. There are prompts provided to give to the learners should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty providing first aid cover at a major festival. A group of intoxicated young people have brought their friend to you who is vomiting and very confused.

Patient brief

You are a young person who has consumed an excessive amount of alcohol at a major festival. You are confused and disoriented, with slurred speech and difficulty maintaining balance. Your breathing is slow and irregular, and you are shivering. You may be uncooperative or agitated at times, and you may occasionally vomit.

Patient simulation

- Very confused, disorientated, slurring speech
- Unable to stand unassisted
- Slow, irregular breathing and shivering.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Confused, disorientated	Confused, disorientated
Respiration rate	8/min	7/min
Pulse rate	63 bpm	59 bpm
Pain score	N/A	N/A
Temperature	36.1°C	36.1°C
Pupil size	Slowed reaction	Slowed reaction
Pulse oximetry	96%	95%
Blood glucose	3.4 mmol/L	3.1 mmol/L
Blood pressure	91/58 mmHg	91/58 mmHg

Complaint	Intoxicated
History	Recently ingested large quantity of alcohol
Previous medical history	Nothing else of note
Drug history/allergies	Nothing relevant
Injuries/illnesses	Nothing relevant
Additional information	The patient may vomit

Danger	Drunk friends with the patient
Response	Confused, disorientated
Catastrophic haemorrhage	Not relevant
Airway	Potential to become blocked by vomit
Breathing	Slow, irregular
Circulation	No circulatory issues noted
Disability	Confused, disorientated
Exposure	Outside and in a large crowd

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 36

Intoxication – Drugs

Please read the brief below. There are prompts provided to give to the learners should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty providing first aid cover on a busy high street on a Friday night. A member of the public brings you their friend, telling you the patient is behaving unusually, after only one drink. You were warned by police at the beginning of the night that there had been a recent spike in the number of incidents where Rohypnol was used to 'spike' drinks in nearby bars and clubs.

Patient brief

You are portraying a person who has been drugged with a substance like Rohypnol (roofied) during a night out. You are confused and disoriented, with slurred speech and difficulty maintaining balance. Your breathing is slow and irregular, and you may occasionally vomit. You may be uncooperative or agitated at times.

Patient simulation

- Very confused, disorientated, slurring speech
- Unable to stand unassisted
- Slow, irregular breathing
- Potential to vomit.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Confused, disorientated	Confused, disorientated
Respiration rate	8/min	9/min
Pulse rate	58 bpm	59 bpm
Pain score	N/A	N/A
Temperature	36.1°C	35.9°C
Pupil size	Dilated, slowed reaction	Dilated, slowed reaction
Pulse oximetry	96%	95%
Blood glucose	4.4 mmol/L	4.1 mmol/L
Blood pressure	91/58 mmHg	91/58 mmHg

Complaint	Intoxicated
History	Only had one drink, acting like they've consumed a lot more
Previous medical history	Nothing else of note
Drug history/allergies	Nothing relevant
Injuries/illnesses	Nothing relevant
Additional information	The patient may vomit

Danger	Possibility of drink having been spiked. Busy high street location
Response	Confused, disorientated
Catastrophic haemorrhage	Not relevant
Airway	Potential to become blocked by vomit
Breathing	Slow, irregular
Circulation	No circulatory issues noted
Disability	Confused, disorientated
Exposure	Outside and in a large crowd

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 37

Burns – Bonfire Night

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You are volunteering at a large Bonfire Night celebration. There are fireworks and a bonfire and, despite warnings not to, many of the crowd have brought sparklers and lit them. You are on a foot patrol when you see a young child bring the hot end of a used sparkler up to their face, burning themselves. The nearest source of cold water is the treatment centre about 30 metres away.

Patient brief

You are an 8-year-old. You have been at a bonfire event with your family and have been playing with sparklers. You were distracted by the fireworks and accidentally placed the hot end of your used sparkler against your face.

Patient simulation

- The patient will have red skin and swelling along their cheek
- The patient will be in significant pain
- The patient's parents will be concerned.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Wheelchair.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	19/min	15/min
Pulse rate	84 bpm	79 bpm
Pain score	6/10	5/10
Temperature	37.3°C	37°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	96%	96%
Blood glucose	4.3 mmol/L	7.2 mmol/L
Blood pressure	85/55 mmHg	88/58 mmHg

Complaint	Burn to face
History	The patient has a dry burn on their face caused by a used sparkler
Previous medical history	Usually fit and well
Drug history/allergies	No medication
Injuries/illnesses	No allergies known
Additional information	Burns - superficial

Danger	Crowds, other sparklers
Response	Alert and responsive
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	Slightly fast and shallow
Circulation	Slightly elevated pulse
Disability	Alert and responsive
Exposure	Outside on a cold evening

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 38

Burns – Christmas Lights

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You are volunteering at a Christmas light switch-on. The event has a large area designated for catering. You are called to a patient in this area who has reportedly been splashed with hot cooking oil. The nearest safe source of running cold water is a tap about 100 metres away from the call.

Patient brief

You have been working in a mobile fish and chip van which is currently at a Christmas light switch on. As you have put the chips in the fryer the boiling oil has splashed back over your hands, arms, and neck.

Patient simulation

- The patient will have red skin over their hands, arms, and neck
- The patient will be in significant pain.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Moving and handling equipment.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	19/min	15/min
Pulse rate	92 bpm	79 bpm
Pain score	7/10	5/10
Temperature	37.3°C	37°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	97%	96%
Blood glucose	6.3 mmol/L	6.5 mmol/L
Blood pressure	85/58 mmHg	89/59 mmHg

Complaint	Burn by cooking oil
History	The patient has been splashed with hot cooking oil
Previous medical history	Usually fit and well
Drug history/allergies	No medication
Injuries/illnesses	No allergies known
Additional information	Scalds - partial thickness

Danger	Hot surfaces in the van
Response	Alert and responsive
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	Slightly fast and shallow
Circulation	Slightly elevated pulse
Disability	Alert and responsive
Exposure	Outside on a cold evening

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 39

Burns – Football Stadium

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You are volunteering at the football stadium for a winter match as an Emergency Responder. You are supported by other first aid roles and can contact them for assistance if required. You are called to the terrace (halfway up West Stand) to a patient who has scalded their hands and arms on a hot drink. The nearest source of running cold water is the treatment centre at the bottom of the stand.

Patient brief

You are watching football with your partner who has bought you both a hot chocolate. As your partner has made their way along the aisle with the drinks, they tripped and spilled scalding hot chocolate over your hands and arms.

Patient simulation

- The patient will have red skin over their hands and arms
- The patient will be in significant pain.

Resources

- Full training FA kit (including GSL, AED and ePRF)
- Moving and handling equipment.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	20/min	15/min
Pulse rate	90 bpm	79 bpm
Pain score	7/10	5/10
Temperature	37.3°C	37°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	92%	97%
Blood glucose	5.5 mmol/L	5.3 mmol/L
Blood pressure	95/65 mmHg	98/67 mmHg

Complaint	Burns to hands
History	The patient has had scalding hot chocolate accidentally spilt on their hands
Previous medical history	Usually fit and well
Drug history/allergies	No medication
Injuries/illnesses	No allergies known
Additional information	Scalds - superficial

Danger	The steepness of the stairs and the crowd
Response	Alert and responsive
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	Slightly fast and shallow
Circulation	Slightly elevated pulse
Disability	Alert and responsive
Exposure	Outside on a cold day

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 40

Allergy – Bee Sting

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are providing first aid at a local fun day in a park where families are gathered for picnics and activities. You are called over to a patient who has been stung by a bee and is experiencing an allergic reaction. They are sat down, in obvious distress.

Patient brief

You are attending a fun day in the park with your family. You have been stung by a bee and are experiencing an allergic reaction. You are in pain and are having difficulty breathing. You know you're allergic, but you haven't had a severe reaction for many years. You do have your auto-injector in the car.

Patient simulation

- The patient is lying on the ground, clutching their chest and gasping for air
- Their face appears swollen and there is visible redness and hives on their skin.

Resources

- Full training FA kit (including GSL, AED and ePRF)
- Training auto-injector.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert (moving into voice)	Alert
Respiration rate	8/min	16/min
Pulse rate	120 bpm	95 bpm
Pain score	Unable to obtain	3/10
Temperature	37.2°C	37.2°C
Pupil size	Large, but equal and reactive	Equal and reactive
Pulse oximetry	87%	89%
Blood glucose	8.1 mmol/L	7.1 mmol/L
Blood pressure	77/58 mmHg	80/60 mmHg

Complaint	Anaphylaxis
History	Has been stung by a bee
Previous medical history	Known allergy to bee stings
Drug history/allergies	Has one auto-injector with them. No other medication
Injuries/illnesses	N/A
Additional information	They are feeling incredibly distressed

Danger	No immediate danger
Response	Alert but deteriorating
Catastrophic haemorrhage	None
Airway	Compromised
Breathing	Reduced
Circulation	Nothing of note
Disability	Alert but deteriorating
Exposure	No concerns

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 41

Allergy – Food

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are providing first aid at a local food festival. While walking around, you are called over to a young woman who is experiencing an allergic reaction to the food she has eaten. The woman is sitting at a table, in obvious distress.

Patient brief

You are experiencing a severe allergic reaction to the food you have eaten at a food festival. You are in pain and are having difficulty breathing. You have an auto-injector with you.

Patient simulation

- ▶ The patient is sitting at her table in a large marquee, clutching their chest and gasping for air
- ▶ Their face appears swollen and there is visible redness and hives on their skin.

Resources

- ▶ Full training FA kit (including GSL, AED and ePRF)
- ▶ Training auto-injector.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert (moving into voice)	Alert
Respiration rate	8/min	16/min
Pulse rate	120 bpm	95 bpm
Pain score	Unable to obtain	3/10
Temperature	37.2°C	37.2°C
Pupil size	Dilated, equal and reactive	Equal and reactive
Pulse oximetry	87%	92%
Blood glucose	14.1 mmol/L	13.9 mmol/L
Blood pressure	70/55 mmHg	75/58 mmHg

Complaint	Anaphylaxis
History	Has just finished eating a burger
Previous medical history	Known allergy to sesame
Drug history/allergies	Has one auto-injector with them. Does not take any other medication
Injuries/illnesses	N/A
Additional information	They are feeling incredibly distressed

Danger	Potential allergens in the vicinity
Response	Alert but deteriorating
Catastrophic haemorrhage	None
Airway	Compromised
Breathing	Reduced
Circulation	Nothing of note
Disability	Alert but deteriorating
Exposure	No concerns

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder - Scenario 42

Allergy - Pollen

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are providing first aid cover at a local children's fun day at the Sikh temple. There are bouncy castles and several local community stands, and there is a stand selling flowers. A child approaches you with their eyes streaming water and sneezing, they inform you they have a pollen allergy.

Patient brief

You are experiencing an allergic reaction due to the pollen in the air on the hot summer day. Your parents are currently with you, but you know that they can be found by the bouncy castle.

Patient simulation

- ▶ The patient is an older child/pre-teen.

Resources

- ▶ Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	17/min	16/min
Pulse rate	78 bpm	76 bpm
Pain score	1/10	1/10
Temperature	37.2°C	37.2°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	97%	98%
Blood glucose	8.1 mmol/L	7.1 mmol/L
Blood pressure	100/70 mmHg	101/71 mmHg

Complaint	Allergic reaction to pollen
History	Is known to be allergic to pollen
Previous medical history	Nothing of note
Drug history/allergies	Normally takes an antihistamine every day, but forgot today
Injuries/illnesses	N/A
Additional information	Nothing of note

Danger	No immediate danger
Response	Alert and responsive
Catastrophic haemorrhage	None
Airway	A bit sneezy
Breathing	Breathing normally
Circulation	Nothing of note
Disability	Alert and responsive
Exposure	No concerns

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 43

Mental Health – Anxiety

Please read the brief below. There are prompts provided to give to the learners should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty providing first aid cover at a national royal event. A young person has walked to you and complained that they have struggled with the vast amount of people around them, and they are incredibly stressed and worried. They are asking you to help them leave the event through the crowds. You are at the barriers and can help escort them away with the stewards.

Patient brief

You are a 17-year-old student named Paul. You have suffered from anxiety for a few years and take medication to help control the symptoms. However, the crowd has exacerbated your anxiety.

Patient simulation

- ▶ Slightly panicked breathing, and struggling to focus on what you are saying
- ▶ Trying to walk away from the crowd.

Resources

- ▶ Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	18/min	15/min
Pulse rate	86 bpm	72 bpm
Pain score	1/10	1/10
Temperature	37.4°C	37.4°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	99%	98%
Blood glucose	3.8 mmol/L	3.9 mmol/L
Blood pressure	83/51 mmHg	81/ 49 mmHg

Complaint	Wants your help to walk away from the crowd
History	Suffers from anxiety, and the crowd has aggravated their condition
Previous medical history	Takes anti-anxiety medication
Drug history/allergies	Nothing relevant
Injuries/illnesses	Nothing relevant
Additional information	The patient has gone pale, and appears panicked

Danger	Nonrelevant
Response	Response level is dropping
Catastrophic haemorrhage	Not relevant
Airway	Open and clear
Breathing	Getting faster
Circulation	No circulatory issues noted
Disability	They may hyperventilate if not treated
Exposure	Outside and in a large crowd

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 44

Mental Health – Multiple Patients

Please read the brief below. There are prompts provided to give to the learners should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty at an outdoor camping festival and have been called to a festivalgoer. Visibility is poor as you approach the scene, and you find an individual who has cut their hand open. Whilst your colleague is treating the individual's hand, you find their friend is panicking at the sight of blood and has begun to hyperventilate. This individual has now become your patient.

Patient brief

You are a 26-year-old soldier named Katie. You have post-traumatic stress disorder (PTSD) and this can cause you to hyperventilate in certain situations. Seeing the blood from your friend's hand has triggered this hyperventilation.

Patient simulation

- ▶ Slightly panicked breathing, and struggling to focus on what you are saying
- ▶ They are hyperventilating and trying to sit down and walk away, you are struggling to understand them and their breathing is rapid.

Resources

- ▶ Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	24/min	15/min
Pulse rate	91 bpm	87 bpm
Pain score	1/10	1/10
Temperature	37.4°C	37.4°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	99%	98%
Blood glucose	3.8 mmol/L	3.9 mmol/L
Blood pressure	83/51 mmHg	81/ 49 mmHg

Complaint	Hyperventilating
History	Suffers from PTSD and this is exacerbated through seeing blood
Previous medical history	In treatment for diagnosed PTSD, which can cause panic attacks
Drug history/allergies	Nothing relevant
Injuries/illnesses	Has PTSD
Additional information	The patient has gone pale, and appears panicked

Danger	Nonrelevant
Response	Responsive
Catastrophic haemorrhage	Not relevant
Airway	Open and clear
Breathing	Getting faster
Circulation	No circulatory issues noted
Disability	Are hyperventilating
Exposure	Nothing of note

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 45

Mental Health – Patient Refusal

Please read the brief below. There are prompts provided to give to the learners should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty providing first aid cover at a Judo event in the city centre. You are called by the students to the front reception, where there is a man who is distressed, telling you that there are people trying to get them. They are refusing to let you touch them, and you can see that are breathing heavily. The stewards tell you this individual often comes in, and the police have been previously phoned due to their behaviour.

Patient brief

You are a 38-year-old man called Anthony. You take antipsychotic medications prescribed by your GP as you suffer with schizophrenia. You normally manage to control the symptoms yourself, but today you are struggling. You are convinced that you saw a group of young men following you and have run into the arena to try and get help from stewards. You are to refuse assistance from Emergency Responders.

Patient simulation

- Slightly panicked breathing, and struggling to focus on what you are saying
- Agitated, and on edge constantly looking away from the responder.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Alert	Alert
Respiration rate	18/min	15/min
Pulse rate	91 bpm	87 bpm
Pain score	1/10	1/10
Temperature	37.4°C	37.4°C
Pupil size	Equal and reactive	Equal and reactive
Pulse oximetry	99%	98%
Blood glucose	3.8 mmol/L	3.9 mmol/L
Blood pressure	83/51 mmHg	81/ 49 mmHg

Complaint	Wants your help to phone for additional support
History	Apparent schizophrenic attack
Previous medical history	Diagnosed with schizophrenia, takes medicine for it
Drug history/allergies	Antipsychotic medications
Injuries/illnesses	Has schizophrenia
Additional information	The patient has gone pale, and appears panicked

Danger	Nonrelevant
Response	Responsive
Catastrophic haemorrhage	Not relevant
Airway	Open and clear
Breathing	Getting faster
Circulation	No circulatory issues noted
Disability	They may hyperventilate if not treated
Exposure	Nothing of note

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 46

Unresponsive Breathing – Festival

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at a large festival, attended by mainly 18-24 year olds, many of whom are drinking to excess. You are called to the toilets by a group of students, whose friend is now unresponsive in the small space between the cubicle and the wall, and has vomit coming out of their mouth.

Patient brief

You are a young student who has been drinking heavily. You are unresponsive and unable to respond to any questions given by the Emergency Responder. Once placed in the recovery position, you gradually become responsive, and are primarily concerned with where your phone is, but are slurring your speech due to alcohol consumption.

Patient simulation

- The patient is unresponsive, in a tight cubicle stall
- After being placed into the recovery position, they gradually become responsive
- They have been drinking heavily so when they become responsive, they have slurred speech.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
ACVPU	Unresponsive	Voice
Respiration rate	3/min	5/min
Pulse rate	90 bpm	82 bpm
Pain score	Unknown	Unknown
Temperature	36.4 ⁰ c	36.4 ⁰ c
Pupil size	Even but unreactive	Even and reactive
Pulse oximetry	93%	95%
Blood glucose	3.5 mmol/L	3.5 mmol/L
Blood pressure	75/51 mmHg	80/58 mmHg

Complaint	Unresponsive and airways blocked by vomit
History	Heavy drinking, no food in 6 hours
Previous medical history	Suffers from anxiety
Drug history/allergies	No other narcotics ingested
Injuries/illnesses	Nothing of note
Additional information	They are very concerned about where their phone is when they recover

Danger	Airways and positioning impacted
Response	Unresponsive
Catastrophic haemorrhage	None
Airway	Currently not open due to vomit
Breathing	Currently not breathing due to an unopen airway
Circulation	Nothing of note
Disability	Unresponsive
Exposure	Outdoors

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 47

Unresponsive Breathing – Poisoning

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on foot patrol with a colleague during an evening carnival procession when a member of the public comes up and says there is a person collapsed on the floor. You are ushered into the area where you find the individual, as you approach there are scattered beer cans/bottles on the floor, and it appears the person has vomited.

Patient brief

Lying on the floor with bottles surrounding you. You have vomited. You should only respond following being placed into the recovery position showing slight recovery.

Patient simulation

- Coughing slightly but drifting in and out of responsiveness
- Make groaning noises but no words.

Resources

- Full training FA kit (including GSL, AED, and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Unresponsive	Voice
Respiration rate	25/min	24/min
Pulse rate	61 bpm	62 bpm
Pain score	0/10 - unable to assess	0/10 - unable to assess
Temperature	35.0°C	36.3°C
Pupil size	Even but unreactive	Even and reactive
Pulse oximetry	92%	94%
Blood glucose	3.2 mmol/L	3.6 mmol/L

Complaint	Changing levels of responsiveness and breathing
History	Found lying on the floor with bottles around, appears to have vomited
Previous medical history	None/Not Known
Drug history/allergies	None/Not Known
Injuries/illnesses	None/Not Known
Additional information	Nothing of note

Danger	Glass bottles, vomit
Response	Responds to voice or unresponsive
Catastrophic haemorrhage	None
Airway	Open and clear
Breathing	Yes
Circulation	Yes
Disability	Responds to voice or unresponsive
Exposure	Outdoors in the evening

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 48

Unresponsive Breathing – Stadium

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You have been called to reports of a patient who has suffered a seizure. When you arrive, the seizure has ended but they are unresponsive and lying on their back. They have fallen between a set of stadium stand seats, and a crowd has gathered around the casualty. They have a metal bracelet on their wrist that their friend is drawing your attention to.

Patient brief

You have epilepsy and convulsive seizures are a normal part of your life. You have a medical-alert tag that explains that you are medicated but you still have a few seizures every single day. You will become alert after being placed in the recovery position, you will decline all further treatment and tell the Emergency Responder to go away.

Patient simulation

- The patient will lie unresponsive until placed in the recovery position
- Once in the recovery position they will start to regain responsiveness
- When responsive, inform the first aider of their epilepsy and decline any further treatment.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Carry chair.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Unresponsive	Alert
Respiration rate	20/min	Refused
Pulse rate	90 bpm	Refused
Pain score	Unknown	Refused
Temperature	37°C	Refused
Pupil size	Even but unreactive	Refused
Pulse oximetry	89%	Refused
Blood glucose	7.5 mmol/L	Refused
Blood pressure	135/85 mmHg	Refused

Complaint	Suffered a seizure
History	You are unsure of any patient history as the patient is unresponsive. You have been called by bystanders who do not know them
Previous medical history	Has medicated epilepsy but still has occasional seizures
Drug history/allergies	Takes medication for their epilepsy
Injuries/illnesses	Nothing apart from the issue
Additional information	Nothing of note

Danger	The seats are close to the patient
Response	The patient is currently unresponsive
Catastrophic haemorrhage	Nothing present
Airway	Compromised due to patients' position – saliva also at the back of the airway
Breathing	Laboured due to position
Circulation	Nothing of note
Disability	Unresponsive
Exposure	Outside, in stadium stands

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 49

Choking – Community Fun Day

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at a large community fun day hosted at a local care home. Many visitors are relatives, also visiting the residents. One of the residents, Joyce, has her daughter, Grace, visiting. You hear Joyce shouting for help. You rush back to find Grace clutching at her throat and Joyce crying out “She’s choking”.

Patient brief

You are a 52-year-old female named Grace Kelly and you are visiting your Mum in her new care home. You have been enjoying biscuits whilst catching up when you choke on a gingersnap. You cannot breathe and are starting to panic. Initially, you only respond to voice but if given appropriate treatment will become more responsive.

Patient simulation

- The patient will simulate difficulty breathing, speaking, or coughing
- The patient will have a red puffy face
- There will be signs of distress, and they may point to their throat or grasp their neck.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Choking vest.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Voice	Alert
Respiration rate	0/min	16/min
Pulse rate	Not taken	100 bpm
Pain score	Unable to obtain	5 (ribs, back, and throat all in pain)
Temperature	Not taken	37°C
Pupil size	Not taken	Equal and reactive
Pulse oximetry	Not taken	93%
Blood glucose	Not taken	10.9 mmol/L
Blood pressure	Not taken	95/65 mmH

Complaint	Choking on food
History	The patient has been eating biscuits with their mother in a care home
Previous medical history	Usually fit and well
Drug history/allergies	No medication No allergies known
Injuries/illnesses	Choking
Additional information	N/A

Danger	Hot coffee on the side
Response	Responds to voice
Catastrophic haemorrhage	None
Airway	Obstructed
Breathing	None
Circulation	Fast pulse and rhythm. The patient is red and puffy
Disability	Responds to voice
Exposure	N/A

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 50

Choking – County Show

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering in the treatment centre of the County Show. A father comes rushing in with his 8-year-old daughter in his arms. She is clasping at her throat and not talking.

Patient brief

You are an 8-year-old female named Lexi Kowalski and you have come to the county show with your parents. You have been chewing a button off your jumper and accidentally swallowed it causing you to choke. You cannot breathe and are starting to panic. Initially, you only respond to voice but if given appropriate treatment will become more responsive.

Patient simulation

- The patient will simulate difficulty breathing, speaking, or coughing
- The patient will have a red puffy face
- There will be signs of distress, and they may point to their throat or grasp their neck.

Resources

- Full training FA kit (including GSL, AED and ePRF)
- Choking vest.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Voice	Alert
Respiration rate	0/min	16/min
Pulse rate	110 bpm	100 bpm
Pain score	Unable to obtain	5 (ribs, back and throat all in pain)
Temperature	37.5°C	37°C
Pupil size	Large, but equal and reactive	Equal and reactive
Pulse oximetry	85%	92%
Blood glucose	8.9 mmol/L	6.3 mmol/L
Blood pressure	95/70 mmHg	90/65 mmHg

Complaint	Choking on a button
History	A parent at a country show has reported that their 8-year-old daughter is choking on a button
Previous medical history	Usually fit and well
Drug history/allergies	Epi-pen Allergic to peanuts
Injuries/illnesses	Choking
Additional information	N/A

Danger	No danger
Response	Responds to voice
Catastrophic haemorrhage	None
Airway	Obstructed
Breathing	None
Circulation	Fast pulse and rhythm. The patient is red and puffy
Disability	Responds to voice
Exposure	Outdoors

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 51

Choking – Infant

Please read the brief below. There are prompts provided to give to the learners should they need them. If correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You are volunteering at an 'Eid in the Park' event, which features a funfair for children following the fasting period of Ramadan. There are food stalls and local music in this community event. During this event, an adult runs to you holding an infant who is choking on a button they have taken from their clothes. You will be provided with an infant Annie doll to show this.

Bystander brief

You have your 8-month-old child with you at the local 'Eid in the Park' event and just realised they have managed to get a button off their jacket and are now choking on it. You see St John personnel and run over.

Patient simulation

- ▶ The patient will be choking on a small button
- ▶ They will be an infant.

Resources

- ▶ Full training FA kit (including GSL, AED, and ePRF)
- ▶ Infant Annie.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Voice	Alert
Respiration rate	0/min	16/min
Pulse rate	110 bpm	100 bpm
Pain score	Unable to obtain	5 (infant crying)
Temperature	N/A	N/A
Pupil size	Large, but equal and reactive	Equal and reactive
Pulse oximetry	85%	92%
Blood glucose	5.3 mmol/L	4.9 mmol/L
Blood pressure	95/62 mmHg	89/60 mmHg

Complaint	Choking on food
History	Choking on a button
Previous medical history	Usually fit and well
Drug history/allergies	No medication No allergies known
Injuries/illnesses	Choking
Additional information	N/A

Danger	Small crowd gathering around
Response	Responds to voice
Catastrophic haemorrhage	None
Airway	Obstructed
Breathing	None
Circulation	Fast pulse and rhythm. The patient is red and puffy
Disability	Responds to voice
Exposure	Outdoors in late winter/early spring

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 52

Choking – Rugby stadium

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are providing first aid cover at the busy rugby stadium for the cup final match. Control dispatch you to the patient at the top of North Stand who is having difficulty breathing.

Patient brief

You are a lifelong fan of your local Rugby team. You have come to the game with your son as you haven't left the house on your own since a recent fall. However, having got a bit excited when your team scored a try, you accidentally inhaled whilst eating your pie. You are now choking; you cannot breathe and are starting to panic. Initially, you only respond to voice but if given appropriate treatment will become more responsive.

Patient simulation

- The patient will simulate difficulty breathing, speaking, or coughing
- The patient will have a red puffy face
- There will be signs of distress, and they may point to their throat or grasp their neck.

Resources

- Full training FA kit (including GSL, AED, and ePRF)
- Choking vest.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Negative	Negative
ACVPU	Voice	Alert
Respiration rate	0/min	16/min
Pulse rate	Not taken	100 bpm
Pain score	Unable to obtain	4 (ribs, back and throat painful)
Temperature	Not taken	37°C
Pupil size	Unable to obtain	Equal and reactive
Pulse oximetry	Not taken	93%
Blood glucose	Not taken	12.1 mmol/L
Blood pressure	Not taken	91/62 mmHg

Complaint	Difficulty breathing
History	The patient is in the stands at a rugby match and started choking on their food
Previous medical history	History of unexplained falls
Drug history/allergies	Cod liver oil tablets
Injuries/illnesses	No allergies known
Additional information	Choking

Danger	Height and steepness of the stairs
Response	Responds to voice
Catastrophic haemorrhage	None
Airway	Obstructed
Breathing	None
Circulation	Fast pulse and rhythm. Patient is red and puffy
Disability	Responds to voice
Exposure	Outdoors at top of stadium stands

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 53

Unresponsive Not Breathing Adult – Football Tournament

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty providing first aid cover at a football tournament and have just been called over to a pitch where one of the players has collapsed and is on the floor, not moving. A bystander tells you the patient's name is Paul Jennings, and he is 56 years old. No other history is known.

Patient brief

You are a 56-year-old male – Paul Jennings - found lying on your back, still and quiet, non-responsive and not breathing. (Manikin should be used initially).

Patient simulation

- Unresponsive, not breathing having collapsed on the football pitch
- Pale, cold, clammy skin, grey pallor. Bluish tinge to lips
- When successfully revived after CPR/AED, breathing will then be seen, but you remain unresponsive. (A learner should step into the scenario to replace the manikin used for the first part of treatment and portray an unresponsive breathing patient.)

Resources

- Full training FA kit (including GSL, AED, and ePRF).
- CPR Manikin

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
AVPU	Unresponsive	Unresponsive
Respiration rate	Not taken (0)	12/min
Pulse rate	Not taken (0)	60 bpm
Pain score	Unable to obtain	Unable to obtain
Temperature	Not taken	36.5°C
Pupil size	Not taken	Even and reactive
Pulse oximetry	Not taken	85%
Blood glucose	Not taken	7.5 mmol/L
Blood pressure	Not taken (0)	90/65 mmHg

Complaint	Collapse
History	The patient was playing in a community football match and collapsed suddenly with no warning
Previous medical history	None known
Drug history/allergies	None known
Injuries/illnesses	No illnesses known. No visible injuries
Additional information	None known

Danger	None
Response	Unresponsive
Catastrophic haemorrhage	None
Airway	Able to open airway, no obstruction visible, patient unable to maintain own airway
Breathing	Non-visible
Circulation	No bleeding. Circulation appears not to be effective (hypoxic/no breaths)
Disability	Unresponsive
Exposure	Outdoors, patient was playing football

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 54

Unresponsive Not Breathing Adult – Theatre

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty providing first aid at a local outdoor theatre show. You are called to an incident involving a young, male member of the lighting & sound crew who has been injured through a faulty appliance.

Patient brief

You are a young, male lighting & sound operative at a local show where you have just received an electric shock. You have electrical burn wounds to your hand and knee and are unresponsive and not breathing. (Patient will initially be a manikin)

Patient simulation

- Unresponsive, not breathing, having collapsed after an electrical accident whilst working on show lighting/sound
- Pale, cold, clammy skin, grey pallor. Bluish tinge to lips. Electrical burn entry wound to hand and exit wound to the knee
- When successfully revived after CPR/AED, breathing will then be seen, but patient remains unresponsive. (A learner should step into the scenario to take the place of the used for the first part of treatment and portray an unresponsive but breathing patient).

Resources

- Full training FA kit (including GSL, AED, and ePRF).
- Manikin

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
ACVPU	Unresponsive	Unresponsive
Respiration rate	Not taken (0)	12/min
Pulse rate	Not taken (0)	52 bpm
Pain score	Unable to obtain	Unable to obtain
Temperature	Not taken	36.5°C
Pupil size	Not taken	Even and reactive
Pulse oximetry	Not taken	85%
Blood glucose	Not taken (0)	12.1 mmol/L

Complaint	Electrical injuries/unresponsive, not breathing
History	Received electric shock whilst operating lights/sound for the show
Previous medical history	Asthma. (Information from colleagues)
Drug history/allergies	Ventolin inhaler. (Information from colleagues)
Injuries/illnesses	No illnesses known. Current electrical burn injuries to hand and knee, unresponsive and not breathing
Additional information	None

Danger	Electricity - The patient is not connected to the electrical source and it has been isolated
Response	Unresponsive
Catastrophic haemorrhage	None
Airway	Able to open airway, no obstruction visible, patient unable to maintain own airway
Breathing	None visible
Circulation	No bleeding. Circulation appears not to be effective (hypoxic/no breaths)
Disability	Unresponsive
Exposure	No concerns

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 55

Unresponsive Not Breathing Child – Country Fayre

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are on duty with your team at a large country fayre with many stalls and hundreds of people on site, surrounded by fields of farm animals with a stream running through the area. You have been called to treat a 6-year-old child who has been pulled out of the stream by her father, having been found floating face down a few moments ago.

Patient brief

Child manikin can be used as a patient initially.

Patient simulation

When successfully revived after CPR/AED, breathing will then be seen, but the casualty will remain unresponsive. (A learner may be required to step into the scenario after manikin has been used for the first part of treatment and will then portray an unresponsive but breathing patient.)

Resources

- Full training FA kit (including GSL, AED, and ePRF).
- Little junior manikin

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
ACVPU	Unresponsive	Unresponsive
Respiration rate	Not taken (0)	14/min
Pulse rate	Not taken (0)	68 bpm
Pain score	Unable to obtain	Unable to obtain
Temperature	Not taken	36.5°C
Pupil size	Not taken	Even and reactive
Pulse oximetry	Not taken	71%
Blood glucose	Not taken	4.3 mmol/L
Blood pressure	Not taken (0)	75/50 mmHg

Complaint	Drowning
History	The patient was found floating face down in a stream, pulled out by her father. Had been seen on dry land just a few minutes before
Previous medical history	None reported
Drug history/allergies	None known
Injuries/illnesses	No illnesses known. No visible injuries
Additional information	None

Danger	Stream/slippery ground
Response	Unresponsive
Catastrophic haemorrhage	None
Airway	Able to open airway, no obstruction visible, patient unable to maintain own airway
Breathing	Nonvisible
Circulation	No bleeding. Circulation appears not to be effective (hypoxic/no breaths)
Disability	Unresponsive
Exposure	Outdoors, patient is wet

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 56

Unresponsive Not Breathing Child – Inter-schools Sports Competition

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at the county inter-schools sports competition. During the 200-metre race, one of the competitors seemingly slows down before falling to the ground. After a few seconds, you realise they're not getting up or moving, and you make your way over to the child to check they're okay.

Bystander brief

You are a teacher and trained Paediatric First Aider. You brought your team to the competition and are cheering on one of your 9-year-old pupils in the 200-metre race. During the race, your pupil slows down and then collapses on the field. You know the child wasn't feeling well on the minibus to the competition, but they wanted to run this race. You run over and arrive at the same time as the St John Ambulance Emergency Responder.

Patient simulation

- The patient will be a junior resus manikin is to be used
- The trainer/demonstrator will inform the learner that the patient begins to breathe again after 2 minutes of CPR.

Resources

- Little junior manikin
- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
ACVPU	Unresponsive	Pain
Respiration rate	Not taken (0)	18/min
Pulse rate	Not taken (0)	78 bpm
Pain score	Unable to obtain	Unable to obtain
Temperature	Not taken	37°C
Pupil size	Not taken	Even and reactive
Pulse oximetry	Not taken	85%
Blood glucose	Not taken	4.3 mmol/L
Blood pressure	Not taken (0)	85/60 mmHg

Complaint	The child collapsed and is not moving after competing in a race
History	Casualty was reported to feel generally unwell before the race. Started competing in the race before seemingly slowing and collapsing
Previous medical history	None
Drug history/allergies	No medication No allergies known
Injuries/illnesses	Cardiac arrest
Additional information	N/A

Danger	None
Response	Unresponsive
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	None
Circulation	None
Disability	Unresponsive
Exposure	Outside, was running a race

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 57

Unresponsive Not Breathing Infant – County Show

Please read the brief below. There are prompts provided to give to the learner should they need them. If correct treatment is given, the patient's condition will improve.

Learner briefing (to be read out to the learner(s) providing first aid)

You are volunteering at a local county show. Your first aid post is not far from an area for young families with children aged 10 & under. You are in the first aid post when a member of the public frantically runs in with a baby in their arms. They frantically pass the baby at you and scream "They're not waking up! Help me please!".

Bystander brief

You are attending the local county show with Teddy, your 6-month-old child, and have brought him to the families area. Teddy has been crying a lot more than usual lately and had a particularly bad night, waking up more than usual. 10 minutes ago, you put Teddy in his pushchair where he fell asleep, but when you checked on him just now, you couldn't wake him up.

Patient simulation

- ▶ Infant resus manikin is to be used.

Resources

- ▶ Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Unable to obtain
ACVPU	Unresponsive	Unresponsive
Respiration rate	Not taken (0)	Not taken (0)
Pulse rate	Not taken (0)	Not taken (0)
Pain score	Unable to obtain	Unable to obtain
Temperature	Not taken	Not taken
Pupil size	Unable to obtain	Unable to obtain
Pulse oximetry	Not taken	Not taken
Blood glucose	Not taken	Not taken
Blood pressure	Not taken (0)	Not taken (0)

Complaint	Baby not waking up
History	Mother unable to wake their baby from sleep, last saw the baby awake 10 minutes ago
Previous medical history	They are usually fit and well however has been crying more regularly in the last 12 hours
Drug history/allergies	No medication, No allergies known
Injuries/illnesses	Cardiac arrest
Additional information	N/A

Danger	None
Response	Unresponsive
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	None
Circulation	None
Disability	Unresponsive
Exposure	Outside

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ “Have you assessed for danger?” ➤ “Have you introduced yourself to the patient?” ➤ “Do you need any PPE for this patient?”	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ “Is there somewhere more appropriate to treat this patient?” ➤ “How could we maintain the dignity of this patient?” ➤ “Do you need any further help with this patient?” ➤ “What can be done to assist with the patient’s pain?”	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ “Are there any follow-up questions you could ask the patient?” ➤ “Would a second set of observations be beneficial?”	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ “The ambulance crew has arrived. Please provide a handover” ➤ “Before you discharge the patient from your care, do you need to tell them anything”	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 58

Trauma – Outdoor Concert

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You're volunteering at a high-profile outdoor concert in a park in a major city, during peak afternoon hours. Security has reported a young male found collapsed in the scaffolding behind the main stage area, with visible blood pooling beneath him. The patient has pale, clammy skin and rapid, shallow breathing. There is no apparent cause of injury visible, but onlookers have started to gather and the music is very loud, making communication difficult.

Patient brief

You have suffered a severe injury to your abdomen and are now lying on the floor holding the injury. Initially you are responsive, but in a lot of pain and confused, so most responses consist of groaning, complaints of pain and not being able to breathe, and questions about what happened. Gradually become unresponsive.

Patient simulation

- The patient will have a large open wound simulating trauma to the abdomen
- The patient will have trouble hearing due to the concert volume
- The patient becomes progressively less responsive.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Negative
ACVPU	Confused, moving to Unresponsive	Responsive to Voice
Respiration rate	Not taken	20/min
Pulse rate	Not taken	98bpm
Pain score	10/10	9/10
Temperature	Not taken	36°C
Pupil size	Not taken	Equal and reactive
Pulse oximetry	Not taken	89%
Blood glucose	Not taken	5.4 mmol/L
Blood pressure	Not taken	82/52 mmHg

Complaint	Large open wound to abdomen
History	If patient is alert following treatment, they may eventually remember being knocked and falling onto a protruding sharp object
Previous medical history	Usually fit and well
Drug history/allergies	No medication No allergies known
Injuries/illnesses	Life-threatening bleeding
Additional information	N/A

Danger	Scaffolding, crowds, equipment
Response	Confused, but becoming unresponsive
Catastrophic haemorrhage	Yes - Abdomen
Airway	Clear and open
Breathing	Laboured, rapid and shallow
Circulation	Weak radial pulse, pale extremities
Disability	Confused, but becoming unresponsive
Exposure	Exposed to sun, dehydrated

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 59

Trauma – Road Cycling Event

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You're working as part of a mobile response team at a road cycling event and have been called to a road traffic collision involving a participant and a car. The cyclist has been thrown from their bicycle and is lying on the road, and their helmet has been thrown off. The patient is responsive but obviously in pain, with cold, clammy, pale skin.

Patient brief

You are a cyclist taking part in a road cycling event and have been hit by a car. You are lying on the road and are experiencing severe pain in your hips and legs, and loss of sensation in your feet. There is no pain in your head, neck or upper back, and you can move your head and arms. As time goes on, gradually become confused, then unresponsive.

Patient simulation

- The patient becomes progressively confused and then unresponsive without immediate medical attention
- Extreme pain response if hips or legs are touched or moved
- If possible, simulate bruising and swelling around the pelvis and left thigh.

Resources

- Full training FA kit (including GSL, AED and ePRF)
- Pelvic binder.

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Negative
ACVPU	Confused, moving to Unresponsive	Responsive to Voice
Respiration rate	Not taken	22/min
Pulse rate	Not taken	110bpm
Pain score	10/10	6/10 if given pain relief
Temperature	Not taken	36°C
Pupil size	Not taken	Equal and reactive
Pulse oximetry	Not taken	96% if given O ₂
Blood glucose	Not taken	5.7 mmol/L
Blood pressure	Not taken	90/60 mmHg

Complaint	Severe pelvic and left thigh pain
History	Collision with moving car while cycling
Previous medical history	Usually fit and well
Drug history/allergies	No medication No allergies known
Injuries/illnesses	Suspect pelvic fracture and life-threatening bleeding
Additional information	N/A

Danger	Car involved in collision, other vehicles on road
Response	Responsive but in severe pain, becoming unresponsive
Catastrophic haemorrhage	Internal bleeding around pelvic fracture
Airway	Clear and open
Breathing	Rapid and shallow
Circulation	Weak, irregular pulse
Disability	Responsive but in severe pain, becoming unresponsive
Exposure	Recent physical exertion, possibility for dehydration or hypothermia

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.

Emergency Responder – Scenario 60

Trauma – Rugby Player

Please read the brief below. There are prompts provided to give to the learner should they need them. If the correct treatment is given, the patient's condition will improve.

Learner brief (to be read out to the learner(s) providing first aid)

You are at a regional rugby tournament at your local stadium and are called onto the pitch to assist with a player who has been injured. The player was tackled, then fell under the ruck, and did not get up after. When you arrive, you see the player is having difficulty breathing and there is visible paradoxical movement on the right side of the chest.

Patient brief

You have been tackled by two players from the opposing team during a rugby match and fell under the ensuing ruck. You are experiencing extreme pain on the right side of your chest and feel as though you can't breathe. You have no other injuries but are unable to move due to the pain and breathlessness. Become distressed if you are allowed to view the chest injury at any point. As time moves on, become unresponsive.

Patient simulation

- The patient will be lying on the ground, struggling to breathe
- Patient will become distressed if able to see their own chest moving paradoxically
- The patient becomes progressively less responsive.

Resources

- Full training FA kit (including GSL, AED and ePRF).

Observations

Observation	1st set	2nd set (after correct treatment)
FAST Test	Unable to obtain	Negative
ACVPU	Alert but in Pain, moving to Unresponsive	Responsive to Voice
Respiration rate	Not taken	24/min
Pulse rate	Not taken	105bpm
Pain score	10/10	6/10 with pain relief and O ₂
Temperature	Not taken	36°C
Pupil size	Not taken	Equal and reactive
Pulse oximetry	Not taken	95% with O ₂
Blood glucose	Not taken	5.5 mmol/L
Blood pressure	Not taken	90/52 mmHg

Complaint	Severe pain in right side, paradoxical chest movement.
History	Hard impact to chest during tackle and ruck
Previous medical history	Usually fit and well
Drug history/allergies	No medication No allergies known
Injuries/illnesses	Suspect rib fractures and flail chest
Additional information	N/A

Danger	None – play stopped, field cleared.
Response	Alert but in pain, becoming unresponsive
Catastrophic haemorrhage	None
Airway	Clear and open
Breathing	Laboured, rapid and shallow; paradoxical chest movement
Circulation	Irregular pulse
Disability	Alert but in pain, becoming unresponsive
Exposure	Recent exertion – consider dehydration and hypothermia

Emergency Responder Scenario

	Scenario lead Prompts to help learners	Emergency Responder Learners should (in any sensible order)
Stage one - Assessment	➤ "Have you assessed for danger?" ➤ "Have you introduced yourself to the patient?" ➤ "Do you need any PPE for this patient?"	➤ Carry out the primary survey ➤ Introduce themselves to the patient ➤ Don the appropriate PPE.
Stage two - Treatment	➤ "Is there somewhere more appropriate to treat this patient?" ➤ "How could we maintain the dignity of this patient?" ➤ "Do you need any further help with this patient?" ➤ "What can be done to assist with the patient's pain?"	➤ Relocate the patient to a treatment area (if appropriate) ➤ Provide appropriate treatment and pain relief ➤ Call for appropriate help (if required) ➤ Take a full set of observations.
Stage three - Recovery	➤ "Are there any follow-up questions you could ask the patient?" ➤ "Would a second set of observations be beneficial?"	➤ Complete SAMPLE ➤ Take a full set of observations ➤ Manages scene appropriately (controls bystanders, sends someone to meet the ambulance, etc).
Stage four - Debrief	➤ "The ambulance crew has arrived. Please provide a handover" ➤ "Before you discharge the patient from your care, do you need to tell them anything"	➤ Provide handover to the ambulance crew or appropriate follow-up advice to the patient ➤ Complete and submit ePRF.