Final Project Summary

EMS Readiness Optimization for Manhattan — v1.3.0

Completion Date: March 15, 2026
Repository: github.com/cnsp/ems-optimization
Tag: v1.3.0 (Capacity & Baseline Improvements)

Repository Statistics

Metric	Value
Total files in repository	**230+**
Total Python lines of code	**8,500+**
Python source files	46
Jupyter notebooks	8
CSV result files	55+
PNG figures	66+
PDF documents	23
Markdown documents	32
LaTeX tables	4
YAML configuration files	5
Unit tests	39 (all passing)

Simulation Statistics

Metric	Value
Total simulation runs	**2,700+**
Replications per cell	15–30
Simulation duration per run	168 hours (1 week)
Warm-up period per run	24 hours
Total simulated time	~450,000 hours (~51 years)
Total experiments	8 (factorial + CBD + capacity + V2)
Verification tests	4 (all passed)
Validation pilots	3 (all passed)

Key Metrics Achieved (Production V2 — cap=2, P0-spatial)

Metric	P0-spatial (V2)	P2 (Optimized)	P2 vs P0-spatial
Mean Response Time	3.17 min	**2.57 min**	**−19.0%**
P95 Response Time	6.26 min	**4.66 min**	**−25.6%**
8-min Coverage	99.6%	**99.6%**	+0.0 pp
Mean Utilization	7.6%	7.5%	−0.1 pp

P0 Baseline Improvement (V1 → V2):

Metric	P0-index (V1)	P0-spatial (V2)	Improvement
Mean Response Time	8.08 min	**3.17 min**	**−60.7%**
8-min Coverage	64.4%	**99.6%**	**+35.2 pp**

Statistical Significance: All results $p < 0.001$. P0-spatial improvement driven by geographic placement.

Phase Completion Status

Phase	Description	Status	Deliverables
Phase 1	Data Processing & EDA	✅ Complete	10 figures, processed data, EDA notebook
Phase 2	Demand & Service Modeling	✅ Complete	NHPP model, lambda tables, 2 spec docs
Phase 3	Optimization Models	✅ Complete	3 MIP models, allocations, comparison
Phase 4	DES Simulation + V&V	✅ Complete	SimPy engine, 39 tests, V&V log
Phase 5	Production Experiments	✅ Complete	1,770 runs, 5 experiments (incl. CBD)
Phase 6	Statistical Analysis	✅ Complete	ANOVA, post-hoc, 5 pub figures, 4 tables
Phase 7	Final Report & Docs	✅ Complete	Technical report, presentation, roadmap
Phase 8	Alternative Analyses	✅ Complete	Distance metric comparison, CBD-focused analysis
Phase 9	Capacity & Baseline Improvements	✅ Complete	Capacity sensitivity (cap 1–5), P0-spatial, Production V2

All 9 phases complete. Project delivered.

Files Added in This Session

Part 1: Repository Sync

- Force-added 38 files previously excluded by .gitignore
- Includes all processed data, figures, experiment tables, and maps
- Pushed successfully to origin/main

Part 2: Phase 7 Deliverables

- `docs/technical_report.md` (.pdf) — 25-page comprehensive report
- `docs/executive_presentation.md` (.pdf) — 10-slide stakeholder deck
- `docs/implementation_roadmap.md` (.pdf) — 3-phase deployment plan
- `docs/project_archive.md` (.pdf) — Timeline, decisions, lessons learned

- `docs/code_documentation.md` (.pdf) — Architecture & API guide
- `docs/file_inventory.md` (.pdf) — Complete file listing
- `README.md` — Enhanced with key findings and full documentation
- `scripts/generate_summary_dashboard.py` — Dashboard generator
- `results/figures/project_summary_dashboard.png` — Visual summary
- `docs/final_summary.md` — This file

Part 3: Gap Closure (v1.1.0)

- `docs/cbd_definition.md` — CBD geographic definition (10 precincts)
- `configs/cbd_scenario.yaml` — CBD experiment configuration
- `scripts/run_cbd_experiment.py` — CBD DES experiment runner (330 runs)
- `scripts/analyze_queue_metrics.py` — Queue metrics analysis script
- `scripts/analyze_seasonal_patterns.py` — Seasonal pattern analysis script
- `notebooks/09_cbd_analysis.ipynb` — CBD analysis notebook
- `docs/cbd_robustness_analysis.md` (.pdf) — CBD findings document
- `docs/queue_analysis.md` (.pdf) — Queue metrics analysis document
- `docs/gap_closure_report.md` (.pdf) — Gap closure verification report
- `results/simulation/cbd_experiment/` — 330 CBD simulation runs
- `results/figures/cbd_*.png` — 3 CBD figures
- `results/figures/queue_*.png` — 4 queue analysis figures
- `results/figures/seasonal_*.png` — 3 seasonal analysis figures
- `results/tables/cbd_*.csv` — 2 CBD tables
- `results/tables/queue_*.csv` — 2 queue tables
- `results/tables/seasonal_*.csv` — 1 seasonal table

v1.2.0 – Alternative Analyses (March 12, 2026)

New experiments:
- **Distance Metric Comparison:** Haversine vs Manhattan (taxicab) distance — confirmed model robustness; allocations differ at only 2/48 firehouses; simulation performance identical
- **CBD-Focused Optimisation:** Manhattan-wide vs CBD-focused allocation — demonstrated that demand-weighted objective already optimally balances CBD and non-CBD performance; CBD-focused allocation provides no CBD benefit while severely degrading non-CBD service

New deliverables:
- `scripts/generate_manhattan_distance_matrix.py` — Manhattan distance matrix generation
- `scripts/run_distance_comparison_experiment.py` — Distance metric comparison experiment
- `scripts/run_cbd_focused_optimization.py` — CBD-focused optimisation experiment
- `data/processed/distance_matrix_firehouse_precinct_manhattan.csv` — Manhattan distance matrix
- `docs/distance_metric_comparison.md` (.pdf) — Distance metric comparison report
- `docs/cbd_focused_optimization_analysis.md` (.pdf) — CBD-focused analysis report
- `docs/alternative_analyses_summary.md` (.pdf) — Combined summary of alternative analyses
- `results/distance_comparison/` — 4 figures + 2 tables
- `results/cbd_focused_comparison/` — 3 figures + 2 tables

Modified files:
- `src/ems_readiness/utils/distance.py` — Added `manhattan_distance()` function
- `src/ems_readiness/optimization/models.py` — Added `build_cbd_focused_demand_weighted()` and

`build_cbd_focused_coverage()`
- `docs/technical_report.md` — Added §5.10 and §5.11; updated figures/tables lists

v1.3.0 – Capacity & Baseline Improvements (March 15, 2026)

Phase 9: Major methodological improvements to baseline policy and capacity constraints.

Key changes:
- **Firehouse capacity constraint reduced from 5 to 2** — Full sensitivity analysis (cap 1–5) demonstrates cap=2 is operationally realistic and optimal for typical fleet sizes
- **Spatially-stratified P0 baseline** — Replaced index-based P0 with latitude-sorted selection ensuring geographic coverage; P0 mean RT improved by 61% (8.08 → 3.17 min at K=20)
- **Production V2 re-run** — Complete 810-run production experiment with cap=2 and P0-spatial across 9 fleet sizes (K=10–48) × 3 policies × 30 replications
- **38% narrowing of P0-P2 gap** — Spatial stratification demonstrates geographic placement is the dominant factor in EMS response performance

New scripts:
- `scripts/capacity_sensitivity_analysis.py` — Initial cap=2 vs cap=5 comparison
- `scripts/capacity_sensitivity_full_spectrum.py` — Full-spectrum cap 1–5 sensitivity analysis
- `scripts/p0_spatial_analysis.py` — Spatial stratification analysis and visualization
- `scripts/run_production_v2.py` — Production V2 experiment runner (810 runs)

New results:
- `results/capacity_comparison/` — 60+ files: allocations, figures, tables for cap 1–5
- `results/production_v2/` — Complete V2 results: allocations, simulation, figures, tables

New documentation:
- `docs/firehouse_capacity_analysis.md` — Firehouse capacity methodology and initial analysis
- `docs/capacity_sensitivity_analysis.md` — Full-spectrum capacity sensitivity report

Modified files:
- `src/ems_readiness/optimization/policies.py` — Added `spatially_stratified_allocation()` and `spatial_stratification_analysis()`
- `src/ems_readiness/optimization/__init__.py` — Exposed new spatial stratification functions
- `src/ems_readiness/optimization/models.py` — Updated `build_p_median` for capacity-aware allocation; added `solve_model()` convenience function
- `configs/optimization.yaml` — Default capacity changed from 5 to 2
- All documentation files updated to reflect v1.3.0

Project complete. Tagged as v1.3.0 — capacity & baseline improvements with Production V2 results.