




SOC



SENSORES




FEEDBACK




1KM

BLS

D21





Comment	Description	Designator	Footprint	LibRef	Quantity
SPST	SWITCH TACTILE SPST- NO 0.05A 24V	BT1, BT2, BT3	TACT SWITCH PHT	SWITCH TACTILE SPST- NO 0.05A 24V	3
VJ0603Y104JXPW1BC	Multilayer Ceramic Capacitors MLCC - SMD/SMT 0603 0.1uF 16volts X7R 5%	C1, C2, C3	CAP CER DISK 100NF 50V	CAP CER 0.1UF 16V 5% 0603	3
Display OLED	MONOCHROME 1.3 128X64	DS1	OLED 128x64 - offset	Display OLED	1
SGP30	SGP30 AIR QUALITY SENSOR BREAKOU	H1	SGP30 1x5	SGP30	1
AS7262	Adafruit AS7262 6- Channel Visible Light / Color Sensor Breakout	H2	AS7262	AS7262	1
BME280-module	SENSOR HUM/PRESS I2C/SPI BME280	H3	BME280 1x6	BME280-module	1
Microphone	Accessory Type:Electret Microphone; For Use With:MCU & Sensor Evaluation & Development Boards; Features:20-20kHz Electret Microphone, Adjustable Gain, Excellent Power Supply Noise Rejection ;RoHS Compliant: Yes	MK1	microphone module max4466	Microphone	1
Header 15	Header, 15-Pin	P1, P2	HDR FEMALE 1x15	Header 15	2
RES 1/4W CARBON FILM	RES ? OHM 1/4W 5% CARBON FILM	R1, R2	RES 10K 1/4W CARBON FILM	RES 1/4W CARBON FILM	2
RES 1/4W CARBON FILM	RES ? OHM 1/4W 5% CARBON FILM	R3	RES 10K 1/4W CARBON FILM_STAND	RES 1/4W CARBON FILM	1
ESP32-DEVKITC	EVAL BOARD FOR ESP- WROOM-32	U1	ESP32-WROOM- devkit	ESP32-DEVKITC	1