



www.soilandforestryservices.com

**Attached is a proposed design for an Modified Conventional Septic System with gravity dist.
for a 3 bedroom single family residence at 139 Sheep Path Dr., Lot 33,
PIN#(4659564521) Mooresville 28115, Iredell County, NC.**

<u>Contents:</u>	<u>Page</u>
Information for the Installer-----	1
Design Information	
Design Specifications-----	2-3
Layout Specifications-----	4
Site Plan/System Plan-----	5-6
Calculations-----	7
Profile Descriptions-----	8-9
Zoning Permit & Receipt-----	10-12
Application-----	13-14
Green Sheet-----	15
Agent Authorization Form-----	16

January 15, 2021

Project #: 20-0124

Design By: Soil & Forestry Services of the Carolinas, PA

INFORMATION FOR THE INSTALLER:

The permit should be read very carefully prior to bidding. The following are details that must be considered along with all other considerations.

- Tanks shall be approved by NC DHHS, and certification supplied by the manufacturer.
- Tanks shall be water tested prior to installation.
- The installer shall be responsible to the owner for placement of the tanks and to insure that final grades are returned to the original natural grade, with exception of added structural features.
- The supply trench shall be compacted to eliminate cavities left during initial fill placement.
- Installation of the system shall be during dry conditions in order to protect the soil structure.
- All fittings shall be pressure rated fittings.
- All joints shall be cleaned with PVC pipe cleaner and a heavy bodied glue applied to weld all joints.
- Where required by the county health department, post installation inspections by the designer must be scheduled 5 week days in advance.
- Trenches shall be carefully excavated so the bottom is within 2" from the highest to the lowest points of elevation within the trench. If the bottom elevation needs adjusting after it has been trenched, it will be done by removing high points rather than filling low points. It is extremely important to insure that trenches are not over excavated during initial trenching. All fine grading within the trench will be hand done with a shovel. No loose material will be left in the trench
- All pipe openings in the tanks shall be properly grouted. This also applies to the joints around the riser.
- All tanks shall be properly back filled and compacted to prevent slump at a later date.
- Earth dams, constructed of relatively impervious material, shall be installed at the beginning and end of each lateral.
- No heavy equipment shall be used on the field during or after installation. The use of a small loader (i.e. Bobcat) or a trencher (i.e. Ditch Witch 2300/2310) may be used for installation.
- Elevations at pinflag locations should be checked by the installer prior to beginning trenches.
- Septic tank riser shall be a minimum of 6" above finished grade.
- System is specified as a gravity PPBPS installation.
- Repair is specified as a PPBPS with low pressure installation.
- **100' Setback from well to any part of the system is required (Saprolite System).**

GRAVITY PPBPS SYSTEM FOR WASTEWATER TREATMENT

Applicant: Sunset Homes LLC

Address: 19701 Bethel Church Rd #103-167
Cornelius, NC 28031

Phone: 704.785.6405

County: Iredell

Location: 139 Sheep Path Drive
Mooresville, NC 28115

Source of Wastewater Flow: 3 Bedroom Single Family Residence

Estimated Gallons Per Day Flow: 360

System Flow: N/A

Design Specifications

Drainfield Size: 172

Loading Rate (gpd/ft.²): 0.35

Depth of Gravel in Trench: N/A

Gravel Size: N/A

Max.Trench Depth: 36 in. Repair Trench Bottom 30 in.

Trench Width: 24 in.

Septic Tank Size: 1000

Estimated Supply Line Length: 6

Supply Line Diameter: 4 in. SCH 40 PVC

Supply Line Volume: 1.31

Dosing Volume: N/A

Supply Manifold: N/A

Supply Manifold Length: N/A

Supply Manifold Volume: N/A

Recommended Float Controls: N/A

Recommended Control Panel: N/A

Pressure Head: N/A

Friction Head: N/A

Elevation Head: N/A

Total Dynamic Head: N/A

Threaded Union: N/A

Gate Valves: N/A

Check Valves: N/A

Anti-Siphon Hole: N/A

Additional Comments: Soil suitability was performed by Soil & Forestry Services of the Carolinas

139 Sheep Path Drive**PPBPS SYSTEM**

DESIGN FLOW (gpd): 360
SOIL APPLICATION RATE (gpd/ft.²): 0.35
TOTAL AREA TRENCH BOTTOM: 344

TOTAL LATERAL LENGTH: 172
NUMBER OF FIELDS: 1
LATERAL LENGTH REQUIRED PER FIELD: 172

SUPPLY LINE LENGTH: 6
TOTAL DYNAMIC HEAD: N/A
MANIFOLD SIZE: N/A

DOSING VOLUME: N/A
PUMP TANK DRAW DOWN*: N/A
SEPTIC TANK SIZE: 1000
PUMP TANK SIZE: N/A

Layout Specifications - 139 Sheep Path Drive-Lot 33

Project #: 20-0124

LAYOUT FOR 3 BEDROOM HOME

1/15/2021

<u>LINE #</u>	<u>FLAG COLOR</u>	<u>BS</u>	<u>HI</u>	<u>FS</u>	<u>ELEVATION</u>	<u>FLAGGED LINE LENGTH</u>	<u>DESIGN LINE LENGTH</u>
TBM							
INSTR. 1							
1	RED					33	33
2A	ORANGE					43	43
2B	ORANGE					27	27
3A	YELLOW					43	43
3B	YELLOW					33	33
4A	PINK					43	43
4B	PINK					34	34
5A	BLUE					43	43
5B	BLUE					35	35
6	RED					81	81
Total						415	415

	<u>LINE LENGTH</u>	<u>LTAR GPD/FT2</u>	<u>SYSTEM TYPE</u>	<u>SOIL LTAR GPD/FT2</u>	<u>TRENCH SYSTEM</u>	<u>DISTRIBUTION</u>	<u>TRENCH DEPTH</u>
* System	172	0.350	MOD. CONV	0.350	PPBPS	GRAVITY	36"
Repair	243	0.250	MOD. CONV	0.250	PPBPS	LOW PRESSURE	30"

Notes:

**All measures in feet

**Nitrification lines are demonstrated on contour via colored pin flags

GRAVITY PPBPS SPECIFICATIONS - 139 Sheep Path Dr. Lot 33

SYSTEM

<u>Line #</u>	<u>Color</u>	<u>Elevation</u>	<u>Length</u>	<u>Hole Size</u>	<u>Flow/hole</u>	<u>Trench Area</u>	<u># of Panels</u>
2A	ORANGE	N/A	43	N/A	N/A	86	10
3A	YELLOW	N/A	43	N/A	N/A	86	10
4A	PINK	N/A	43	N/A	N/A	86	10
5A	BLUE	N/A	43	N/A	N/A	86	10

344



40

total	feet =	172	gal/min =	N/A
	Des. Flow	360		
	Pump Run=	N/A		
	soil LTAR	0.35		
	LTAR +5%	0.3675		
	LTAR with mod.	0.7		
	LTAR with mod.. + 5%	0.735		


ONG/ ALL LOT LINES.

NCE
RK.
HEREON.
ALONG ALL LOT LINES.

SHEEP PA



GRAPHIC SCALE - FEET



VICINITY MAP NO SCALE

- LEGEND
- = P.P. = POWER POLE
 - = OVERHEAD ELECTRIC
 - = RIGHT-OF-WAY
 - = PUBLIC DRAINAGE & UTILITY EASEMENT
 - = R.O.W. 30' (4' REAR)
 - = COMPLETED

SURVEYORS CERTIFICATION

I, WILLIAM M. ALLEN, a duly licensed Professional Land Surveyor in the State of North Carolina, do hereby certify that the foregoing is a true and correct copy of the original survey as shown to me by the owner of the property, and that the same has been prepared in accordance with the provisions of the North Carolina Surveying Act of 1971, and that this map was prepared in accordance with the provisions of the North Carolina Surveying Act of 1971, and that this map was prepared in accordance with the provisions of the North Carolina Surveying Act of 1971.

WMA
12/14/2020
1-3499
REGISTRATION NUMBER

OPTIONAL SEAL




THIS SURVEY IS OF ANOTHER CATEGORY, SUCH AS THE REVISION OF A PREVIOUS SURVEY, OR OTHER EXCEPTION TO THE DEFINITION OF A SURVEY.

WMA
12/14/2020
1-3499
PROFESSIONAL LAND SURVEYOR

LOT 62
RANDY WOODWARD
25566\1990

LOT 31
RANDY WOODWARD
25566\663



LOT 35
KIMBERLY MARINO
2720\1992

NOTES:

- 1) This property may be subject to any easements and/or rights-of-way of record.
- 2) The site purpose of this plot is to remove the 15' septic supply easement.
- 3) All lots are subject to a 10' utility and drainage easement 10 feet on each side of the property line.
- 4) Total acreage on this plot = 1.10 AC.
- 5) This plat is a revision of a previous plat.
- 6) Property located in the 15' septic supply easement.
- 7) Minimum Building Setback: 35' Front; 15' Side; 15' Rear.
- 8) The property is located in BARRINGER Twp., Iredell Co., N.C.
- 9) Individual wells & septic for each lot.
- 10) This property is not located in a special flood hazard area.
- 11) Tax parcel # (pin number) = LOT 33 = 4659564536; LOT 34 = 4659564521.
- 12) Deed ref. = 2712\1927 and 2715\889.
- 13) No geologic monument located within 2000' of said property.
- 14) AS OF THE DATE OF THIS RECORDING, THE LOTS REPRESENTED ON THIS PLAT HAVE NOT BEEN INSPECTED OR APPROVED BY THE IREDELL COUNTY HEALTH DEPT. UNTIL INSPECTED THERE IS NO ASSURANCE THAT A BUILDING PERMIT WILL BE ISSUED.



DAS
DON ALLEN & ASSOCIATES P.A.
"Since 1971"
Commercial • Residential • Mortgage Surveys • Multi-Family
Construction • Subdivision Design • Topographical
131 Grandview • 7020 • (704) 664-8041 Fax
donallen@daspa.com

STATE OF NORTH CAROLINA
COUNTY OF IREDELL

I, WILLIAM M. ALLEN, a duly licensed Professional Land Surveyor in the State of North Carolina, do hereby certify that the foregoing is a true and correct copy of the original survey as shown to me by the owner of the property, and that the same has been prepared in accordance with the provisions of the North Carolina Surveying Act of 1971, and that this map was prepared in accordance with the provisions of the North Carolina Surveying Act of 1971.

WMA
12/14/2020
1-3499
REGISTRATION NUMBER

OPTIONAL SEAL




THIS SURVEY IS OF ANOTHER CATEGORY, SUCH AS THE REVISION OF A PREVIOUS SURVEY, OR OTHER EXCEPTION TO THE DEFINITION OF A SURVEY.

WMA
12/14/2020
1-3499
PROFESSIONAL LAND SURVEYOR

LOT 62
RANDY WOODWARD
25566\1990

LOT 31
RANDY WOODWARD
25566\663



LOT 35
KIMBERLY MARINO
2720\1992

BLUFF MEADOW LN
(45' PUBLIC R/W)

SHEEP PATH DR.
(45' PUBLIC R/W)

OWNER CERTIFICATE FOR EXCEPTION PLAT
KNOW ALL MEN BY THESE PRESENTS, THAT I (THE SIGNED)
CERTIFY THAT I AM (THE SIGNED) THE OWNER OF THE
PROPERTY SHOWN AND DESCRIBED HEREON AND THAT
THE PROPERTY SHOWN AND DESCRIBED HEREON IS NOT
TO BE ANY FREE ACT AND DEED.

12/14/2020
DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

OWNER

DATE

EXCEPTION PLAT

OF

SHEPHERD'S BLUFF PHASE 5

LOTS 33 & 34

(PB 50 PG 145)

BARRINGER TWP., IREDELL CO., N.C.

DATE SURVEYED: DEC. 10, 2020

DATE PLATED: DEC. 11, 2020

OWNER: SUNSET HOMES LLC

19701 BETHEL CHURCH RD. SUITE 103

CORNELIUS, NC 28031

GRAPHIC SCALE

(IN FEET)

1 inch = 50 ft

FILE NAME: SHEPHERD'S BLUFF 33-34.DWG

CALCULATIONS

Location 139 Sheep Path Drive
 Mooresville, NC 28115
 Project Number 20-0124

Lot No: 33

No. of Bedrooms **3**

Design Flow 360 gal/day

LTAR 0.350 gal/ft² day

PPBPS? (YES OR NO) **YES**

Supply Line Length 6 ft.

Supply Line Volume 3.918 gal.

Required Feet of Line 171.4286 ft.
 Amount of Line from Layout 172 ft.

Gallons per Minute N/A gal/min

Required Septic Tank Capacity 1000 gal.
 Septic Tank Size 1000 gal.

Panel Volume N/A gal.

of Panels N/A

Dosing Volume **N/A** gal.

Tank Draw Down N/A

Pump Run Time

Elevation Head N/A ft.

Pressure Head N/A ft.

Friction Factor N/A ft./100 ft. (From the interpolater.)

Friction Head N/A ft.

Total Dynamic Head (+15%) N/A ft.

FRICTION FACTOR
 INTERPOLATER
 2" SCH 40 PVC

GPM	f
20	0.84
	-0.88
25	1.27
	-1.28
30	1.78
	-1.76
35	2.37
	-2.25
40	3.03
43.07	3.48
45	3.77
48.14	4.28
50	4.58
57.11	5.89
60	6.42

SOIL/SITE EVALUATION
for ON-SITE WASTEWATER SYSTEM
(Complete all fields in full)

OWNER: Sunset Homes LLC APPLICATION DATE: _____
ADDRESS: 19701 Bethel Church Rd #103-167, Cornelius NC 28031 DATE EVALUATED: 11/2020
PROPOSED FACILITY: 3BR PROPOSED DESIGN FLOW (.1949): 340 gpd PROPERTY SIZE: 0.52 AC
LOCATION OF SITE: 139 Sharp Path Dr Mooresville NC 28115 Lot 33 PROPERTY RECORDED: Yes
WATER SUPPLY: ☐ Private ☐ Public ☒ Well ☐ Spring ☐ Other _____
EVALUATION METHOD: ☐ Auger Boring ☒ Pit ☐ Cut TYPE OF WASTEWATER: ☒ Sewage ☐ Industrial Process ☐ Mixed

P R O F I L E #	.1940 LANDSCAPE POSITION/ SLOPE %	HORIZON DEPTH (IN.)	SOIL MORPHOLOGY (.1941)		OTHER PROFILE FACTORS				PROFILE CLASS & LTAR
			.1941 STRUCTURE/ TEXTURE	.1941 CONSISTENCE/ MINERALOGY	.1942 SOIL WETNESS/ COLOR	.1943 SOIL DEPTH	.1956 SAPRO CLASS	.1944 RESTR HORIZ	
1	L/13%	0-7	RCL w/SSBK	Fr SS SP	C-Mg. C-Fr Depl. C-Fr C-Fr	74"			PS .25
		7-45	RBC w/SSBK/Md	Fr SS SP					
		45-74	RBC w/SSBK/Md	Fr SS SP					
		74-84	VAR L/CL MASS	Fr SS SP					
2	L/7%	0-9			C-Fr 30" 9"	9"			UN
3	L/14%	0-6	RCL w/SSBK	Fr SS SP	C-SAP Fr w/SSBK	34"			PS .325
		6-16	RCL w/SSBK	" "					
		16-34	RCL w/SSBK	" "					
		34-80	VAR SL MASS	Fr SS SP					
4	L/9%	0-8	RBC w/SSBK	Fr SS SP	C-SAP	30"			PS .35
		8-30	RBC w/SSBK	Fr SS SP					
		30-80	VAR SL MASS	Fr SS SP					

DESCRIPTION	INITIAL SYSTEM	REPAIR SYSTEM	OTHER FACTORS (.1946):
Available Space (.1945)	PS	PS	SITE CLASSIFICATION (.1948): PS
System Type(s)	Man. Con	PPBTS/Low Pressure	EVALUATED BY: S. Ashley Rollans
Site LTAR	.35	.25	OTHER(S) PRESENT: Chad Wagner

COMMENTS:

SOIL/SITE EVALUATION
(Continuation Sheet-Complete all field in full)

Sheet 2 of 2

PROPERTY ID #: 9659563536
DATE OF EVALUATION: 11/2020
COUNTY: Tredell

137 Sheep Path Dr

P R O F I L E #	.1940 LANDSCAPE POSITION/ SLOPE %	HORIZ ON DEPTH (IN.)	SOIL MORPHOLOGY (.1941)		OTHER PROFILE FACTORS				PROFILE CLASS & LTAR
			.1941 STRUCTURE/ TEXTURE	.1941 CONSISTENCE/ MINERALOGY	.1942 SOIL WETNESS/ COLOR	.1943 SOIL DEPTH	.1956 SAPRO CLASS	.1944 RESTR HORIZ	
P 5	L/110%	0-13	BR. SC. w/MSK/ABK	Fr SS SP	-C. SAP	24"			PS .4
		13-24	RBCL w/MSK	Fr SS SP					
		24-80	UNKL MASS	" "					
P 6	L/100%	0-25	BRC w/MSK/sbk	Fr SS SP	-FEW SAP Inclusion of Yellow Rcks ~ 15%	72"			PS .3
		25-72	RBCL w/MSK	Fr SS SP					
P 7	L/90%	0-30	BRC w/MSK/ABK	Fr SS SP	-FEW WLL. Rcks Yellow ~ 5%	59"			PS .3
		30-59	RBCL w/MSK/ABK	Fr SS SP					
		59-90	UNKL MASS	Fr SS SP					

COMMENTS: _____

IREDELL COUNTY DEPARTMENT of ENVIRONMENTAL HEALTH
APPLICATION FORM

Application For:

- ☒ Septic Improvement Permit ☒ New Well Permit ☐ Well Repair Permit ☐ Well Abandonment
☐ Authorization to Construct ☐ Existing System Inspection ☐ Septic System Repair

THE ABOVE PERMIT DOCUMENTS WILL BECOME INVALID IF INFORMATION PROVIDED ON THIS APPLICATION IS FALSIFIED OR CHANGED, OR IF THE SITE IS ALTERED. THE IMPROVEMENT PERMIT IS VALID FOR EITHER 60 MONTHS OR WITHOUT EXPIRATION DEPENDING UPON DOCUMENTATION SUBMITTED. APPLICATION WITH SITE PLAN 60 MONTHS, APPLICATION WITH COMPLETE, SCALED PLAT WITHOUT EXPIRATION. SEE 15A NCAC 18A .1937(f) FOR DETAILS.

Page 2: Site Plan Worksheet form MUST accompany this application

The following optional attachments may also be submitted:

Place an (X) beside whichever is submitted if applicable

☐ Survey Plat, scaled no more than 1 inch = 60 feet

☒ Custom Site Plan, scaled no more than 1 inch = 60 feet

Applicant Information: (PRINT CLEARLY)

Applicant Name: Sunset Homes LLC Address: 19701 Bethel Church Rd #103-167 Cornelius NC Zip: 28031

Applicant Email: Sunsethomes-rich@gmail.com Phone: 704-785-6405 Alt. Phone: _____

Owner Name: Sunset Homes LLC Address: 19701 Bethel Church Rd #103-167 Cornelius NC Zip: 28031

Owner Email: Sunsethomes-rich@gmail.com Phone: 704-785-6405 Alt. Phone: _____

Property Information:

Street Address: 139 Sheep Path Dr., Mooresville NC 28115

Subdivision Name: Shepherds Bluff Section/Phase: 95 Lot Number: 33

Driving Directions: Shepherd Rd to Shepherd Bluff Dr, Left on Bluff Meadows Ln, Sheep Path Dr.

Site Development Information: (check or complete ALL that apply)

CHECK FOUNDATION TYPE

- ☒ New Single Family Residence Maximum Number of Bedrooms: 3 ☐ Crawl Space Foundation
☐ New Multi-Family Residence Maximum Number of Occupants: 6 ☒ Basement with Plumbing
☐ Accessory Building ☐ Swimming Pool ☐ Basement without Plumbing
☐ Bedroom(s) Addition ☐ Other Addition/Structure: _____
☐ Repair to failing septic system Tank _____ Drain lines Describe Problem: _____

Non-Residential Site Development:

Square Footage of Building: _____ Max. Number of Employees: _____ Max. Number of Seats/Beds/Other: _____

Water Supply: ☐ Replacement Well - Reason: _____

☐ Multi-connection Well Number of Houses: _____ Number of Persons: _____

☒ New Well ☐ Existing Well ☐ Community Well ☐ City Water ☐ Other Public Water

Desired Septic System Type: (you may rank in order of preference)

☐ No Preference ☐ Alternative ☐ Conventional ☐ Innovative ☒ Modified Conventional ☐ Other: _____

Please answer the following

to the best of your ability:

☐ Yes ☒ No

Does the site contain any jurisdictional wetlands?

☐ Yes ☒ No

Is any non-domestic sewage (i.e. industrial) to be generated?

☐ Yes ☒ No

Is the site subject to approval by any other public agency?

I have read this application and certify that the information provided herein is true, complete, and correct. Authorized county and state officials are granted right of entry to conduct necessary inspections to determine compliance with applicable laws and rules. I understand that I am solely responsible for the proper identification and labeling of all property lines and corners and making the site accessible so that a complete site evaluation can be performed.

Signature: _____

Property owner or owner's legal representative signature (SIGNATURE REQUIRED)

1/15/21

DATE

IREDELL COUNTY DEPARTMENT of ENVIRONMENTAL HEALTH
SITE PLAN WORKSHEET


SEE THE "SAMPLE SITE PLAN" BELOW. INCOMPLETE SITE PLANS WILL BE RETURNED TO YOU FOR COMPLETION AND MAY RESULT IN A DELAY IN THE ISSUANCE OF YOUR SEPTIC SYSTEM OR WELL PERMIT!!!

Place an (X) beside each item as you complete the site plan:

- ☒ Property Line measurements are clearly identified
- ☒ All proposed structures are indicated
- ☒ Front and side setbacks from property line
- ☒ Preferred driveway location
- ☒ Preferred well location
- ☒ Preferred septic system location
- ☒ North arrow, or other sufficient indicator of direction

Circle N/A on the following if appropriate:

- Location of septic systems and wells within 100' of your property ☒ N/A
- Location of easements and rights of ways on your property ☒ N/A
- Location of any designated wetlands on the property ☒ N/A



USE THIS SPACE TO DRAW YOUR SITE PLAN

Show: proposed house or business footprint, wells, water lines, patios, pools and decks, and any other item that will occupy space on the site

See
Attached

Signature: _____

Property owner or owner's legal representative signature (SIGNATURE REQUIRED)

DATE

1/15/21

ENVIRONMENTAL HEALTH REQUIREMENTS for SEPTIC and WELL PERMITS

The following items must be completed **PRIOR** to the **SUBMITTAL** of any Environmental Health Application. Incomplete applications will be returned to the applicant and cannot be processed or placed on the work list.

**** Initial all lines below to indicate you have submitted each form and completed every site requirement ****

S.A.R. Complete all Environmental Health forms:

- S.A.R. Application
- S.A.R. Site Plan with dimensions of proposed structure, addition, pool etc.
- S.A.R. Documentation to Authorize Owner Agent (if the property owner is not the applicant)
- S.A.R. Copy of Zoning Permit when applicable
- S.A.R. Sign this sheet after you have completed all items

S.A.R. Lot must be cleared of heavy undergrowth. In order to evaluate the lot, the footprint of the proposed structure must be visible. Adequate area for the septic drain field and repair area must be sufficiently cleared of heavy undergrowth, with **50 feet of visibility** in all directions. Inspectors must be able to evaluate the property, shoot laser level elevations, layout the drain field, do soils work, etc. **If the lot is not cleared sufficiently, then a \$100 site revisit fee will be charged and the evaluation will be put on HOLD until the requirement is met.**

S.A.R. Clearly mark all property corners by locating existing iron or concrete markers. Flag all property lines every 25 feet if adjacent corners are not visible when standing on any given corner. Property lines must be flagged by a licensed NC surveyor & easily identified **prior to application submittal** (exception may apply for septic repair evaluations only). 'Mow lines' and/or fence lines do NOT constitute marked lines. **If the property lines are not properly marked when the lot is ready to be evaluated, then the application will be put on HOLD and a \$100 site re-visit fee charged.**

S.A.R. Stake or flag the footprint of the proposed structure, addition, pool etc. to match the site plan submitted. The proposed structure, etc. **must be staked** out on the property as per the site plan.

S.A.R. If an **Authorization to Construct (AC)** is desired, submit a recorded copy of the plat for newly created or subdivided lot(s) and a LEGIBLE copy of the basic floor plan no larger than 8 1/2" x 14" for each floor of the structure including decks, porches, etc. **The overall dimensions must be clearly noted & the rooms labeled.**


Any site not meeting the above requirements when staff arrives for the evaluation will result in a \$100 site revisit fee being charged and the request being placed on HOLD. This will delay the processing of the application.
Once work by Environmental Health staff begins, the up-front fees paid toward securing any health department permit are non-refundable. Refunds for work not started, due to a customer changing their mind or plans, are subject to an administrative fee of \$50 to defray a portion of the costs of processing the refund.

 Backhoe pits are required for all applications that require a soils evaluation.

DO NOT DIG PITS UNTIL THE EH SPECIALIST HAS AUTHORIZED AND SCHEDULED YOUR EVALUATION TIME.

- All utilities shall be marked before pits are dug. Call NC 811 for this service.
- The applicant/agent is responsible for securing these services
- Backhoe pits are to be dug at the locations and depths determined by the Environmental Health Specialist or a NC Licensed Soil Scientist. A minimum of four pits must be dug.
- The EH specialist will contact you when your application is ready to be processed for pit scheduling.
- Your backhoe operator must be on site during the EH Specialist's evaluation to prevent your operator from having to return to the property for additional work.

By signing below I am acknowledging the above specifications have been met and the site is **READY** to be evaluated AND I understand the backhoe pit requirement and will secure those services (if applicable).

Signature 

Date 1/15/21

Questions? Contact the Environmental Health Offices below:

Statesville Office

349 North Center Street (2nd Floor Building Standards)
Statesville, NC 28677-4063
Phone: (704)878-5305 ext. 3456

Mooresville Office

610 East Center Avenue (2nd Floor Govt. Center South)
 Mooresville, NC 28115-2548
 Phone: (704)660-3625



IREDELL COUNTY DEPARTMENT OF ENVIRONMENTAL HEALTH



DOCUMENTATION TO AUTHORIZE AN OWNER'S LEGAL REPRESENTATIVE

Applications for permits require the "signature of the owner or owner's legal representative" (15A NCAC 18A .1937). If the owner does not sign the application himself or herself, they can submit any one of the following documents to designate their legal representative:

Power of Attorney; Real Estate Contract; Estate executor; Bankruptcy trustee; Court ordered guardianship

In the absence of the above documentation, the property owner may provide the local health department with documentation that designates a legal representative. A property owner may:

Complete this form to document his or her legal representative, or provide his or her own form that contains the information in this form.

If there are multiple property owners, then all property owners must sign the form that designates a legal representative.

By signing a form that designates a legal representative for purposes of 15A NCAC 18A .1937, the property owner authorizes that representative to act on their behalf in matters pertaining to the application and permitting process, including signing or receiving any application, document or permit. The owner retains full responsibility to meet all permit conditions specified by the local health department.

I, Rich Wojtali K/Sunset Homes/Daniel McNeil am the legal owner(s) of the property located at 139 Sheep Path Dr. Mooresville NC 28115, identified as PIN (Parcel Identification Number) 4659563536, located in Iredell County, North Carolina.

I do hereby authorize (print legal representative/company name) SFS/Ashley Reilans, to act as an agent on my behalf in applying for/signing/obtaining any of the documents described below.

- Application for Improvement Permit (IP) / Authorization to Construct (AC)
- Improvement Permit (IP) / Authorization to Construct (AC)
- Application for soil-site evaluation (new/repair)
- Application/permit for private drinking water well/well abandonment
- Application for Compliance Inspection

I agree to abide by all decisions and/or conditions between the legal representative acting on my behalf and the Iredell County Department of Public Health, Environmental Health Division.

[Signature]
Signature of Owner(s)

2/01/2021
Date

[Signature]
Signature of Witness

2-1-2021
Date

Please return this signed form to the appropriate office:

Mooresville - Environmental Health
ronda.hart@co.iredell.nc.us
Fax: 704-662-3239
610 E. Center Avenue, Mooresville, NC 28115

Statesville - Environmental Health
adrienne.shea@co.iredell.nc.us
Fax: 704-871-3483
349 N. Center Street, Statesville, NC 28677

139 Sheep Path Dr. PIN 4659563536 (See Attached Design)

The septic layout for this lot (8' centers) yielded a total of 415 linear feet of line. The primary system is proposed as 172' of Modified Conventional (50% Reduction) drainfield with gravity distribution. Trench depth is specified at 36 inches. The repair system is proposed as 243' of Modified Conventional (50% Reduction) drainfield with low pressure distribution. Trench depth is specified at 30 inches.


Session Law Requirements

An LSS Evaluation may be submitted in conjunction with a complete application to the LHD. The application shall include all information described in 15A NCAC 18A .1937(d) and be accompanied by a signed and dated statement from the applicant (owner or owner's legal representative) that reads as follows:

"The LSS Evaluation attached to this application is to be used to produce design and construction features for permitting in accordance with SL 2018-114 Section 11.(c)."

Owner

Date

Print Name SUNSET HOMES LLC
RICHARD E. WOJCIK
Signature 

2/6/2021


The LSS Evaluation shall include a statement bearing the LSS seal and signature that reads as follows:

"The LSS Evaluation is being submitted pursuant to and meets the requirements of SL 2018-114 Section 11.(c)."

Disclaimer

This report reflects the findings of S&FS, PA. *This LSS Evaluation is being submitted pursuant to and meets the requirements of SL 2018-114 Section 11.(c).* Any site modifications that impact the proposed septic areas on the site may nullify this design. **This is a Sapolite System and the well must be installed where shown on the Site Plan. All parts of the system must be 100' from the well head.** System design requirements and site requirements shall be adhered to for installation and Operations Permits to be issued by the local Health Department. If you have questions regarding these requirements a Pre-Construction meeting should be scheduled to discuss. Please contact S&FS if you have any questions regarding this report or the attached information. S&FS also offers septic system inspection, wetland delineation and forestry services.

Sincerely,



S. Ashley Rollans, LSS
Attachment: *Septic Design*