

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Jul 14, 2022

24 00 [1461]

PRODUCT NUMBER

NG508C055

PRODUCT NAME

AP Pre-Cat Clear Topcoat, 55 Gloss

MANUFACTURER'S NAME

ACROMAPRO WOOD FINISHES

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

NG508C055 = | Acute | Chronic | Fire |

Product Weight

7.90 lb/gal

Specific Gravity

0.95

FLASH POINT

4 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethanol 64-17-5	N	N	N	N	7	9
2-Propanol 67-63-0	N	N	N	N	4	5
1-Butanol 71-36-3	N	Y	Y	N	4	5
2-Methyl-1-propanol 78-83-1	N	Y	N	N	8	9
Acetone 67-64-1	N	Y	N	N	7	8
n-Butyl Acetate 123-86-4	N	Y	N	N	31	33
1-Methoxy-2-Propanol Acetate 108-65-6	N	N	N	N	5	5

Volatile Organic Compounds - U.S. EPA / Canada

	NG508C055	
	LB/Gal	g/L
Coating Density	7.90	946
	By wt	By vol
Total Volatiles	67.2%	75.4%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	6.9%	8.3%
Organic Volatiles	60.3%	67.1%
Percent Non-Volatile	32.8%	24.6%
VOC Content	LB/Gal	g/L
Total	4.76	570
Less exempt solvents	5.19	622
Of solids	19.37	2321
Of solids	1.83 lb/lb	1.83 kg/kg
	By wt	
By wt LVP-VOC	60.3%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.89**

Volatile Organic Compounds - California

	NG508C055	
	LB/Gal	g/L
Coating Density	7.90	946
	By wt	By vol
Total Volatiles	67.2%	75.4%
Exempt solvents		
Water	0.0%	0.0%
Acetone	6.9%	8.3%
Organic Volatiles	60.3%	67.1%
Percent Non-Volatile	32.8%	24.6%
VOC Content	LB/Gal	g/L
Total	4.76	570
Less exempt solvents	5.19	622
Of solids	19.37	2321
Of solids	1.83 lb/lb	1.83 kg/kg
	By wt	
By wt LVP-VOC	60.3%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.85**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	NG508C055	
	LB/Gal	g/L
Coating Density	7.90	946
	By wt	By vol
Total Volatiles	67.2%	75.4%
Exempt solvents		
Water	0.0%	0.0%
Acetone	6.9%	8.3%
Organic Volatiles	60.3%	67.1%
Percent Non-Volatile	32.8%	24.6%
VOC Content	LB/Gal	g/L
Total	4.76	570
Less exempt solvents	5.19	622
Of solids	19.37	2321
Of solids	1.83 lb/lb	1.83 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	NG508C055	
	By wt	By vol
Total Volatiles	67.2%	75.4%
VOC Content	LB/Gal	g/L
Total	5.30	636

Volatile Organic Compounds - EU Directive 2010/75/EU

	NG508C055	
	By wt	By vol
Total Volatiles	67.2%	75.4%
VOC Content	LB/Gal	g/L
Total	5.30	636

Volatile Organic Compounds - Mexico

	NG508C055	
	LB/Gal	g/L
Coating Density	7.90	946
	By wt	By vol
Total Volatiles	67.2%	75.4%
Exempt solvents		
Water	0.0%	0.0%
Acetone	6.9%	8.3%
Organic Volatiles	60.3%	67.1%
Percent Non-Volatile	32.8%	24.6%
VOC Content	LB/Gal	g/L
Total	4.76	570
Less exempt solvents	5.19	622
Of solids	19.37	2321
Of solids	1.83 lb/lb	1.83 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	NG508C055	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data**Density of Organic Solvent Blend**

7.04 lb/gal

Photochemically Reactive

No

Additional Regulatory Information**US EPA TSCA:**

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.