Writing Your First Package


SOFTWARE ENGINEERING FOR DATA SCIENTISTS IN PYTHON





Adam Spannbauer

Machine Learning Engineer at Eastman










Importing a local package



Importing a local package

```
import my_package
help(my_package)
Help on package my_package:
NAME
   my_package
PACKAGE CONTENTS
FILE
   ~/work_dir/my_package/__init__.py
```



Let's Practice

SOFTWARE ENGINEERING FOR DATA SCIENTISTS IN PYTHON



Adding Functionality to Packages


SOFTWARE ENGINEERING FOR DATA SCIENTISTS IN PYTHON



Adam Spannbauer

Machine Learning Engineer at Eastman





Adding functionality

workingin work_dir/my_package/utils.py

```
def we_need_to_talk(break_up=False):
    """Helper for communicating with significant other"""
    if break_up:
        print("It's not you, it's me...")
    else:
        print('I <3 U!')</pre>
```

workingin work_dir/my_script.py

```
# Import utils submodule
import my_package.utils

# Decide to start seeing other people
my_package.utils.we_need_to_talk(break_up=True)
```

```
It's not you, it's me...
```



Importing functionality with __init__.py

```
workingin work_dir/my_package/__init__.py
```

```
from .utils import we_need_to_talk
```

workingin work_dir/my_script.py


```
# Import custom package
import my_package

# Realize you're with your soulmate
my_package.we_need_to_talk(break_up=False)
```


I <3 U!



Extending package structure



Extending package structure



Let's Practice

SOFTWARE ENGINEERING FOR DATA SCIENTISTS IN PYTHON



Making your package portable

SOFTWARE ENGINEERING FOR DATA SCIENTISTS IN PYTHON



Adam Spannbauer

Machine Learning Engineer at Eastman




Steps to portability





Portable package structure



Contents of requirements.txt

workingin work_dir/requirements.txt

```
# Needed packages/versions
matplotlib
numpy==1.15.4
pycodestyle>=2.4.0
```

working with terminal

datacamp@server:~\$ pip install -r requirements.txt

Contents of setup.py

```
from setuptools import setup
setup(name='my_package',
      version='0.0.1',
      description='An example package for DataCamp.',
      author='Adam Spannbauer',
      author_email='spannbaueradam@gmail.com',
      packages=['my_package'],
      install_requires=['matplotlib',
                         'numpy==1.15.4',
                         'pycodestyle>=2.4.0'])
```

install_requires vs requirements.txt

working in work_dir/requirements.txt

```
# Specify where to install requirements from
--index-url https://pypi.python.org/simple/

# Needed packages/versions
matplotlib
numpy==1.15.4
pycodestyle>=2.4.0
```

Documentation: install_requires vs requirements files

pip installing your package

datacamp@server:~/work_dir \$ pip install .

```
Building wheels for collected packages: my-package
Running setup.py bdist_wheel for my-package ... done
Successfully built my-package
Installing collected packages: my-package
Successfully installed my-package-0.0.1
```



Let's Practice

SOFTWARE ENGINEERING FOR DATA SCIENTISTS IN PYTHON

