

## Chapter 2

### BILL OF MATERIALS

This chapter is a listing of the materials and components which are required to build a Long-EZ. The parts are catagorized by type for your convenience when ordering. The parts are also categorized by plans chapter to assist you in locating them during construction.

RAF maintains a close liaison with the distributors listed to assure proper materials specification and quality control. The distributors listed here are the only approved sources for materials. Do not make substitutions for the structural materials shown. The indicated materials were selected, developed, tested, and optimized for ease of construction and structural integrity. RAF cannot provide assistance in the application of substitute materials. Each authorized distributor has a catalog or descriptive price list of the materials and components that they provide. The catalogs often cover a range of items beyond the basic requirements shown in this B.O.M. and serve as a very handy reference. Those distributors who charge for their catalogs will refund the catalog charge with your first order.

AIRCRAFT SPRUCE & SPECIALTY	WICKS AIRCRAFT SUPPLY
P.O. Box 424	410 Pine Street
Fullerton, CA 92632	Highland, IL 62249
(714) 870 - 7551	(618) 654 - 7447

CUSTOM PREFAB PARTS	
(1)	SC Strut Cover (fiberglass)
(1)	NB Nosegear Box (fiberglass)
(2)	Seat belt/Harness Assembly
(2)	Main gear axles 1 1/4" dia.
(2)	SB Sump Blister (fiberglass)
(1)	CI Cowl Inlet (fiberglass)
(1 ea)	CCT and CCB Continental Cowl
	OR
(1 ea)	LCT and LCB Lycoming Cowl
(1 kit)	Upholstry, including 2 custom-fit suitcases, 2 custom seat cushions and 2 custom headrests
(1)	Whelen A600 PG=14 Wingtip light, Right
(1)	Whelen A600 PR-14 Wingtip light, left

VFR INSTRUMENTS	
Airspeed	0-200 kts or 0-230 mph
Altitude	Sensitive
Compass	
Engine	Due to the many options, refer to Chapter 22 and Chapter 21 and order to suit

TOOLS		
1 pcs.	<del>2 pcs 16" x 48"</del> 1/16" or 1/8" thick x 24" x 48"	Birch aircraft plywood for templates
1 pcs.	103" 1.5" steel water pipe	Roncz canard alignment during foam glue up
Box of 200	Disposable co-polymer examination gloves	
(1 lb) jar	Ply No.9 Gell Skin Protector	
(1 pint)	Epo Cleanse, epoxy hand cleaner	
(2 each)	6-in long rubber squeegee	
(200 each)	8 oz. Lily unwaxed paper epoxy mixing cups	
(100 each)	1-in wide Bristle paint brushes	
(50 each)	2-in wide Bristle paint brushes	
1 pair	Wiss model 20W scissors	
(1 each)	Wood straight edge 1" x 4" x 72"	
(1 each)	Decimal tape measure Stanley #61-112	

TOOLS

Box of 500	Wood mixing sticks
(1 each)	Disston Abrader #401C
(1 each)	5/8" counter bore with 1/4" pilot and 10" long shank
(1 quart)	Alodine and Aeroprep
	Aluminum corrosion prevention




Figure 2-1:10 inch counter bore tool

PEEL PLY

1" wide 50 yd.	4 rolls
2" wide 50 yd.	4 rolls

Safety Wire

0.041 safety wire	25 ft coil
0.035 safety wire	25 ft coil

Note: Aircraft Spruce catalog lists a large variety of composite-working tools.

| ~KEN BROCK MANUFACTURING INC.~ Cozy Girls | Aircraft Spruce also | --- || ~11852 Western Ave.~ email: CGParts@aol.com || ~Stanton, CA 90680~  
http://www.cozygirrrl.com/aircraftparts.htm | | ~(714) 898-4366~ Not all parts available from Cozy|

Catalog \$2 - shows photos of all parts

CUSTOM PREFAB PARTS		CHAPTER	Canard Pusher
(1)	STEP - Formed aluminum	8	
(2)	LMGA Assembly	9 5	{CP 26 PC 34 MEO}
(2)	LMBG1 forward main gear attach brackets	5	{CP 35 PC 109 MEO}
(2)	LMBG2 aft main gear attach brackets	5	{CP 35 PC 109 MEO}
(2)	AX 5 Main gear axle 1 1/4" dia.	9	
(4)	A4-84 Axle spacers	9	{CP 29 PC 71 MEO}
(2)	J1.25 Axle nut	9	{CP 29 PC 71 MEO}
(1)	LB-12345 Weldment	9	
(1)	LB-6 Spacer	9	
(1)	LB-10 Arm	9	
(1)	LB-11 Spring clip	9	
(1)	LB-131415 Handle assy. with bearing	9	
(2)	LB-16 Spacer	9	
(2)	LB-18 Brackets	9	
(1)	LB-21 Rod	9	
(2)	CLT Lift tab	10	CU Canard
(2)	CLI Lift Insert	10	{CP27 PC53 MEO} CU canards
(2)	CL-1 Lift Inserts	10	R1149MS canard (same as CLI)
(7)	CS2 Formed hinge with bushing	11	CU Canard
(9)	CS3 Bracket	11	CU Canard
(2)	CS9 Plug	11	CU Canard
(2)	CS10 Lead weight	11 & 30	Both Canards
(2)	CS11 Lead weight	11 & 30	Both Canards
(2)	CS12 Belhorn with bushing	11	Both Canards
(1)	PTB Belcrank	11	Both Canards
(2)	CNL Aluminum bushing	12	Both Canards

CUSTOM PREFAB PARTS		CHAPTER	Canard Pusher
(2)	CN2 STL bushing	12	Both Canards
(2)	NC-CLT	30	Lift tabs R1149MS Elevators
(5)	NC-2	30	Hinge inserts R1149MS Elevators
(5)	NC-3	30	Hinges R1149MS Elevators
(2)	NC-3A	30	Hinges R1149MS Elevators
(1)	NC-5A	30	Pitch Trim belcrank R1149MS Elevators
(2)	NC-6	30	Plugs R1149MS Elevators
(2)	NC-7	30	Hinge jigs R1149MS Elevators
(2)	NC-12A	30	Control Arms (1 left and 1 right) R1149MS Elevators
(2)	NC-13	30	Steel spacers R1149MS Elevators
(1)	Worm-drive retract assy. including hand crank	13	
(1)	NG5 Plate	1	{CP 29 PC 71 MEO}
(1)	NG6 Casting	13	
(1)	NG15A Casting	13	
(1)	NG16 Casting	13	
(1)	NG-3 Bracket	13	
(1)	NG-4 Bracket	13	
(1)	NG 10A/NG9 Assembly (pushrod)	13	
(1)	NG6 Assy including NG7 and NG23 Bracket	13	
(2)	NG8 Plates	13	
(1)	NG401A Lower node gear assy with tire tube friction, bolts, etc.	13	
(2)	LE2026 Welded rudder pedal (1 left, 1 right)	13	
(4)	CS13 Steel bushing	13	
(2)	SH1 Strap	14	
(2)	CS15 Belcrank with bearing	15	
(2)	CS71 Brackets	15	
(2)	CS72 Pulley brackets (2 pieces each)	15	
(2)	CS75 Steel Bushings	15	
(2)	BA Brake arms	15	
(2)	CS171 Brackets	15	
(2)	Stick grips - rubber	16	
(10)	CS1 Inserts	16	
(2)	CS1A Inserts	16	
(4)	CS17 Spacer	16	
(2)	CS131 Spacer	16	
(2)	CS128 Belcrank with bearing	16	
(4)	CS127 Bracket	16	
(2)	CS201 Steel bushings	16	
(2)	CS132L-R Welded belhorn	16, 19	{CP58 PC137 MAN-GRD}
(1)	CS122/124 Welded belhorn	16	
(2)	CS202 Aluminum bushings	16	
(3)	CS181 Inserts	16	
(2)	CS112 Steel bushings	16	
(1)	PTH Handle	17	

CUSTOM PREFAB PARTS		CHAPTER	Canard Pusher
(1)	RT1 Handle	17	
(2)	RT2 Brackets (1 left, 1 right)	17	
(1)	C1-L Handle	18	
(2)	C2-L Arm	18	
(2)	C3 Lug	18	
(1)	C4 Block	18	
(2)	C5 Rod	18	
(2)	C6 Tube	18	
(1)	SC1 Catch	18	
(1)	C21 Machined handle	18	
(2)	CS13 Spacer	18	
(12)	LWA9 Aluminum bushings	19	
(2)	A2 Brackets	19	
(4)	A5 Brackets	19	
(2)	CS301 Steel belhorn (1 left, 1 right	20	
(2)	FT-18 Fuel cap assembly	21	
(2)	NC-CLT	30	Lift tabs R1149MS Elevators
(5)	NC-2	30	Hinge inserts R1149MS Elevators
(5)	NC-3	30	Hinges R1149MS Elevators
(2)	NC-3A	30	Hinges R1149MS Elevators
(1)	NC-5A	30	Pitch Trim belcrank R1149MS Elevators
(2)	NC-6	30	Plugs R1149MS Elevators
(2)	NC-7	30	Hinge jigs R1149MS Elevators
(2)	NC-12A	30	Control Arms (1 left and 1 right) R1149MS Elevators
(2)	NC-13	30	Steel spacers R1149MS Elevators
(1)	Lycoming exhaust system		{CP 35 PC 109 MEO}
(4)	Dynafoal engine mounts		{CP 35 PC 109 MEO}
(4)	Conical engine mounts		{CP 35 PC 109 MEO}
(4)	A484 back up rings (4 required 2 each)		{CP 35 PC 109 MEO}
(1)	LE2-LL landing light mount kit		{CP 35 PC 109 MEO}

Note: Brock also has available the individual parts for all assemblies listed.

RAF has closed

**RUTAN AIRCRAFT FACTORY INC.**

Bldg 13, Airport

Mojave, CA 93501

(305) 824 - 2645

Part	Description
MG-1L	Main gear strut 22-lb S-glass
NG-1L	Node gear strut 2.8 lb S-glass
	Plexiglass canopy bubble

Note: This list is complete **only** if you purchase all available prefab parts. If you decide to build a prefab part, refer to its drawing and order material and hardware as required. **Do** obtain catalogs from all distributors. They contain photos of available parts and a considerable amount of information on hardware, components and use of them.

BASIC AIRFRAME KIT

Epoxy	
5 minute epoxy	1 qt. Kit
Epoxy	15 Gallons (10 kits of Safe-T-Epoxy)*
<div><div></div><div>if you are using the RAE system, substitute 8 gal. RAEF + 7 gal RAES for the 15 gal Safe-T-Epoxy</div></div>	

Rigid Foam		
Urethane foam 2 lb/cu ft (green or tan)	1" x 24" x 48"	3
Urethane foam 2 lb/cu ft (green or tan)	2" x 24" x 48"	4
Styrofoam Blocks 2 lb/cu ft (light blue or white)	7" x 14" x 41"	5
Styrofoam Blocks 2 lb/cu ft (light blue or white)	7" x 14" x 64"	10
Poly-vinyl PV-core R250 (Dark red, 16 lbs/cu ft)	0.2" x 37" x 26"	2
Poly-vinyl PV-core R100 (light red, 6 lbs/cu ft)	1"x6"x10"	1
Poly-vinyl PV-core R100 (light red, 6 lbs/cu ft)	0.25" x 35" x 44"	2
Poly-vinyl PV-core R45 (Dark blue, 3 lbs/cu ft)	0.35" x 32" x 48"	8
Poly-vinyl PV-core R45 (Dark blue, 3 lbs/cu ft)	0.8" x 24" x 48"	5
Poly-vinyl PV-core R45 (Dark blue, 3 lbs/cu ft)	1.6" x 24" x 48"	2
Pour-in-Place Foam	1 quart	1

Fiberglass	
90	Yds. BID 0.013 x 38" (7725)
150	Yds. UND 0.009 x 38"(7715)
120	Yds. UND 0.035 x 3" tape roll

Filler Material	
2 lbs	Flocked Cotton
4 Gallons	3M B23, 500 Glass Balloons (micro)

Wood	
3	Pcs. 0.7" x 1 " x 104" Spruce
2	Pcs. .7" x .4" x 60" Spruce
2	Pcs. 0.7" x 0.7 " x 104" Triangular Spruce
1	Pc. .7" x X.7" x 48" Triangular Spruce
1	Pcs. 1" x 1" x 12" Spruce
1	Pc. 24" x 36" 5-ply Birch ¼" Plywood

Aluminum Extrusions				
<u>90 Degree angle</u>				
6061 T6	2" x 2" x 0.25"	24"	1	
2024 T3	1" x 1" x 0.125" or 7/8" x 7/8" X 0.125"	60"	1	
2024 T3	1.5" x 1.5" x 0.125"	6"	1	
4130N Steel	1" x 1" x 0.125"	12"	1	{CP49 PC131 MAN-GND}
<u>Rectangular Bar</u>				
2024 T3	2" x 0.25"	60"	1	
2024 T3	2" x 0.25"	30"	1	

Sheet Metal					
301 or 302	Stainless Steel	24" x 30"	0.16"	1	{CP 25 PC 25 DES see note 1}
4130N	Steel	4" x 2"	0.22	4	
2024T3	Aluminum	3" x 10"	0.16"	1	

Sheet Metal

6061-0	Soft Aluminum	20" x 24"	0.20"	1
2024T3	Aluminum	12" x 8"	0.25"	1
2024T3	Aluminum	1.5" x 8"	0.32"	1
6061T6	Aluminum	8" x 10"	0.32"	1
2024T3	Aluminum	6" x 8"	0.63"	1

\*\*\*Note 1: {CP 25 PC 25 DES} 2024T3 24" x 30" x 0.16" Aluminum can be substituted for the steel firewall. \*\*\*

Metal Tubing and Rod

6061T6	Aluminum	62"	1.25" O.D. x 0.035W	1	
6061T6	Aluminum	80"	1.25" O.D. x 0.035W	1	
6061T6	Aluminum	10"	1.0" O.D. x 0.035" W	1	HP Rudder
6061T6	Aluminum	6 feet	0.75" O.D. x 0.58" W	3	
2024T3	Aluminum	6 feet	0.5" O.D. x 0.035"w	± 1	{CP49 PC131 MAN-GND}
2024T3	Aluminum	57"	1" O.D. x .035" wall	1	R1149MS canard Torque Tube
2024T3	Aluminum	74"	1" O.D. x .035" wall	1	R1149MS Canard Torque Tube
304 Stainless	Steel rod	61"	3/16" diameter	2	R1149MS canard NC-8s
1100-0 or					
3003-0	Aluminum	26 feet	0.375" O.D. x 0.035" W	1	
1100-0 or					
3003-0	Aluminum	14 feet	0.25" O.D. x 0.035"W	1	
4130 N	Steel	36"	0.625"O.D. x 0.049"W	1	
4130 N	Steel	6 ft	0.5" O.D. x 0.028" W	1	{CP49 PC131 MAN-GND}
Cold Rolled	Steel	36"	0.375"	4	
Piano wire	Steel (hard)	12"	0.32"	1	

Airframe Bolts

3/16"		
AN3-4A	2	
AN3-5A	16	
AN3-6A	18	
AN3-7A	28	
AN3-10A	5	
AN3-11A	16	{CP25 PC 14 MEO}
AN3-12A	1	
AN3-13A	8	
AN3-15A	2	
AN3-16A	2	
AN3-20A	2	
AN3-6	1	
AN3-7	1	

1/4"

AN4-3A	3
AN4-4A	2
AN4-5A	11
AN4-7A	6
AN4-10A	7

1/4"	
AN4-11A	2
AN4-15A	6
AN4-16A	26
AN4-17A	3
AN4-21A	1
AN4-22A	8
AN4-24A	2
AN4-26A	2
AN4-41A	2
AN4-20	2

5/16"	
AN5-41A	1

3/8"	
AN6-80A	2

Machine Screws	
Counter Sunk	
AN-509-10R7	9
AN-509-10R8	2
AN-509-10R10	14
AN-509-10R14	12
AN-509-10R28	4
AN-509-10R30	8
AN-509-416R14	2
AN-509-416R18	2

| **Button Head Screws** || AN526-832-14 | 2 || AN525-10R8 | 28 || AN525-10R10 | 25 || AN525-10R12 | 8 || AN525-10R16 | 1 || AN525-10R24 | 1 || AN525-416R16 | 6 |

Nuts		
MS21042-3	169	
MS21042-4	70 62	{CP25 PC67 MEO}
AN310-3	2	
AN310-4	2	
AN315-3	20	{CP26 PC40 MEO}
AN316-4	4	
AN316-6	2	
AN364-832	2	
AN365-524	1	
AN363-624	2	{CP29 PC67 MEO}
AN363-820	6	

Washers	
AN960-10L	200
AN960-10	150
AN960-416L	150
AN960-416	10
AN960-616	4

Washers		
AN960-816L	10	
AN960-816	12	
AN960-1016	<del>8</del> 3	{CP30 PC83 MEO}
AN970-3	28	
AN970-4	<del>5</del> 11	{CP28 PC 55 MEO}
AN970-5	2	
AN970-7	2	

Phenolic ½” O.D. x 3/16” I.D. x 1/16” T(hick) (Need 4)

Nut Plates	
K1000-3	22
K1000-4	16
K1000-08	10

Cotter Pins	
AN380-2-2	4
AN380-2-3	4

| Clevis Pins | | | AN393-7 | 2 | HP Rudder | | AN393-9 | 4 | | | AN393-19 | 3 | | | AN381-2-8 | 2 | HP Rudder |

Rivets		
1/8” Pop type	AVEX 1601-410	100
	AVEX 1604-412	<del>100</del> 128
	Or	
	Cherry MSP 43	100
	Cherry MSC 43	100
	Cherry BSC 44	28
Solid Aluminum	AN426-AD3-3	<del>50</del> 62
	AN426-AD3-4	50
	AN470-AD3-7	10
	AN470-AD4-5	10
	AN470-AD4-10	40

Cable and Cable Hardware			
1/16” 7x7 Stainless Cable	50 ft	HP Rudder	
3/32” 7x17 Stainless Cable	<del>50</del> 0 ft	HP RUdder	
AN100-3 Thimble	<del>30</del> 34	HP Rudder	
18-1-C Sleeve	<del>20</del> 28	HP Rudder	
18-2-5 Sleeve	12		

Plumbing and Conduits			
Brass Elbow	#269 P	4	
Polyethylene Tee	#0715-153	1	
Polyethylene Adapter	#0700-153	2	
Tygon Tube 3/8” OD x ¼” ID	4 ft	1	
Nylaflow Tube 3/16” OD x 0.025” Wall	60 ft	1	

Wheels Brakes and Tires	
Cleveland Wheels and Brakes 500 x 5	1 Set



Wheels Brakes and Tires

Tires Goodyear 3.40 x 5 6 ply Industrial Rib	2
Tubes for 3.4 x 5 Tires	2
Gerdes 049 Brake Master Cylinders	2

MISCELLANEOUS

Safety Pin	AN416-1	7	
Rod End	HEIM HM-3	10	
Rod End	HEIM HM-4	2	
Rod End	HEIM F34-14 Or FAFNIR REB3N	2	
Rod End	RAFNIR RE4M6 Or HEIM HM-6 with Insert	2	
Pulley	AN210-2A	2 4	HP Rudder
Universal Joint	MS20271-B10	3	
Bearing	Boston FB-1013-8 Bronze	1	
Phenolic (bearing)	1/4" Sheet 4" x 12"	1	
Latch	Hartwell H-5000-2 Flush	1	
Arrow Stock, Fiberglass	5/16 x 0.028"wall 24 inches long	3	
Insulation	Fiber Frax 970-F 0.04"thick 24"x30"	1	
Fire retardent	Ocean No.1644 Flexibilized		
	Intumescent Fireproof Coating Compound	1	{CP49 PC131 MAN-GND}
Hinge	MS20257-P2 3"	1	
Hinge	MS20001-P6 84" 100"	1	HPRudder
Spring	.35 OD x 0.06 wire Compression 1/2 inch long	2	HPRudder
Spring	.35 OD x 0.06 wire Tension, 10" long	2	
Spring	9/16" OD x 0.105" wire Tension, 3.75" long	2	
Spring	.35" OD x .05" wire; Compression, 4" long 110 in/lb [1]	2	
Spring	.34 OD x 0.05 wire, tension, 6 in long	1	

Note 1: Century Spring corp., Los Angeles, CA. Part #1887





Figure 2-2: R45 Foam Parts Layout



3: R100, R240, Styrofoam parts layout

Materials list by Chapter

Chapter 3: Education

Education			
Glass:	1	1.1 yd	BID
	1	0.1 yd	UND
Epoxy:		0.1	gallon
Foam:	1	1 board foot	urethane board (tan) 1" thick

Chapter 4: Fuselage Bulkheads

Fuselage Bulkheads			
Hardware:	6	AN509-10R10	screws
	1	3 yd	UND
Glass:	1	5 yd	BID
		0.5	gallons
Foam:	1	8 sq ft	0.8" thick type R45
	1	9 sq ft	0.2" thick type R250
Wood:	1	24" x 30" x 0.25"	5-ply birch plywood
Metals:	1	24" x 30" x 0.016"	stainless steel (301)

Fuselage Bulkheads

Misc: 1 24" x 30" x .040" fiberfrax 970-F

Chapter 5: Fuselage Sides

Fuselage Sides

Prefab parts: 2 LMGA assembly

4 LMGA-B bushing (any steel)

Hardware: 2 AN6-80A bolts

16 AN4-16A bolts

4 AN960-616 washers

32 AN960-416L washers

16 MS21042-4 nuts

2 AN363-624 nuts

Glass: 1 3 yds BID

1 9 yds UND

Epoxy: 0.8

Foam: 6 32 sq. ft. 0.8" thick type R45

1 3 sq. ft. 1" thick urethane, tan

Wood: 3 0.7" x 1" x 104" spruce longerons

2 0.4" x 0.7" x 60" spruce stiffener

2 0.7" x 0.7" triangle spruce 105" long

1 0.7" x 0.7" triangle spruce 48" long

Metals: 1 24", 2" x 2" x 0.25" 6061-T6 extruded 90 angle

Chapter 6: Fuselage Assembly

Fuselage Assembly

Prefab parts: 1 NB nose wheel box cover

Glass: 1 6 yd. BID

Epoxy: 0.4 gallon

Foam: 2 16 sq. ft. 1.6" thick type R45 dark blue

Chapter 7: Fuselage Exterior

Fuselage Exterior

Glass: 14 yd UND

Epoxy: 0.85 gal EZ poxy

Chapter 8: Roll over and seat belts

Roll over and seat belts

Prefab parts: 1 Step

2 seat belt / shoulder harness assembly

Hardware: 6 AN525-416R16 screws

2 AN509-416R18 Screws

2 AN509-416R14 Screws

4 AN4-5A Bolts

2 AN4-10A Bolts

16 AN960-416L Washers

Roll over and seat belts		
	2	AN970-4 Washers
	6	MS21042-4 nuts
Glass:	1	2 yd BID
Epoxy:		0.1 Gallon
Foam:	1	4 sq. ft. .35" thick type R45 dark blue
Metals:	4	8" of 1" x 1" x 0.125" 2024-T3 aluminum 90 angle
Wood:	4	scraps of 0.25" thick plywood left over from firewall

Chapter 9: Main gear and landing brake

Landing gear and brake		
Prefab parts:	1	MG1-L "S" Glass main gear strut
	2	Cleveland 500 x 5 main wheels and brakes
	2	Goodyear tires, 3.50 x 5, 6 ply industrial rib
	2	Axel for Cleveland 500 x 5 wheels
	1	LB-12345 Weldment (landing brake)
	1	LB-6 Spacer
	1	LB-10 Aluminum Arm
	1	LB-11 Spring Clip
	1	LB-131415 Handle Assembly
	2	LB-16 Spacers
	2	LB-18 Bracket
	1	LB-21 Threaded Rod
	4	AN3-7A Bolts
Hardware:	5	AN4-5A bolts
	8	AN4-22A Bolts
	1	AN4-24A Bolts
	1	AN4-26A Bolts
	2	AN525-10R8 screws
	6	AN525-10R10 screws
	25	AN960-416L washers
	24	AN960-10L washers
	12	MS21042-3 nuts
	10	MS21042-4 nuts
	1	K1000-4 Nutplate
	2	90 Nyloseal #269P Brass Fittings
	2	AN100-3 Thimbles
	3	18-1-3 Nicropress Sleeves
	2	AN316-4 Nuts
	5	yds BID
	10	yds UND
	0.8	gallon
	1	1" thick urethane (24"x24")
	1	1 ft 2024-T3 aluminum 0.25" thick (16 square inches)
	1	1 ft 1" x 1" x 0.125" 2024-T3 aluminum 90 angle

Landing gear and brake

Wood:	3	scraps of 0.25" plywood (left over from firewall)
Misc:		
	12	12 ft Nylaflo w Tube 3/16" OD x 0.025" Wall
	1	Hinge MS20001-P6 8"
	1	4ft of 1/16" 7x7 cable
	2	Rod End (HEIM F34-14 Or FAFNIR REB3N)
	1	Phenolic (bearing) 1/4" x 2" x 4"

Chapter 10: Canard Construction CU Canard

Canard Construction

Prefab:	2	CLT Canard Lift Tabs
Hardware:	6	AN4-7A Bolts
	6	AN960-416L Washers
	6	K1000-4 Nutplates
	12	AN426AD3-4 Rivets
Glass:	1	4 Yds BID
	1	17 yds UND
Epoxy:	1	1 gallon
Foam:	2	part of 7 x 14 x 41 Styrofoam
	2	part of 7 x 14 x 64 Styrofoam
	1	1 " x 6" x 10" type R100 PV
Metal:	1	1/8" x 1.5" x 6" 2024-T3 Alum.

Chapter 11: Elevators

Elevators

Prefab:	2	CS-10 lead weights
	2	CS-11 lead weights
	2	CS-12 Bellcrank with bushings
	1	PTB Bellcrank
Hardware:	7	AN525-10R10 Screws
	2	AN3-6A Bolts
	2	AN3-15A Bolts
	4	AN3-10A Bolts
	9	AN509-10R7 (AKA MS24694-549) Flat head screw 10-32
	4	AN509-10R14 (AKA MS24694-556)
	22	AN960-10L Washers
	4	AN365C-1032 Stainless Elastic Stop nuts (MS21044)
	28	MS21042-3 Nuts
	2	AN470AD 4-5 Rivets
	8	MS21042-3 Nuts
	24	BSPQ-43 Cherry pop rivets
	6	BSPQ-44 Cherry pop rivets
	2	10-32 Allen head set screws
Glass:	1	3 yds UND

Elevators		
Epoxy:	0.1	Gallon
Foam:	2	Part of two 7 x 14 x 64 Styrofoam blocks (pg 10-1)
Metal:	1	62" of 1.5" O.D. x 0.35 wall 6061-T6 Alum. Tubing
	1	80" of 1.5" O.D. x 0.35 wall 6061-T6 Alum. Tubing

Chapter 12: Canard Installation

Canard Installation		
Prefab Parts	2	CNL Aluminum Bushings
	2	CN2 Steel Bushings
Hardware	2	AN3-20A Bolts
	2	AN3-13A Bolts
	2	AN960-416L Washers
	2	AN970-4 Washers
	2	K1000-4 Nut plates
	4	AN426AD3-3 Rivets
Glass	scraps	BID
Epoxy		Minimal amount
Foam		none

R1149MS Canard materials listed next to last of this chapter

Chapter 13: Nose and Nose Gear

Nose and Nose Gear		
Prefab Parts	1	NG1-L ‘S’ Glass Strut
	1	SC Fiberglass strut cover
	1	Worm Drive Retraction assy. (includes belcrank components)
	1	NG3 Bracket
	1	NG4 Bracket
	1	NG10A / NGO Assembly
	1	NG6 Assembly
	2	NG8 Plates
	1	NG401A Castering Nose wheel Assy.
	2	LE 2026 Rudder Pedals
	4	CS13 Bushings
	4	SC Fiberglass strut cover {CP 30 PC 79 INFO}
Hardware	3	AN525-10R10 Screws
	2	AN526-832-14 Screws
	8	AN509-10R14 Screws
	4	AN509-10R28 Screws
	3	AN4-10RA Bolts
	1	AN4-15A Bolts
	2	AN4-41A Bolts
	1	AN5-41A Bolts
	2	AN3-6A Bolts
	2	AN3-7A Bolts

Nose and Nose Gear		
	2	K1000-3 Nut Plates
	2	AN364-832 Nuts
	19	MS21042-3 Nuts
	6	MS21042-4 Nuts
	1	AN365-524 Nuts
	2	AN316-6 Nuts
	14	AN960-10 Washers
	6	AN970-3 Washers
	7	AN970-4 Washers
	2	AN970-5 Washers
	4	AN426AD3-3 Rivet
	10	AN509 8R8 Screws
	10	K1000-08 Nut plates
	20	AN426AD3-4 Rivet
Glass		7 yds BID
Epoxy		½ gallon
Foam	1	10 sq. ft. 2” thick urethane foam
	1	4.5 sq. ft. 0.2” thick type R250 dark red
Metal	1	2.5 x 3 x 1/8” 2024T3 aluminum sheet
	1	4 ft ¼” O.D. x 0.035 wall 5052-0 Aluminum
	1	8” x 10” of 0.32 6061T6 alum. Tube
Misc	1	4 ft 3/8” O.D. x ¼” I.D. Tygon tubing
	1	0715-153 tee
	2	0700-153 adapters
	2	HM-6 rodends (RE4M6)

Chapter 14: Center Section Spar

Center Section Spar		
Prefab Parts	2	SH1 Aluminum Straps
Hardware	4	AN4-15A Bolts
	10	AN4-16A Bolts
	32	AN960-416L Washers
	16	MS21042-4 Nuts
	2	AN4-17A Bolts
Glass	1	1 yd UND
	1	18 yd BID
Epoxy		2 gallons
Foam	1	10 sq ft ½” thick, type R100 red foam
	6	10 sq ft 1” thick, urethane foam
Metal	1	3 ft 4-8 1/8” x 1” x 1” 2024-T3 Alum. angle {CP25 PC 21 MEO}
	1	30” 1/8” x 2” 2024-T3 alum bar
	1	12” ¼” x 2” 2024-T3 alum. Bar
Wood	1	1 ft 1”x 1” Spruce

Chapter 15: Firewall and Accessories



Firewall and Accessories		
Prefab Parts	2	CS15 Belcrank with bearing
	4	CS71 Brackets
	2	CS72 Brackets
	2	CS75 Bushings
	2	BA Brake arms
Hardware	10	AN3-6A Bolts
	4	AN3-7A Bolts
	2	AN509-10R8 Screws
	2	AN4-10A Bolts
	2	AN4-11A Bolts
	34	AN960-10L Washers
	18	AN960-416L Washers
	22	MS21042-3 Nuts
	4	MS21042-4 Nuts
	4	AN380-2-3 Cotter pins
Glass		None
Epoxy		None
Foam		None
Metal	1	6" 1/8" x 1" x 1.5" 2024T3 extruded angle
Misc	2	AN210-2A pulleys
	2	Gerdes Model 049 master cylinders
	2	Nyloseal #269-P elbows

Chapter 16: Control System

Control System		
Prefab Parts	2	Stick grips
	10	CS1 Inserts
	4	CS17 spacers
	2	CS1A inserts
	2	CS131 Spacers
	2	CS128 Belcrank with bearing
	4	CS127 Brackets
	2	CS201 Bushings
	2	CS132L Belhorn
	1	CS122-124 Belhorn
	2	CS202 Bushings
	3	CS181 Inserts
	2	CS112 Bushings
Hardware	14	AN3-5A Bolts
	2	AN3-6A Bolts
	12	AN3-7A Bolts
	13	AN3-11A Bolts
	2	AN3-16A Bolts
	2	AN3-13A Bolts

Control System			
	1	AN4-15A Bolts	
	1	AN4-17A Bolts	
	2	AN4-20 Bolts	
	90	AN960-10 Washers	
	8	AN960-416 Washers	
	15	NS21042-3 Nuts	
	2	MS21042-4 Nuts	
	2	AN310-4 Nuts	
	20	AN315-3 (Jamb Nuts on control rods)	{CP26 PC40 MEO}
	20	AN100-3 Thimbles	
	30	AN470AD4-10 Rivets	
	8	18-1-C Nicropress Sleeves	
	12	18-2-5 Nicropress Slevs	
	15	AN970-3 Washers	
	4	AN393-9 Clevis pin	
	3	AN393-19 Clevis pin	
	7	AN416-1 Safety pin	
	2	AN960-1016 Washers	
	2	AN380-2-2 Cotter Pin	
Glass	1	2 yds BID	
Epoxy		0.1 Gallons	
Foam	1	0.35" thick type R45 dark blue	
Metal	1	15 sq inch, 0.063" 2024-T3 Alum	
	2	6 ft ½" x 0.28 wall 4130 Steel Tube	{CP49 PC131 MAN-GND}
	3	6 ft. ¾" x 0.058 wall 2024-T3 alum. tube	
Phenolic	1	¼" thick sheet 2" x 12"	
Wood:	1	4" x 6" x ¼" plywood (firewall)	
Misc:	3	MS20271-BIO Universals	
	10	HM-3 HEIM rodends	
	2	HM-4 HEIM rodends	
	1	32 ft 1/16" dia. 7 x 7 steel cable	
	1	22ft of 3/32" dia. 7 x 19 steel cable	
	1	14 ft 3/16" x 0.025 Nylaflow tubing	
	1	Boston FB 1013-8 Bronze flanged bearing	

Chapter 17: Pitch and roll trim

Pitch and roll trim			
Prefab Parts	1	PTH Aluminum Handle	
	1	PT1 Handle	
	2	RT2 Steel bracket	
Hardware	1	AN3-6 Bolts	
	1	AN3-7 Bolts	
	3	AN3-11A Bolts	
	1	AN3-13A Bolts	

Pitch and roll trim		
	14	AN960-10 Washers
	1	AN970-3 Washers
	4	MS21042-3 Nuts
	2	AN310-3 Nuts
	2	AN380-2-2 Cotter Pins
	6	AN100-3 Thimbles
	6	18-1-C Nicroprrs Sleeves
Phenolic	1	0.5" O.D. X 3/16" I.D. X 1/16" Washer
Glass		BID Scraps
Epoxy		Minimal
Foam		None
Wood		1/2" plywood scraps (from firewall)
Misc:	3	.35 x .05 steel springs 6" long
	1	4 ft 1/16" x 7 x 7 cable
	2	.35 x .06 compression springs, .5 long

Chapter 18: Canopy

Canopy		
PreFab Parts:	1	Long Ez Plexiglass canopy bubble
	1	C1-L Handle
	2	C2-L Arms
	2	C3 Lugs
	1	C4 Block
	2	C5 Rods
	2	c6 Tubes
	1	SC1 Catch
	1	C21 Handle
	2	CS13 Spacer
Hardware:	8	AN509-10R30 Screws
	8	AN509-10R10 Screws
	3	AN525-10R10 Screws
	8	AN525-10R12 Screws
	1	AN525-10R24 Screws
	1	AN525-10R16 Screws
	1	AN3-10A Bolts
	3	AN3-13A Bolts
	3	AN3-7A Bolts
	2	AN3-4A Bolts
	2	AN3-6A Bolts
	1	AN3-12A Bolts
	4	AN470AD3-7 Rivets
	53	AN960-10L Washers
	6	AN970-3 Washers
	35	MS21042-3 Nuts

Canopy		
	2	18-1-C Sleeves
	2	AN100-3 Thimbles
Glass	1	7 yds BID
	1	2 yds UND
Epoxy		0.8 Gallons
Foam	scraps	1" x 2" Urethane (see page 2-3)
Metal	1	1.5" x 5" x 0.32" 2024-T3 Aluminum
	1	8" 1/8" x 1" x 1" 2024-T3 Aluminum angle
	1	5" x 5" x .025" 2024-T3 Aluminum
Misc	1	10" 3/32" steel piano wire
	1	1 ft 1/16 x 7 x 7 cable
	3	5/16 O.D. x 0.028 wall fiberglass arrow stock
	1	16" MS20001-P6 Hinge
	1	2.5" MS20257-P2 Hinge
	1	Hartwell H-5000-2 flush latch

**Chapter 19: Wings, Ailerons, Wing attachment**

Wings, Ailerons, attachment		
PreFab Parts	12	LWA9 Bushings
	2	A2 Brackets
	4	A5 Brackets
Hardware	12	AN960-816 Washers
	10	AN960-816L Washers
	6	AN363-820 Nuts
	14	AN525-10R8 Screws
	14	AN960-10L Washers
	14	K1000-3 Nutplate
	28	AN426AD3-3 Rivets
	1	70 yds 3" wide x 0.35 UND Tape
	1	56 yds UND
	1	9 yds BID
Foam	10	7x14x64 styrofoam blocks
	4	7x14x41 styrofoam blocks
Epoxy		4 Gallons
Metal	2	3"x10" of 0.016" 2024-T3 Aluminum
	2	24" of 1/8" x 2" 2024-T3 Aluminum bar
	2	12" of ¼" x 2" 2024-T3 Aluminum Bar
	2	18" of ¾" x 0.058 thick 6061-T6 Aluminum tube2
Misc	2	3 ft. MS20001-P6 hinge
	4	3 ft x 3/8" diameter cld rolled steel
	1	25 ft of 3/16 O.D. x .025" wall Nylaflow tubing

**Chapter 20: Winglets and standard rudders**

Winglets and rudders
----------------------

Winglets and rudders		
Prefab Parts	2	CS301 Steel Belhorn
Hardware	10	AN525-10R8 Screw
	6	AN950-10L Washers
	4	MS21042-3 Nuts
	6	K1000-3 Nut plates
	12	AN426AD3-3 Rivets
Glass	10	UND
	6	BID
Epoxy	1	
Foam	4	scrap from wing styrofoam blocks
	2	scrap from urethane foam
Metal	2	10" of 1" x .035" wall 6061-T6 Aluminum tube
	2	16" MS20001-P6 hinge
	2	4" long .35" x .05" steel spring
	2	10" 3/32" steel piano wire

Chapter 20: Winglets and high performance rudders and hidden belhorn

Winglets and rudders			
Prefab Parts	2	FB-21	Conceled belhorn
Hardware	18	AN525-10R8	Screw
	2	AN3-5A	Bolt (@ rudder pedal)
	18	AN950-10L	Washers
	2	AN960-3	Washers
	4	MS21042-3	Nuts
	14	K1000-3	Nut plates
	24	Pop Rivets	AVEX 1604-0412 or Cherry BSC-44
	28	Pop Rivets	Cherry MSC-32 (nutplates to hinges)
	12	Rivets	AD426AD3-3 (1/8" x 3/16") countersunk
	2	AN393-7	Clevis Pin
	2	AN381-2-8	Cotter Pin
	2	AN100-3	Thimble
	2	18-1-C	NicoPress Sleeve
	2	AN210-2A	Pulley (replace CS-15 belcrank)
Glass	10 yds	UND	
	6 yds	BID	
Epoxy	1		gallon kit
Foam	4		scrap from wing styrofoam blocks
	2		scrap from urethane foam
	1	quart	X-30 Pour-in-place foam kit
Metal	2	10" of 1" x .035" wall	6061-T6 Aluminum tube
	1	36" MS20001-P6	hinge
	2	4" long .35" x .05"	steel spring
	2	3.75" x 9/16" x 0.105	Steel spring 110 in/lb
			Century spring corp. Part # 1887

Winglets and rudders

	2	10" 3/32"	steel piano wire
	2	12" .050"	steel piano wire
	2	12" x 4" x .0125"	Aluminum 2024T3 plate
	4	4" x 2" x .022	Steel 4130N

Chapter 21: Strake, Fuel, Baggage

Strake, Fuel, Baggage

Prefab Parts	2	SB Glass sump blisters
	2	FT 18 fuel cap assembly
Hardware	2	6 ft 18 gauge braided copper wire
	2	1/4" crimp electrical connector
	4	18-1-C NicoPress sleeves
	2	Copper wire triangle (larger than fuel cap)
Glass	1	16 yds UND
	1	11 yds BID
Epoxy		1.9 Gallons
Foam	6.3	32" x 48" x .35" type R45 Dark blue
Metal	2	2 sq. in. 1/8" 2024-T3 Aluminum
	1	26 ft 3/8" O.D. x .035" wall 1100-0 Aluminum tube
	1	10 ft 1/2" O.D. x .035 wall 1100-0 Aluminum tube

Note! Fuel system plumbing and hardware, including engine components, hose lengths, pressure gauge, etc. can vary depending on engine installation. See plans and order components to suit.

Chapter 22: Electrical

Note! Due to the various option, this bill of materials does not include electrical items. Order to suit.

Chapter 23: Engine Installation

Engine Installation

Prefab Parts	1	CI – Cowl inlet
Hardware	1	CCT and CCB – Continental Cowl
		Or
		LCT and LCB - Lycoming Cowl
Glass	1	3 yds BID
Epoxy		0.2 Gallons
Metal	1	20" x 24" x 0.020 soft aluminum 6061-0

Chapter 24: Covers, fairings, consoles

Covers, fairings, consoles

Prefab Parts		None
Hardware		none
Glass	1	2 yds BID
Epoxy		0.3 Gallons
Foam	1	2" x 24" x 30" Urethane
	1	.35 thick type R45 dark blue foam
Metal	1	5" x 7" x .025 2024-T3 Aluminum

Chapter 25: Finishing

Finishing		
Sandpapers	50	Coarse – 36, 40 or 60 grit sheets
	100	Medium – 100 grit, wet / dry sheets
	100	Fine – 220 grit, wet / dry sheets
	100	Fine – 320 grit, wet/ dry sheets
Filler Materials:		
Epoxy and Micro (as required)		
	6	Feather Fill (with catalyst) quarts
Primer	3	Dupont 100S, 70s or 3011s lacquer primer surfacer. Gallons
	1	Spot putty (tube)
	Stitts Micro Putty*	
	1	Tube of Silicon Bath tub caulk
Paint:	3?	Acrylic lacquer or Acrylic enamel (Dupont)

Note: Due to the wide variance of preferences finishing materials are not supplied with the basic kit.

Chapter 26: Upholstery

Upholstery	
2	Custom-fit suitcases
2	Custom-fit seat cushions
2	Custom head rests

Chapter 30: R1149MS Canard (Equivalent to Ch 10, 11, 12).

Miscellaneous

Locktite (Part #22, small screw threaded locker).

X-30 liquid foam

Small scraps of 1/4" plywood for Canard install

Oilite bronze bearings (used where NC-8 passes thru all NC-3s).

Navigation Radio Antenna

Foam

Qty.	Name	Size
(1).	<u>Styrofoam block</u>	<u>7" x 14" x 64"</u>
(1).	<u>PVC foam block H-100 6 lb/ft</u>	<u>1" x 6" x 10"</u>

Epoxy

One (1) 1 1/4 gallon kit of Safe-T-Poxy.

Glass

Name	Size
<u>UND Cloth 7715</u>	<u>18 yards x 36"</u>
<u>BID cloth 7725</u>	<u>2 yards x 36"</u>
<u>3" wide UND tape (Long-EZ).</u>	<u>30 yard roll</u>
<u>Micro balloons</u>	<u>as needed</u>
<u>Floxed cotton</u>	<u>as needed</u>

Prefab Metal Parts

Qty	Name	Function	Drawing Figure
<u>2</u>	<u>*CL-1</u>	<u>CLT Mounting Plates</u>	
<u>2</u>	<u>*CN-2</u>	<u>Steel bushings</u>	<u>1/4" O.D. x 3/16" I.D. Steel</u>
<u>2</u>	<u>*CNL</u>	<u>Alum Bushing</u>	<u>1/4" I.D. x 5/8" O.D. Alum</u>
<u>2</u>	<u>*CS-10</u>	<u>Lead Weights</u>	
<u>2</u>	<u>*CS-11</u>	<u>Lead Weights</u>	
<u>3</u>	<u>*CS-202</u>	<u>Spacers</u>	
<u>2</u>	<u>NC-CLT</u>	<u>Lift tabs</u>	<u>Canard</u>
<u>5</u>	<u>NC-2</u>	<u>Hinge inserts</u>	<u>Elevators</u>
<u>5</u>	<u>NC-3</u>	<u>Hinges</u>	<u>Elevators</u>
<u>2</u>	<u>NC-3A</u>	<u>Hinges</u>	<u>Elevators</u>
<u>1</u>	<u>NC-5A</u>	<u>Pitch Trim belcrank</u>	<u>Elevators</u>
<u>2</u>	<u>NC-6</u>	<u>Plugs</u>	<u>Elevators</u>
<u>2</u>	<u>NC-7</u>	<u>Hinge jigs</u>	<u>Elevators</u>
<u>2</u>	<u>NC-12A</u>	<u>Control Arms (1 left and 1 right).</u>	<u>Elevators</u>
<u>2</u>	<u>NC-13</u>	<u>Steel spacers</u>	<u>Elevators</u>

- Original Long-EZ GU canard parts.

Hardware

Qty	Material	Specification	where used
<u>1</u>	<u>Aluminum tubing 2024 T3</u>	<u>1" O.D. X .035 wall x 57" long</u>	<u>Elevator torque tube</u>
<u>1</u>	<u>Aluminum tubing 2024 T3</u>	<u>1" O.D. X 0.035 wall x 74" long</u>	<u>Elevator torque tube</u>
<u>1</u>	<u>304 Stainless steel rod</u>	<u>3/16" diameter 61" long</u>	<u>Elevator hinge pin NC-8R</u>
<u>1</u>	<u>304 Stainless steel rod</u>	<u>3/16" diameter 61" long</u>	<u>Elevator hinge pin NC-8L</u>
<u>4</u>	<u>MS21042-3 Nuts</u>		<u>NC-12A weldment attachment</u>
<u>1</u>	<u>MS21042-4 Nut</u>		
<u>4</u>	<u>AN365C-1032 Stainless Elastic Stop nuts (MS21044).</u>		<u>CS-11</u>
<u>2</u>	<u>AN3-5A bolts</u>		<u>NC-12A weldment attachment</u>
<u>2</u>	<u>AN3-13A bolts</u>		<u>Belcrank offset attach to torque tube (AN3-12A might be shorter).</u>
<u>6</u>	<u>AN4-7A bolts</u>		<u>CLT to CLI</u>
<u>1</u>	<u>AN4-21A bolt</u>		<u>Check NC-12A alignment</u>
<u>4</u>	<u>AN509-10R14 Screw (AKA MS24694-556).</u>		<u>Mount CS-11</u>
<u>10</u>	<u>AN960-10L washers</u>		<u>NC-2 and NC-3 hinges</u>
<u>12</u>	<u>AN960-416L washers</u>		<u>NC-12A attachment</u>
<u>6</u>	<u>K1000-4 nut plates</u>		<u>CLT lift bolt</u>
<u>2</u>	<u>Allen set screws</u>	<u>10-32 x 1/2"</u>	<u>elevator hinge pin</u>
<u>17</u>	<u>Cherry BSPQ-43 or</u>		
	<u>Avex 1601-0410</u>	<u>1/8" Pop Rivets</u>	<u>NC-2s +</u>
<u>2</u>	<u>Cherry BSCQ-44 or</u>		<u>NC-6</u>
	<u>Avex 1604-0412</u>	<u>1/8" Pop Rivets</u>	
<u>12</u>	<u>AN426AD3-4 Rivets</u>	<u>Flush rivets</u>	<u>CLT nut plates</u>

Section IV: Landing Brake (Parts not in aggregate overall list)



Bill of Materials    Table 1

Part	No. Req	D	Material
---	-----	-----	---
LB1	1		STL 4130 or 1020      Tube 5/8 O.D. x .058 wall 12.25" long
LB2	2		STL 4130 or 1020      .063 thick plate weld to LB1
LB3	1		STL 4130 or 1020      .063 thick plate weld to LB1
LB4	1		2024T3                  .125 thick plate
LB5	1		2024T3                  .063 thick plate
LB6	1		Alum or phenolic      Spacer 5/8 I.D., 7/8 O.D., 1/2" long
LB7	1		Phenolic                1/4" thick block, bearing for LB1
LB8	1		Phenolic                1/4" thick block, bearing for LB1
LB9	1		5-ply birch plywood    1/4" or 5 mm thick, Can substitute dark red PVC with 3-ply BID both sides.
LB10	1		2024T3                  1/8" thick plate
LB11	1		2024T3                  .063 thick plate, clip to hold LB12
LB12	2		Steel                    Screen door spring .375 OD x 1/16" wire dia, unstretched length approx 10"
LB13	1		2024T3                  1/8" thick plate
LB14	1		Belcrank bearing BC4W10 (AN218-4) 1/4" bore
LB15	2		Hardwood or phenolic   1/2" O.D. dowel
LB16	2		Aluminum               Spacer 1/2" O.D. x 1/4" I.D. 1/2" long
LB17	1		5-ply birch plywood    1/4" or 5mm thick
LB18	2		2024T3                  .063 formed angle
LB19	1		5-ply birch plywood    1/4" or 5 mm thick 3" x 5.6", notch for LB24
LB20	2		Rod-end, REB3N or REB3N-3 or Heim F34-14 or equiv.
LB21	1		STL or 2024T3           Threaded rod, 1/ 4 x 28 thd., 3.8" long, 0.6" thd both ends.
LB22	3		2024T3                  1/4" plate inserts
LB23	1		5-ply birch plywood    1/4" or 5 mm thk 8" x 2.4" bevel one edge
LB24	1		Piano hinge MS20001P5 8" long
LB25	1		3 1/2 ft                  1/16" 7 x 7 cable stainless or galvanized.

Hardware    Table 2

No. Req	d	Type	Function	Measurements
3		AN3-7A	Bolt	29/32" x 10-32 steel
3		AN4-3A	Bolt	15/16" long x 1/4 x 28 steel
2		AN4-4A	Bolt	17/32" long by 1/4 x 28 steel
2		AN4-5A	Bolt	21/32" long x 1/4 x 28 steel
1		AN4-24A	Bolt	2-17/32" x 1/4-28 steel
1		AN4-26A	Bolt	2 - 25/32" x 1/4-28 steel
2		AN525-10R8	Bolt / Screw	1/2" x 10-32 steel
6		AN525-10R10	Bolt / Screw	5/8" x 10-32 steel
2		AN316-4	Jam Nut	
12		MS21042-3	Nut	
1		MS21042-4	Nut	
2		Pop Rivets	Pop Rivets	
6		AN470AD4-11	Rivet	
4		AN470AD4-3	Rivet	
2		AN970-7	Washer	

<b><u>Hardware</u></b> <b><u>Table 2</u></b>		
<u>2</u>	<u>AN960-416</u>	<u>Washer</u>
<u>1</u>	<u>AN960-1016</u>	<u>Washer</u>
<u>2</u>	<u>AN960-10</u>	<u>Washer</u>
<u>1</u>	<u>K1000-4</u>	<u>Nutplate</u>
<u>2</u>	<u>AN100-3</u>	<u>Thimbles</u>
<u>3</u>	<u>18-1-C</u>	<u>Nicropress sleeves</u>