

# TPHI: identifying human internal ribosome entry sites via integrating the sequence information and RNA binding protein targeting signals

Tzu-Hsien Yang\*, Chin-Cheng Lee, and Yu-Huai Yu

## Supplementary Materials

# 1 The 147 human RBPs with downloaded CLIP-seq data

In this research, we downloaded the CLIP-seq experiment results for following 147 RBPs from the ENCODE database: AATF, ABCF1, AKAP1, AKAP8L, APOBEC3C, AQR, BCCIP, BCLAF1, BUD13, CDC40, CPEB4, CPSF6, CSTF2, CSTF2T, DDX21, DDX24, DDX3X, DDX42, DDX51, DDX52, DDX55, DDX59, DDX6, DGCR8, DHX30, DKC1, DROSHA, EFTUD2, EIF3D, EIF3G, EIF3H, EIF4G2, EXOSC5, FAM120A, FASTKD2, FKBP4, FMR1, FTO, FUBP3, FUS, FXR1, FXR2, G3BP1, GEMIN5, GNL3, GPKOW, GRSF1, GRWD1, GTF2F1, HLTf, HNRNPA1, HNRNPC, HNRNPK, HNRNPL, HNRNPM, HNRNPU, HNRNPUL1, IGF2BP1, IGF2BP2, IGF2BP3, ILF3, KHDRBS1, KHSRP, LARP4, LARP7, LIN28B, LSM11, MATR3, METAP2, MTPAP, NCBP2, NIP7, NIPBL, NKRF, NOL12, NOLC1, NONO, NPM1, NSUN2, PABPC4, PABPN1, PCBP1, PCBP2, PHF6, POLR2G, PPIG, PPIL4, PRPF4, PRPF8, PTBP1, PUM1, PUM2, PUS1, QKI, RBFOX2, RBM15, RBM22, RBM5, RPS11, RPS3, SAFB, SAFB2, SBDS, SDAD1, SERBP1, SF3A3, SF3B1, SF3B4, SFPQ, SLBP, SLTM, SMNDC1, SND1, SRSF1, SRSF7, SRSF9, SSB, STAU2, SUB1, SUGP2, SUPV3L1, TAF15, TARDBP, TBRG4, TIA1, TIAL1, TRA2A, TROVE2, U2AF1, U2AF2, UCHL5, UPF1, UTP18, UTP3, WDR3, WDR43, WRN, XPO5, XRCC6, XRN2, YBX3, YWHAG, ZC3H11A, ZC3H8, ZNF622, ZNF800, and ZRANB2. RBPs with CLIP-seq experiments that are corrupted were ignored in the analysis.