
Kconfig: SPIDER_NET
/drivers/net/ethernet/toshiba
PCI && (PPC_IBM_CELL_BLADE || PPC_CELLEB)
eth_type_trans
spin_*
memcpy
del_timer_sync
atomic_*
netdev_alloc_skb
enable_irq
of_*
disable_irq
init_timer
container_of
ioremap*
schedule_work
release_firmware
netdev_*
is_valid_ether_addr
unregister_netdev
memset
pci_release_regions
free_netdev
request_irq
dev_*
free_irq
netif_*
pci_*
mod_timer
pci_request_regions
request_firmware
skb_*
iounmap
register_netdev
napi_*
memcmp
dma_*
net_device
net_device_ops
pci_driver
spider_net.c
265
memcpy
pci_*
ethtool_*
netdev_*
netif_*
ethtool_ops
spider_net_ethtool.c
35
spider_net.h
75
Kconfig: FW_LOADER
/drivers/base
EXPERT
kfree*
spin_*
wait_for_completion
memcpy
device_*
container_of
schedule_work
kmalloc
cancel_delayed_work_sync
release_firmware
__free_page
memset
_request_firmware_prepare
vmalloc
kzalloc
_request_firmware
_request_firmware_load
dev_*
request_firmware
mutex_*
alloc_page
firmware
firmware
firmware
firmware
firmware_class.c
215
container_of
firmware
base.h
115
Kconfig: SUNGEM_PHY
/drivers/net
udelay
of_*
phy_*
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_def
mii_phy_ops
mii_phy_ops
mii_phy_ops
mii_phy_ops
mii_phy_ops
mii_phy_ops
mii_phy_ops
mii_phy_ops
mii_phy_ops
mii_phy_ops
mii_phy_ops
mii_phy_ops
mii_phy_ops
mii_phy_ops
mii_phy_ops
mii_phy_ops
sungem_phy.c
43