

# Predicting Mortgage Yield using Regression Analysis

Group 42: Clara Delandre, Majandra Garcia, Paola Biocchi, Coline Leteurtre

2025-06-16

## 1 Introduction

The study of A. H. Schaaf, 1966, “Regional Differences in Mortgage Financing Costs”, investigates the existence and causes of regional differences in Mortgage financing costs in the United States. While these differences in Mortgage Yields were decreasing in the early 20th century, they surprisingly remained stable after World War II. The paper explores two main explanations for this phenomenon: differences in investment value due to risk, terms, and liquidity, and market imperfections such as legal barriers and information gaps. The data used in this study comes from the Federal Home Loan Bank Board, which contains interest rates and fees in 18 SMSAs (Standard Metropolitan Statistical Areas). The findings suggest that distance from major financial centers, risk levels, and local demand for savings significantly affect Mortgage Yields. However, market structure and overall savings levels play a lesser important role. The aim of this report is to analyze the data and develop a model to predict Mortgage Yield (in %) based on 6 explanatory variables:

- **X1**: Loan-to-Mortgage Ratio, in % → High values indicate low down payments.
- **X2**: Distance from Boston, in miles → Measures regional proximity to financial centers.
- **X3**: Savings per New Unit Built, in \$ → Indicator of regional credit demand.
- **X4**: Savings per Capita, in \$ → Measures local savings levels (credit supply).
- **X5**: Population Increase, 1950-1960, in % → Proxy for housing demand growth.
- **X6**: Percentage of First Mortgages from Inter-Regional Banks, in % → Indicator of external financing reliance.

## 2 Exploratory Data Analysis (EDA)

Each SMSA in the dataset is described by its Mortgage Yield as the dependent variable, along with six explanatory variables (X1 to X6). These variables include financial ratios, regional distances, savings indicators, population growth, and bank origination shares. All variables are numerical, and a preliminary check confirms there are no missing values in any of the observations.

### 2.1 Univariate analysis

#### 2.1.1 Numerical analysis

We begin with a numerical summary of each variable:

mortYld	X1	X2	X3	X4	X5	X6
Min. :5.280	Min. :67.00	Min. : 0	Min. : 32.3	Min. : 582.9	Min. : 7.50	Min. : 2.00
1st Qu.:5.678	1st Qu.:70.03	1st Qu.: 648	1st Qu.: 85.9	1st Qu.: 792.9	1st Qu.:23.18	1st Qu.: 9.55
Median :5.880	Median :73.25	Median :1364	Median :122.2	Median :1161.3	Median :27.35	Median :18.70
Mean :5.841	Mean :73.38	Mean :1389	Mean :159.8	Mean :1245.9	Mean :33.03	Mean :20.95
3rd Qu.:6.020	3rd Qu.:77.22	3rd Qu.:1847	3rd Qu.:218.2	3rd Qu.:1556.6	3rd Qu.:44.10	3rd Qu.:30.43
Max. :6.170	Max. :78.10	Max. :3162	Max. :428.2	Max. :2582.4	Max. :88.90	Max. :51.30

Table 1: Summary Statistics of Variables

Through this summary, we already observe that Mortgage Yields (**mortYld**) don't vary much across regions. Most values are between 5.2% and 6.2%, suggesting relatively stable Mortgage rates.

Loan-to-Mortgage Ratios (**X1**) are concentrated in between 67% and 78.1%. Distance from Boston (**X2**) has a vast range (0–3162 miles), highlighting geographical diversity and potential financial access disparities. Savings per New Unit Built (**X3**) and Savings per Capita (**X4**) are characterized by means bigger than medians, representing right-skewed distributions. Population Increase (**X5**) from 1950 to 1960 varies widely (7.5–88.9%). Lastly, Percentage of First Mortgages from Inter-Regional Banks (**X6**) spans from 2.0% to 51.3%, meaning that some areas depend heavily on external financing while others rely more on local institutions.

### 2.1.2 Graphical analysis




Figure 1: Histogram of Mortgage Yield per SMSA

With deeper analysis, although the variation across SMSAs is small, we see that regional differences still exist in Mortgage Yields, possibly due to economic factors like savings, loan terms, and regional banking practices. The histograms confirm the distribution of the explanatory variables:

The Loan-to-Mortgage Ratio (**X1**) shows low variance, possibly indicating limited variability across regions. Distance from Boston (**X2**) displays a wide and almost homogeneous distribution, reflecting substantial geographic spread among SMSAs. The right-skewed distributions of Savings per New Unit Built (**X3**) and Savings per Capita (**X4**) suggest that a few cities have notably higher savings levels. Population Increase (**X5**) is also highly right-




Figure 2: Histograms of each variable (X1 to X6)

skewed with one potential major outlier, indicating that most regions had moderate growth, while a few experienced rapid expansion. Finally, the percentage of First Mortgages from Inter-Regional Banks (**X6**) show that most cities relying minimally on external financing and a few showing heavy dependence. Overall, the data suggests regional variation in housing finance conditions, credit accessibility, and Mortgage market dynamics.

## 2.2 Bivariate analysis

### 2.2.1 Graphical analysis

The Association Matrix provides a quick visual assessment of bivariate relationships (how each variable relates to the others and `mortYld`), of types of associations among predictors (if a relationship looks linear, curved or weak, as well as positive or negative), and of outlier presence. It complements numerical analyses like the correlation matrix. We can see that most of the plots are random dispersion, while some are linear, and some are curved. **X3** seems to be positively associated with **X4** and negatively with **X5**. **X2** and **X3** seem negatively exponentially associated. **X6** seems to be negatively associated with **X3**.




Figure 3: Association Matrix of Variables and Mortgage Yield

Figure 4: Scatterplots of each variable (X1 to X6) compared to Mortgage Yield

Let's take a closer look into the Association Matrix, regarding the relationship between Mortgage Yield (%) and the explanatory variables (x-axis), representing the first row in the precedent figure.

As **X1** increases, the Mortgage Yield increases. This suggests a positive correlation, and that higher Loan-to-Mortgage Ratios (more borrowed money relative to the property value) are associated with higher Mortgage Yields. **X2** reveals a positive correlation with `mortYld`. Boston represents a major financial center with surplus capital.

Regions further from Boston might have higher Yields. **X3** seems to be negatively correlated with `mortYld`. This indicates that areas with more savings dedicated to new construction have better access to local financing, resulting in lower Mortgage Yields. **X4**'s influence is less distinguishable but appears to be a weak negative correlation or a random dispersion. **X5** shows a positive association which can be seen as a square-root relationship. High population growth may imply higher demand for housing, increasing Mortgage Yields due to heightened

competition for available funds. We can observe a potential outlier at the right side of the plot. **X6**'s variation shows no clear trend. It seems like the reliance on external financing does not significantly influence Mortgage Yields.

These observations support the findings of Schaaf (1966) stating that distance from financial centers, risk factors, and local demand for savings contribute to Mortgage Yield variations.

### 2.2.2 Numerical analysis




Figure 5: Correlation Heatmaps of variables

Now, let's take a look at the correlations between each variable and confirm our previous observations: **X3** is strongly positively correlated with **X4** (0.77) and negatively with **X2** (-0.64), **X5** (-0.63), and **X6** (-0.56). **X1** and **X2** exhibit strong positive correlation with mortYld, while **X5** shows moderate positive correlation, and **X3** a strong negative one. **X6** shows moderate positive correlation with mortYld as well. **X4** shows only weak correlation with mortYld.

This confirms what we saw earlier in the association matrix. We can then think about removing one of the highly correlated predictors, to see if multicollinearity affects the regression model. However, these correlations only indicate if two variables are linearly associated. Thus, a low value doesn't necessarily mean that the variables are not correlated in another way.

## 3 Model Fitting

In this analysis, all predictors are continuous variables and each observation corresponds to a unique SMSA. Since the dataset contains no grouping or categorical factors with unequal group sizes, this is a standard multiple regression model with one observation per row. Therefore, the design is not factorial and does not involve unbalanced group structures. As a result, the order of the predictors for the linear regression model does not influence the coefficient estimates, F-tests, or model interpretation.

We aim to model the relationship between Mortgage Yield and a set of six explanatory variables using multiple linear regression.

The multiple linear regression model is defined mathematically as:

$$\text{mortYld}_i = \beta_0 + \beta_1 X_{1i} + \beta_2 X_{2i} + \beta_3 X_{3i} + \beta_4 X_{4i} + \beta_5 X_{5i} + \beta_6 X_{6i} + \varepsilon_i$$

where:

- $\text{mortYld}_i$  is the mortgage yield for the  $i$ -th SMSA,
- $X_{1i}$  to  $X_{6i}$  are the explanatory variables,
- $\beta_0$  is the intercept,
- $\beta_1$  to  $\beta_6$  are the regression coefficients,
- $\varepsilon_i$  is the error term for observation  $i$ .

We assume the classical linear regression assumptions:

1. Linearity: The relationship between each predictor and the outcome is linear.
2. Independence: The errors  $\varepsilon_i$  are independent across observations.
3. Homoscedasticity: The errors have constant variance:  $\text{Var}(\varepsilon_i) = \sigma^2$ .

4. Normality: The errors follow a normal distribution:  $\varepsilon_i \sim \mathcal{N}(0, \sigma^2)$ .
5. No multicollinearity: The predictors are not perfectly linearly correlated.

The model is fitted using Ordinary Least Squares (OLS), which minimizes the sum of squared residuals:

$$\min_{\beta} \sum_{i=1}^n \left( \text{mortYld}_i - \beta_0 - \sum_{j=1}^6 \beta_j X_{ji} \right)^2$$

### 3.1 Null Model vs Full Model Comparison

term	df.residual	rss	df	sumsq	statistic	p.value
mortYld ~ 1	17.00	0.85	NA	NA	NA	NA
mortYld ~ X1 + X2 + X3 + X4 + X5 + X6	11.00	0.11	6.00	0.74	12.33	0.00

Table 4: Comparison of Null and Full Model (ANOVA)

The ANOVA comparison between the null model (intercept-only) and the full model (including all predictors), reveals that the full model better explains the Mortgage Yield, as shown by the significant F-statistic and p-value ( $p < 0.001$ ). This indicates that at least one of the predictors is significantly related to Mortgage Yield.

term	estimate	std.error	statistic	p.value
(Intercept)	4.29	0.67	6.41	0.00
X1	0.02	0.01	2.18	0.05
X2	0.00	0.00	0.29	0.78
X3	-0.00	0.00	-2.10	0.06
X4	0.00	0.00	1.79	0.10
X5	0.00	0.00	0.73	0.48
X6	0.00	0.00	0.10	0.92

```
## pdf
## 2
```

term	estimate	std.error	statistic	p.value
(Intercept)	4.29	0.67	6.41	0.00
X1	0.02	0.01	2.18	0.05
X2	0.00	0.00	0.29	0.78
X3	-0.00	0.00	-2.10	0.06
X4	0.00	0.00	1.79	0.10
X5	0.00	0.00	0.73	0.48
X6	0.00	0.00	0.10	0.92

Table 5: Summary of Full Linear Model

The Full model explains  $\sim 87\%$  of the variance in Mortgage Yield, and 80% after adjusting for the number of predictors, which highlights a strong fit. The Residual Standard Error is low, and the overall model is statistically significant, with a very low p-value ( $p < 0.001$ ). Once again, it means that at least one term contributes significantly to explaining the variation in `mortYld`.

R.	Adjusted.R.	Residual.Std..Error	F.statistic	DF	p.value
0.87	0.80	0.10	12.33	6.00	0.00

Table 6: Fit Statistics of Full Linear Model

The intercept appears to be strongly significant to fit the model ( $p < 0.001$ ). On the other hand, most of the variables do not show statistically significant individual contributions: only **X1** and **X3** show weak significance ( $p \approx 0.05$ ), while the other variables, **X2**, **X5** and **X6**, do not show significant individual effects. This suggests that a reduced model may be more appropriate.

We end up with :  $\text{mortYld} = 4.2852 + 0.0203 \cdot \mathbf{X1} + 0.0 \cdot \mathbf{X2} - 0.0016 \cdot \mathbf{X3} + 0.0002 \cdot \mathbf{X4} + 0.0013 \cdot \mathbf{X5} + 0.0002 \cdot \mathbf{X6}$

### 3.2 Make stepwise regression to select the best model

Step	Model	RSS	AIC
Start	X2 + X3 + X4 + X5	0.11	-77.79
Step 1	1 + X2 + X3 + X4 + X5	0.11	-79.77
Step 2	X1 + X3 + X4 + X5	0.11	-81.61
Step 3	X1 + X3 + X4	0.12	-82.81

Akaike Information Criterion. Lower AIC indicates a better trade-off between model fit and complexity.

Table 7: Stepwise AIC Steps

term	estimate	std.error	statistic	p.value
(Intercept)	4.22	0.58	7.26	0.00
X1	0.02	0.01	2.81	0.01
X3	-0.00	0.00	-4.46	0.00
X4	0.00	0.00	3.03	0.01

Table 8: Coefficients of Final Stepwise Model

$R^2$	Adjusted $R^2$	Residual Std. Error	F-statistic	DF	p-value
0.8634	0.8341	0.091	29.4933	3	2.62e-06

Table 9: Fit Statistics of Stepwise Model

The Stepwise regression process identifies **X1**, **X3**, and **X4** as the most significant predictors of Mortgage Yield, constituting the final model.

It is interesting to note that **X4** appears among the 3 most significant predictors although it shows very weak correlation in the Correlation Matrix. Multiple regression measures the

effect of each variable while holding all others constant. As **X4** has very strong correlation with **X3** (0.77), holding **X3** can make the unique contribution of **X4** clearer.

The final Stepwise model explains approximately 83.4% of the variance in Mortgage Yield using only these three predictors. The AIC doesn't increase a lot when keeping more predictors, meaning that even if these predictors can still be statistically valid to keep, they are not so useful to the model. Though the final model is simpler, it explains the data just as well or better than more complex models. The Residual Standard Error (0.091) is low, and the overall model is highly significant ( $p < 0.001$ ), indicating a good fit.

We end up with :  $\text{mortYld} = 4.223 + 0.02229 \cdot \mathbf{X1} - 0.001863 \cdot \mathbf{X3} + 0.0002249 \cdot \mathbf{X4}$

Let's now try a model with 2-way interactions.

term	estimate	std.error	statistic	p.value
(Intercept)	5.37	2.03	2.64	0.02
X1	0.01	0.03	0.26	0.80
X3	-0.00	0.01	-0.01	0.99
X4	-0.00	0.00	-0.37	0.72
X1:X3	-0.00	0.00	-0.16	0.88
X1:X4	0.00	0.00	0.46	0.65
X3:X4	-0.00	0.00	-0.10	0.92

The 2-way Interactions model, which is more complex than the Stepwise model, explains approximately 79.9% of the variance in Mortgage Yield. The Residual Standard Error (0.1002) is low, and the overall model is highly significant ( $p < 0.001$ ), indicating that at least one of the terms has a significant influence on Mortgage Yield.

Table 10: Coefficients of Interaction Model

R <sup>2</sup>	Adjusted R <sup>2</sup>	Residual Std. Error	F-statistic	DF	p-value
0.87	0.80	0.10	12.25	6.00	0.00

Table 11: Fit Statistics of Interaction Model

None of the variables show statistically significant individual contributions: only the intercept appears to be moderately significant to fit the model ( $p < 0.05$ ). This suggests that a reduced model may be more appropriate.

We end up with :  $\text{mortYld} = 5.3710 + 0.0069 \cdot \mathbf{X1} - 0.0001 \cdot \mathbf{X3} - 0.0009 \cdot \mathbf{X4} + 0.0 \cdot \mathbf{X1} \cdot \mathbf{X3} + 0.0 \cdot \mathbf{X1} \cdot \mathbf{X4} + 0.0 \cdot \mathbf{X3} \cdot \mathbf{X4}$

We decided not to include a 3-way Interactions model in our analysis. Given the small sample size (18 observations), adding high-order interactions would significantly reduce degrees of freedom and increase the risk of overfitting. Moreover, 3-way interactions are often difficult to interpret meaningfully.

### 3.3 Model Comparison

Model	R2	Adj_R2	AIC	Residual_SE	F_statistic
Full Model	0.87	0.80	-24.71	0.10	12.33
Stepwise Model	0.86	0.83	-29.73	0.09	29.49
2-Way Interaction Model	0.87	0.80	-24.60	0.10	12.25

Table 12: Comparison of Model Performance Metrics

The Stepwise model offers the best trade-off between simplicity and performance: it has the lowest AIC ( $\sim 29.7$ ), demonstrating the best model fit among the three. Despite having a slightly lower  $R^2$  than the Full and 2-ways Interactions model, it achieves the highest Adjusted  $R^2$ . It also has the lowest Residual Standard Error (0.091) and the highest F-statistic ( $\sim 29.5$ ). This confirms the overall model significance and parsimony.


Model	Res.Df	RSS	Df	Sum of Sq	F	Pr(>F)
Stepwise model	14	0.12	NA	NA	NA	NA
Interaction model	11	0.11	3	0.01	0.18	0.91

Table 13: ANOVA Comparison: Stepwise vs Interactions Model

An ANOVA is then conducted to compare the Stepwise Model and the Interaction Model, which are nested — the Interaction Model extends the Stepwise Model by including additional two-way interaction terms. The test yields an F-statistic of 0.18 and a p-value of 0.91, indicating that the additional interaction terms do not significantly reduce the residual variance. As a result, the simpler model with only main effects (**X1**, **X3**, and **X4**) truly provides the best fit, as it also offers comparable explanatory power and better interpretability.

## 4 Model assumptions and Diagnostics

### 4.1 Independence evaluation



The **Residuals VS Fitted Values** plot shows that the residuals are randomly scattered around 0, with no clear pattern. This suggests that the assumptions of linearity and constant error variance are reasonably met. Secondly, the slightly negative but close to zero slope ( $-0.286$ ) in the **Scale-Location Plot** indicates that the spread of residuals is almost constant across fitted values. This is a sign that our model doesn't suffer from heteroscedasticity and is likely a good fit: homoscedasticity seems therefore satisfied.

The **Residuals VS Observation Order** plot helps us conclude that there is no consistent trend: the independence of residuals is verified, as they are not correlated with the order of observations.



## 4.2 Multicollinearity diagnostic


As all variables have a VIF value under 5, it means that they don't cause problematic multicollinearity in the final model and that none of them should be eliminated. This confirms our choice of keeping **X3** and **X4**: even if they showed a high correlation coefficient (0.77), these variables still provide enough unique, non-redundant information to justify keeping them in the model.

Variable	VIF
X1	1.89
X3	4.55
X4	3.35

Table 14: Variance Inflation Factors (VIF)

## 4.3 Normality Check

The Q-Q plot of Residuals indicates that most of the points align closely with the 45-degree line, suggesting that the residuals are approximately normally distributed. However, six points deviate at the extremes of the theoretical quantiles, which indicates the presence of potential outliers or heavy tails in the distribution. In a dataset with just 18 observations, small deviations in the Q-Q plot are usual. Outliers or deviations are common in such a small sample size and do not automatically suggest a violation of normality.



## 5 Conclusion

The final estimated model is :  $\hat{mortYld} = 4.22 + 0.02 \cdot \mathbf{X1} - 0.002 \cdot \mathbf{X3} + 0.0002 \cdot \mathbf{X4}$  where **X1** is the Loan-to-Mortgage Ratio, **X3** is the Savings per New Unit Built, and **X4** is the Savings per Capita.

The analysis shows that these variables significantly impact Mortgage Yield. Mortgage Yield is positively influenced by the Loan-to-Mortgage Ratio, indicating that higher loan amounts relative to mortgages may lead to better returns for lenders. Conversely, Mortgage Yield is negatively impacted by Savings per New Unit Built, suggesting that more capital saved for construction could reduce reliance on mortgages, leading to lower returns. Finally, Savings per Capita has a positive, though small, effect on Mortgage Yield. As individual savings increase, it may signal a more financially stable environment, leading to slightly better mortgage performance.

While the assumptions of linear regression are generally satisfied, there are some minor deviations. The model shows strong predictive performance, accounting for 83.4% of the variance in Mortgage Yield, with homoscedasticity nearly achieved.

Future improvements could include exploring additional predictors, testing for non-linear relationships, or refining the model to better capture any residual heteroscedasticity.