

PATH:

```

application "Mail"
  standard window "Inbox (510 filtered messages)" (window 1)
    split group (splitter group 1)
      split group (splitter group 1)
        scroll area (scroll area 2)
          group (group 1)
            group (group 1)
              button "Load remote content" (button 1)

```

ACTIONS:

```

press

```

ATTRIBUTES (long values are truncated to 60 characters):

```

children
  type: (null)
  value: (null)
  modifiable: no
enabled
  type: Boolean
  value: true
  modifiable: no
keyboard focused
  type: Boolean
  value: false
  modifiable: yes
frame
  type: rect
  value: {{2352, 145}, {166, 32}} x, y, width, height
  modifiable: no
help
  type: (null)
  value: (null)
  modifiable: no
identifier
  type: string
  value: "_NS:41"
  modifiable: no
parent
  type: UIElement
  value: group
  modifiable: no
position
  type: point
  value: {2352, 145} x, y
  modifiable: no
AXReplaceRangeWithText

```

type: (null)
value: (null)
modifiable: parameterized
role
type: string
value: AXButton
modifiable: no
type
type: string
value: "button"
modifiable: no
size
type: size
value: {166, 32} width, height
modifiable: no
title
type: string
value: "Load remote content"
modifiable: no
top level UElement
type: UIElement
value: standard window "Inbox (510 filtered messages)"
modifiable: no
window
type: UIElement
value: standard window "Inbox (510 filtered messages)"
modifiable: no

NOTIFICATIONS:

announcement requested
created
element busy state changed
focused UI element changed
help tag created
layout changed
moved
resized
row collapsed
row count changed
row expanded
selected cells changed
selected children changed
selected children moved
selected columns changed
selected rows changed
selected text changed
title changed

UI element destroyed
units changed
value changed