


DATA MODEL FLOW



Scenario Overview: SAP BW Data Flow for Bike Sales Reporting

This scenario outlines the data flow architecture for reporting bike sales through two distinct sales channels: **Internet Sales** and **Reseller Sales**. The architecture is designed in SAP BW using standard InfoProviders and transformation logic to support unified and channel-specific reporting.

Sales Channels:

- Internet Sales
- Reseller Sales

Each channel has its own independent data acquisition and processing pipeline, yet they are ultimately consolidated for unified analysis.

Data Flow Description

1. Data Sources:

- **DS for Internet Sales Transactional Data (DS_IS_TD):** Captures transactional data related to online (internet-based) sales.
- **DS for Reseller Sales Transactional Data (DS_RS_TD):** Gathers transactional sales data from reseller partners.

These data sources serve as the initial entry point of raw sales data into the SAP BW system.

2. Data Targets (ODS Layer / DataStore Objects):

- **Internet Sales Fact (TD_IS)**
- **Reseller Sales Fact (TD_RS)**

Transactional data is loaded 1:1 into these DataStore Objects. These represent the consolidation layer where data is cleansed and harmonized before being pushed into analytical InfoCubes.

3. InfoCubes (Analytical Layer):

- **Internet Sales InfoCube (TD_IS_C)**
- **Reseller Sales InfoCube (TD_RS_C)**

Data is transferred from the facts layer into the InfoCubes using **direct assignments (1:1), formulas, ABAP routines, constants**, allowing for the enrichment of key figures and characteristics needed for reporting. These cubes store aggregated sales data for each channel, optimized for performance and analysis.

4. Consolidation for Reporting - Sales Multiprovider (SLS_MP)

The InfoCubes for both Internet and Reseller Sales are combined into a Multiprovider, enabling a unified view of total sales. This allows users to:

- Analyze sales by channel, region, time, product, and customer.
 - Compare performance between Internet and Reseller sales.
 - Generate comprehensive reports for management insights.
-

Transformations from DSO to CUBE

In this example we cover data transfer logic from ODSO TS_IS to CUBE TS_IS_C.

1. TD_IS.DSO.XLSX– contains TD_IS DSO structure
2. DSO - TD_IS - content.xls contains source records which have to be processed and transformed
3. TD_IS.CUBE.XLSX– contains TD_IS_C cube structure
4. CUBE - TD_IS_C - content.xls- contains the transformed records as they currently are in S13 Development system, to be used for validation of the result.

From DSO (TD_IS) To CUBE (TD_IS_C)

Transformation: ODSO TD_IS -> CUBE TD_IS_C Runtime Status: Only ABAP runtime is supported

Source: Internet Sales Fact (TD_IS)
Target: Internet Sales InfoCube (TD_IS_C)
Version: Active
Active Version: Executable Edited Version

Internet Sales Fact (TD_IS)

Pos	Key	InfoObject	ICD	Descript.	Data t	Length
1	✓	MD_SON	▲	Sales Order Number	CHAR	000007
2	✓	MD_PROD	▲	Product MD	NUMC	000004
3	✓	MD_CUS	▲	Customer MD	NUMC	000005
4	✓	MD_PROM	▲	Promotion MD	NUMC	000003
5	✓	MD_S_TY	▲	Sales Territory MD	NUMC	000003
6		ORECORDMODE	▲	BW Delta Process: Update Mode	CHAR	000001
7		MD_SF	▲	Sales Flag	CHAR	000002
8		MD_SOLN	▲	Sales Order Line Number	NUMC	000002
9		MD_FRG	▲	Freight Number	CHAR	000008
10		MD_CURR	▲	Currency MD	NUMC	000003
11		MD_ORD	▲	Order Date	DATS	000008
12		MD_DD	▲	Due Date	DATS	000008
13		MD_SHD	▲	Ship Date	DATS	000008
14		MD_OQ	▲	Order Quantity	QUAN	000017
15		MD_DA	▲	Discount Amount	CURR	000017
16		MD_CURRN	▲	Currency Unit	CUKY	000005
17		MD_TPC	▲	Cost of Goods Sold (COGS)	CURR	000017
18		MD_SA	▲	Net Sales Revenue (NSR)	CURR	000017
19		MD_TA	▲	Tax Amount	CURR	000017

Internet Sales InfoCube (TD_IS_C) Rule Group: Standard Group

Rule Name	Pos	Key	InfoObject	ICD	Descript.	Data t	Length
MD_ORD	1	✓	MD_ORD	▲	Order Date	DATS	000008
MD_DD	2	✓	MD_DD	▲	Due Date	DATS	000008
MD_SHD	3	✓	MD_SHD	▲	Ship Date	DATS	000008
MD_OQ	4		MD_OQ	▲	Order Quantity	QUAN	000017
Discount Amount	5		MD_DA	▲	Discount Amount	CURR	000017
MD_TPC	7		MD_TPC	▲	Cost of Goods Sold (COGS)	CURR	000017
MD_SA	8		MD_SA	▲	Net Sales Revenue (NSR)	CURR	000017
MD_TA	9		MD_TA	▲	Tax Amount	CURR	000017
MD_SON	10	✓	MD_SON	▲	Sales Order Number	CHAR	000007
MD_S_TY	11	✓	MD_S_TY	▲	Sales Territory MD	NUMC	000003
MD_SF	12	✓	MD_SF	▲	Sales Flag	CHAR	000002
MD_SOLN	13	✓	MD_SOLN	▲	Sales Order Line Number	NUMC	000002
MD_PROD	14	✓	MD_PROD	▲	Product MD	NUMC	000004
MD_CUS	15	✓	MD_CUS	▲	Customer MD	NUMC	000005
MD_PROM	16	✓	MD_PROM	▲	Promotion MD	NUMC	000003
MD_FRG	17	✓	MD_FRG	▲	Freight Number	CHAR	000008
MD_CURR	18	✓	MD_CURR	▲	Currency MD	NUMC	000003
Gross Sales Revenue (GSR)	19		MD_EXAM	▲	Gross Sales Revenue (GSR)	CURR	000017
Gross Profit Amount	20		MD_GPF	▲	Gross Profit Amount	CURR	000017
Net Profit Amount	21		MD_NPF	▲	Net Profit Amount	CURR	000017
Unit Price	22		MD_UNPR	▲	Unit Price	CURR	000017
Discount Percentage	23		MD_DISPER	▲	Discount Percentage	FLTP	000016
Product Standard Cost	24		MD_PRST	▲	Product Standard Cost	CURR	000017
Count	25		MD_CNT	▲	Count	INT4	000010

In this example we cover data transfer logic from ODSO TS_RS to CUBE TS_RS_C.

1. TD_RS.DSO.XLSX– contains TD_RS DSO structure
2. DSO - TD_RS - content.xls contains source records which have to be processed and transformed
3. TD_RS.CUBE.XLSX– contains TD_RS_C cube structure
4. CUBE - TD_RS_C - content.xls- contains the transformed records as they currently are in S13 Development system, to be used for validation of the result.

From DSO (TD_RS) To CUBE (TD_RS_C)

Transformation: ODSO TD_RS -> CUBE TD_RS_C Runtime Status: Only ABAP runtime is supported

Source: Reseller Sales Fact (TD_RS)
Target: Reseller Sales InfoCube (TD_RS_C)
Version: Active
Active Version: Executable Edited Version

100 Rule Group Rule Group Rule Rule

Reseller Sales Fact (TD_RS)

Pos	Key	InfoObject	Icon	Descript.	Data t	Length
1	MD PROD	Product MD			NUMC	000004
2	MD RS	Reseller MD			NUMC	000004
3	MD EMP	Employee			NUMC	000004
4	MD PROM	Promotion MD			NUMC	000003
5	MD S TY	Sales Territory MD			NUMC	000003
6	MD CPON	Customer Purchase Order Number			CHAR	000020
7	ORECORDMODE	BW Delta Process: Update Mode			CHAR	000001
8	MD CURR	Currency MD			NUMC	000003
9	MD SON	Sales Order Number			CHAR	000007
10	MD SOLN	Sales Order Line Number			NUMC	000002
11	MD FRG	Freight Number			CHAR	000008
12	MD REVNUM	Revision Number			NUMC	000001
13	MD CTN	Carrier Tracking Number			CHAR	000012
14	MD ORD	Order Date			DATS	000008
15	MD DD	Due Date			DATS	000008
16	MD SHD	Ship Date			DATS	000008
17	MD OO	Order Quantity			QUAN	000017
18	MD UNPR	Unit Price			CURR	000017
19	MD CURRN	Currency Unit			CUKY	000005
20	MD EXAM	Gross Sales Revenue (GSR)			CURR	000017
21	MD DISPER	Discount Percentage			FLTP	000016
22	MD DA	Discount Amount			CURR	000017
23	MD PRST	Product Standard Cost			CURR	000017
24	MD TPC	Cost of Goods Sold (COGS)			CURR	000017
25	MD SA	Net Sales Revenue (NSR)			CURR	000017
26	MD TA	Tax Amount			CURR	000017

Reseller Sales InfoCube (TD_RS_C) Rule Group: Standard Group

Rule Name	Pos	Key	InfoObject	Icon	Descript.	Data t	Length	Integr
MD ORD	1	MD ORD	Order Date		DATS	000008		
MD DD	2	MD DD	Due Date		DATS	000008		
MD SHD	3	MD SHD	Ship Date		DATS	000008		
MD OO	4	MD OO	Order Quantity		QUAN	000017		
MD UNPR	5	MD UNPR	Unit Price		CURR	000017		
MD EXAM	7	MD EXAM	Gross Sales Revenue (GSR)		CURR	000017		
Discount Percentage	8	MD DISPER	Discount Percentage		FLTP	000016		
Net Profit Amount	9	MD NPF	Net Profit Amount		CURR	000017		
Discount Amount	10	MD DA	Discount Amount		CURR	000017		
MD PRST	11	MD PRST	Product Standard Cost		CURR	000017		
MD TPC	12	MD TPC	Cost of Goods Sold (COGS)		CURR	000017		
MD SA	13	MD SA	Net Sales Revenue (NSR)		CURR	000017		
MD TA	14	MD TA	Tax Amount		CURR	000017		
MD S TY	15	MD S TY	Sales Territory MD		NUMC	000003		
MD SON	16	MD SON	Sales Order Number		CHAR	000007		
MD SOLN	17	MD SOLN	Sales Order Line Number		NUMC	000002		
MD PROD	18	MD PROD	Product MD		NUMC	000004		
MD RS	19	MD RS	Reseller MD		NUMC	000004		
MD EMP	20	MD EMP	Employee		NUMC	000004		
MD PROM	21	MD PROM	Promotion MD		NUMC	000003		
MD CPON	22	MD CPON	Customer Purchase Order Number		CHAR	000020		
MD CURR	23	MD CURR	Currency MD		NUMC	000003		
MD FRG	24	MD FRG	Freight Number		CHAR	000008		
MD REVNUM	25	MD REVNUM	Revision Number		NUMC	000001		
MD CTN	26	MD CTN	Carrier Tracking Number		CHAR	000012		
Gross Profit Amount	27	MD GPF	Gross Profit Amount		CURR	000017		
Count	28	MD CNT	Count		INT4	000010		

Transformations from Datasource to DSO

From Datasource (DS_IS_TD) To DSO (TD_IS)

Transformation: RSDS_DS_IS_TD_XTK_FF -> ODSO_TD_IS Runtime Status: ABAP and HANA runtime are supported

Source: DS for Internet Sales Transactional Data (DS_IS_TD)

Target: Internet Sales Fact (TD_IS)

Version: Active

Active Version: Executable Edited Version:

100%

Rule Group

DS for Internet Sales Transactional Data (DS_IS_TD)

Pos	Key	Field	IC	Descript.	Data t	Lngh
1	PRODUCTFK	ProductFK	NUMC	000004		
2	CUSTOMERFK	CustomerFK	NUMC	000005		
3	PROMOTIONFK	PromotionFK	NUMC	000003		
4	CURRENCYFK	CurrencyFK	NUMC	000003		
5	CURRENCY	Currency	CUKY	000005		
6	SALETERRITORYFK	SaleTerritoryFK	NUMC	000003		
7	SALESORDERNUMBER	SalesOrderNumberDD	CHAR	000007		
8	SALESORDERLINENU	SalesOrderLineNumber	NUMC	000001		
9	ORDERQUANTITY	OrderQuantity	QUAN	000001		
10	DISCOUNTAMOUNT	DiscountAmount	CURR	000010		
11	TOTALPRODUCTCOST	TotalProductCost	CURR	000010		
12	SALESAMOUNT	SalesAmount	CURR	000010		
13	TAXAMOUNT	TaxAmount	CURR	000010		
14	FREIGHT	Freight	CHAR	000007		
15	ORDERDATE	OrderDate	DATS	000008		
16	DUEDATE	DueDate	DATS	000008		
17	SHIPDATE	ShipDate	DATS	000008		
18	SALEFLAG	SaleFlag	CHAR	000002		

Internet Sales Fact (TD_IS) Rule Group: Standard Group

Pos	Key	InfoObject	IC	Descript.	Data t	Lngh	Int
1	MD_SON	MD_SON	NUMC	Sales Order Number	CHAR	000007	
2	MD_PROD	MD_PROD	NUMC	Product MD	NUMC	000004	
3	MD_CUS	MD_CUS	NUMC	Customer MD	NUMC	000005	
4	MD_FROM	MD_FROM	NUMC	Promotion MD	NUMC	000003	
5	MD_S_TY	MD_S_TY	NUMC	Sales Territory MD	NUMC	000003	
7	MD_SF	MD_SF	CHAR	Sales Flag	CHAR	000002	
8	MD_SOLN	MD_SOLN	NUMC	Sales Order Line Number	NUMC	000002	
9	MD_FRG	MD_FRG	CHAR	Freight Number	CHAR	000008	
10	MD_CURR	MD_CURR	NUMC	Currency MD	NUMC	000003	
11	MD_ORD	MD_ORD	DATS	Order Date	DATS	000008	
12	MD_DD	MD_DD	DATS	Due Date	DATS	000008	
13	MD_SHD	MD_SHD	DATS	Ship Date	DATS	000008	
14	MD_OQ	MD_OQ	QUAN	Order Quantity	QUAN	000017	
15	MD_DA	MD_DA	CURR	Discount Amount	CURR	000017	
16	MD_CURRN	MD_CURRN	CUKY	Currency Unit	CUKY	000005	
17	MD_TPC	MD_TPC	CURR	Cost of Goods Sold (COGS)	CURR	000017	
18	MD_SA	MD_SA	CURR	Net Sales Revenue (NSR)	CURR	000017	
19	MD_TA	MD_TA	CURR	Tax Amount	CURR	000017	

From Datasource (DS_RS_TD) To DSO (TD_RS)

Transformation: RSDS_DS_RS_TD_XTK_FF -> ODSO_TD_RS

Source: DS for Reseller Sales Transactional Data (DS_RS_TD)

Target: Reseller Sales Fact (TD_RS)

Version: Active

Active Version: Executable

Runtime Status: ABAP and HANA runtime are supported

100%

Rule Group

DS for Reseller Sales Transactional Data (DS_RS_TD)

Pos	Key	Field	IC	Descript.	Data t	Length
1	✓	PRODUCTFK		ProductFK	NUMC	000004
2	✓	ORDERDATEKEY		OrderDateKey	DATS	000008
3	✓	DUEDATEKEY		DueDateKey	DATS	000008
4	✓	SHIPDATEKEY		ShipDateKey	DATS	000008
5	✓	RESELLERKEY		ResellerKey	NUMC	000004
6	✓	EMPKEY		EmpKey	NUMC	000004
7	✓	PROMOKEY		PromoKey	NUMC	000003
8	✓	CURRENCYKEY		CurrencyKey	NUMC	000003
9	✓	SALESTERRITORYKE		SalesTerritoryKey	NUMC	000003
10	✓	SALESORDERNUM		SalesOrderNum	CHAR	000007
11	✓	SALESORDERLINENU		SalesOrderLineNum	NUMC	000002
12	✓	REVISIONNUMBER		RevisionNumber	NUMC	000001
13	✓	ORDERQUANTITY		OrderQuantity	QUAN	000002
14	✓	UNITPRICE		UnitPrice	DEC	000015
15	✓	EXTENDEDAMOUNT		ExtendedAmount	DEC	000015
16	✓	DISCOUNTPERCENTA		DiscountPercentage	FLTP	000016
17	✓	DISCOUNTAMOUNT		DiscountAmount	DEC	000015
18	✓	PRODUCTSTANDARTC		ProductStandardCost	DEC	000015
19	✓	TOTALPRODUCTCOST		TotalProductCost	DEC	000015
20	✓	SALESAMOUNT		SalesAmount	DEC	000015
21	✓	TAXAMOUNT		TaxAmount	DEC	000015
22	✓	FREIGHT		Freight	CHAR	000008
23	✓	CARRIERTRACKINGN		CarrierTrackingNumbe	CHAR	000012
24	✓	CUSTOMERPURCHASE		CustomerPurchaseOrde	CHAR	000020
25	✓	ORDER		Order	DATS	000008
26	✓	DUE		Due	DATS	000008
27	✓	SHIP		Ship	DATS	000008
28	✓	CURRENCY		Currency	CUKY	000005

Reseller Sales Fact (TD_RS) Rule Group: Standard Group

Rule	Rule Name	Pos	Key	InfoObject	IC	Descript.	Data t	Length	Integ
1	MD PROD	1	✓	MD PROD		Product MD	NUMC	000004	
2	MD RS	2	✓	MD RS		Reseller MD	NUMC	000004	
3	MD EMP	3	✓	MD EMP		Employee	NUMC	000004	
4	MD PROM	4	✓	MD PROM		Promotion MD	NUMC	000003	
5	MD S TY	5	✓	MD S TY		Sales Territory MD	NUMC	000003	
6	MD CPON	6	✓	MD CPON		Customer Purchase Order Number	CHAR	000020	
8	MD CURR	8	✓	MD CURR		Currency MD	NUMC	000003	
9	MD SON	9	✓	MD SON		Sales Order Number	CHAR	000007	
10	MD SOLN	10	✓	MD SOLN		Sales Order Line Number	NUMC	000002	
11	MD FRG	11	✓	MD FRG		Freight Number	CHAR	000008	
12	MD REVNUM	12	✓	MD REVNUM		Revision Number	NUMC	000001	
13	MD CTN	13	✓	MD CTN		Carrier Tracking Number	CHAR	000012	
14	MD ORD	14	✓	MD ORD		Order Date	DATS	000008	
15	MD DD	15	✓	MD DD		Due Date	DATS	000008	
16	MD SHD	16	✓	MD SHD		Ship Date	DATS	000008	
17	MD OO	17	✓	MD OO		Order Quantity	QUAN	000017	
18	MD UNPR	18	✓	MD UNPR		Unit Price	CURR	000017	
19	MD CURRN	19	✓	MD CURRN		Currency Unit	CUKY	000005	
20	MD EXAM	20	✓	MD EXAM		Gross Sales Revenue (GSR)	CURR	000017	
21	MD DISPER	21	✓	MD DISPER		Discount Percentage	FLTP	000016	
22	MD DA	22	✓	MD DA		Discount Amount	CURR	000017	
23	MD PRST	23	✓	MD PRST		Product Standard Cost	CURR	000017	
24	MD TPC	24	✓	MD TPC		Cost of Goods Sold (COGS)	CURR	000017	
25	MD SA	25	✓	MD SA		Net Sales Revenue (NSR)	CURR	000017	
26	MD TA	26	✓	MD TA		Tax Amount	CURR	000017	

Transformations from Datasource to Infoobject

From DS to Customer MD (MD_CUS) – Attributes

Transformation: RSDS_DS_CUS_MD_XTK_FF -> IOBJ_MD_CUS

Source: DS for Customer Attr (DS_CUS_MD)

Target: Customer MD (MD_CUS)

Version: Active

Active Version: Executable

Runtime Status: ABAP and HANA runtime are supported

100%

Rule Group

DS for Customer Attr (DS_CUS_MD)

Pos	Key	Field	IC	Descript.	Data t	Length
1	✓	CUSTOMER		CUSTOMER	NUMC	000005
2	✓	GEOGRAPHYKEY		GEOGRAPHY KEY	INT2	000005
3	✓	CUSTOMERALTKEY		CUSTOMER ALT KEY	CHAR	000010
4	✓	DATEOFBIRTH		DATE OF BIRTH	DATS	000008
5	✓	MARTIALSTATUS		MARTIAL STATUS	CHAR	000001
6	✓	GENDER		GENDER	CHAR	000001
7	✓	EMAIL		E-MAIL	CHAR	000040
8	✓	YEARLYINCOME		YEARLY INCOME	DEC	000010
9	✓	EDUCATION		EDUCATION	CHAR	000020
10	✓	OCCUPATION		OCCUPATION	CHAR	000015
11	✓	HOMEOWNERFLAG		HOME OWNER FLAG	INT4	000010
12	✓	NUMBEROFCARS		NUMBER OF CARS	INT1	000003
13	✓	ADDRESS		ADDRESS	CHAR	000040
14	✓	PHONENUMBER		PHONE NUMBER	CHAR	000019

Customer MD (MD_CUS) Rule Group: Standard Group

Rule	Rule Name	Pos	Key	InfoObject	IC	Descript.	Data t	Length	Int
1	MD_CUS	1	✓	MD_CUS		Customer MD	NUMC	000005	
2	MD_C_ALT	2	✓	MD_C_ALT		Customer Alt. Key	CHAR	000010	
3	MD_EM_BD	3	✓	MD_EM_BD		Birth Date	DATS	000008	
4	MD_CU_MS	4	✓	MD_CU_MS		Customer Marital Status	CHAR	000001	
5	MD_EM_GN	5	✓	MD_EM_GN		Gender	CHAR	000001	
6	MD_EM_EM	6	✓	MD_EM_EM		Email	CHAR	000040	
7	MD_CU_YI	7	✓	MD_CU_YI		Customer Yearly Income	DEC	000017	
8	MD_CU_ED	8	✓	MD_CU_ED		Customer Education	CHAR	000020	
9	MD_CU_OC	9	✓	MD_CU_OC		Customer Occupation	CHAR	000015	
10	MD_CU_HO	10	✓	MD_CU_HO		Customer House Owner Flag	NUMC	000005	
11	MD_CU_NC	11	✓	MD_CU_NC		Customer Number of Cars	INT4	000010	
12	MD_AD	12	✓	MD_AD		Address	CHAR	000040	
13	MD_PH	13	✓	MD_PH		Phone Number	CHAR	000019	

Transformation: RSDS_DS_CUS_TXT_XTK_FF --> IOBJ MD_CUS Runtime Status: ABAP and HANA runtime are supported

Source: DS for Customer Text (DS_CUS_TXT)

Target: Customer MD (MD_CUS)

Version: Active

Active Version: Executable Edited Version

100% Rule Group Rule

DS for Customer Text (DS_CUS_TXT)

Pos	Key	Field	IC	Descript.	Data t	Length
1	✓	CUSTOMER		CUSTOMER	NUMC	000005
2		FIRSTNAME		FIRST NAME	CHAR	000010
3		MIDDLENAME		MIDDLE NAME	CHAR	000003
4		LASTNAME		LAST NAME	CHAR	000010

Customer MD (MD_CUS) Rule Group: Standard Group

Rule	Rule Name	Pos	Key	Info	Obj	IC	Descript.	Data t	Length	Int
1	MD_CUS	1	✓		MD_CUS		Customer MD	NUMC	000005	
2	Fullname	2			0TXTLG		Long description	CHAR	000060	

The screenshot displays the SAP Data Services Designer interface. On the left, the 'Transformation' pane shows the configuration for 'DS for Department Group Attr (DS_DP_GR_MD)'. The source is 'DS for Department Group Attr (DS_DP_GR_MD)', the target is 'Department Group (MD_DP_GR)', and the version is 'Active'. Below this, the 'Rule Group' pane shows the 'Standard Group' for the target table. The data flow is visualized in the center, showing the mapping from the source table to the target table. The source table has columns: Pos, Key, Field, Descr., Data, t, and Length. The target table has columns: Rule, Rule Name, Pos, Key, InfoObject, Descr., Data, t, Length, and Int. The mapping shows that the 'DEPTKEY' field from the source is mapped to the 'MD_DP_GR' rule, and the 'DEPTGROUPPARENTK' field is mapped to the 'MD_DGR_P' rule.

Pos	Key	Field	Descr.	Data	t	Length
1		DEPTKEY	DeptKey	NUMC		000002
2		DEPTGROUPPARENTK	DeptGroupParentKey	NUMC		000002

Rule	Rule Name	Pos	Key	InfoObject	Descr.	Data	t	Length	Int
1	MD_DP_GR	1		MD_DP_GR	Department Group	NUMC		000002	☐
2	MD_DGR_P	2		MD_DGR_P	Department Group Parent	NUMC		000002	☐

The screenshot displays the SAP Data Services Designer interface. The 'Transformation' tab is active, showing the configuration for the transformation 'RSDS_DS_DP_GR_TXT_XTK_FF -> IOBJ MD_DP_GR'. The source is 'DS for Department Group Text (DS_DP_GR_TXT)' and the target is 'Department Group (MD_DP_GR)'. The version is 'Active' and the executable is 'Executable'. The 'Rule Group' tab is also visible, showing a rule named 'MD_DP_GR' with a position of 1, and another rule named 'OTXTMD' with a position of 2. The 'Rule Group' tab is selected, and the 'Rule Group: Standard Group' is shown. The 'Rule Group' tab is selected, and the 'Rule Group: Standard Group' is shown. The 'Rule Group' tab is selected, and the 'Rule Group: Standard Group' is shown.

From DS to Employee (MD_EMP) – Attributes

Transformation: RSDS_DS_EMP_MD_XTK_FF -> IOBJ MD_EMP Runtime Status: ABAP and HANA runtime are supported

Source: DS for Employee Attr (DS_EMP_MD) Target: Employee (MD_EMP) Version: Active Active Version: Executable Edited Version

100, Rule Group, Rule

Pos	Key	Field	IC	Descript.	Data t	Length
1	✓	EMPKEY	EmpKey	NUMC	000004	
2		EMPPARENTKEY	EmpParentKey	NUMC	000004	
3		EMPSSN	EmpSSN	NUMC	000009	
4		EMPPOSITION	EmpPosition	CHAR	000045	
5		EMPDATESTART	EmpDateStart	DATS	000008	
6		EMPBIRTHDATE	EmpBirthDate	DATS	000008	
7		EMPEMAIL	EmpEmail	CHAR	000040	
8		EMPPHONE	EmpPhone	CHAR	000019	
9		EMPGENDER	EmpGender	CHAR	000001	
10		DEPARTFK	DepartFK	NUMC	000002	

Employee (MD_EMP) Rule Group: Standard Group

Rule	Rule Name	Pos	Key	InfoObject	IC	Descript.	Data t	Length	Int
=	MD_EMP	1	✓	MD_EMP		Employee	NUMC	000004	
=	MD_EMP_P	2		MD_EMP_P		Employee Parent	NUMC	000004	
=	MD_EM_SN	3		MD_EM_SN		Employee SSN	NUMC	000009	
=	MD_EM_PS	4		MD_EM_PS		Employee Position	CHAR	000045	
=	MD_EM_SD	5		MD_EM_SD		Employee Start Date	DATS	000008	
=	MD_EM_BD	6		MD_EM_BD		Birth Date	DATS	000008	
=	MD_EM_EM	7		MD_EM_EM		Email	CHAR	000040	
=	MD_PH	8		MD_PH		Phone Number	CHAR	000019	
=	MD_EM_GN	9		MD_EM_GN		Gender	CHAR	000001	
=	MD_DP_GR	10		MD_DP_GR		Department Group	NUMC	000002	

From DS to Employee (MD_EMP) – Texts

Transformation: RSDS_DS_EMP_TXT_XTK_FF -> IOBJ MD_EMP Runtime Status: ABAP and HANA runtime are supported

Source: DS for Employee Text (DS_EMP_TXT) Target: Employee (MD_EMP) Version: Active Active Version: Executable Edited Version

100, Rule Group, Rule

Pos	Key	Field	IC	Descript.	Data t	Length
1	✓	EMPKEY	EmpKey	NUMC	000004	
2		EMPNAME	EmpName	CHAR	000024	

Employee (MD_EMP) Rule Group: Standard Group

Rule	Rule Name	Pos	Key	InfoObject	IC	Descript.	Data t	Length	Int
=	MD_EMP	1	✓	MD_EMP		Employee	NUMC	000004	
=	0TXTMD	2		0TXTMD		Medium description	CHAR	000040	

From DS to Product Category (MD_PR_CG) – Texts

Transformation: RSDS_DS_PR_CG_TXT_XTK_FF -> IOBJ MD_PR_CG Runtime Status: ABAP and HANA runtime are supported

Source: DS for Product Category Text (DS_PR_CG_TXT) Target: Product Category (MD_PR_CG) Version: Active Active Version: Executable Edited Version

100, Rule Group, Rule

Pos	Key	Field	IC	Descript.	Data t	Length
1	✓	PRCATKEY	PrCatKey	NUMC	000003	
2		PRCATTXT	PrCatTxt	CHAR	000020	

Product Category (MD_PR_CG) Rule Group: Standard Group

Rule	Rule Name	Pos	Key	InfoObject	IC	Descript.	Data t	Length	Int
=	MD_PR_CG	1	✓	MD_PR_CG		Product Category	NUMC	000003	
=	0TXTSH	2		0TXTSH		Short description	CHAR	000020	

From DS to Product MD (MD_PROD) – Attributes

Transformation: RSDS_DS_PROD_MD_XTK_FF -> IOBJ_MD_PROD

Source: DS for Product Attr (DS_PROD_MD)

Target: Product MD (MD_PROD)

Version: Active

Active Version: Executable

Runtime Status: ABAP and HANA runtime are supported

100%

Rule Group

DS for Product Attr (DS_PROD_MD)

Pos	Key	Field	IC	Descript.	Data t	Lngh
1	✓	PRODUCTID	ProductID	NUMC	000004	
2		NATURALKEY	NaturalKey	CHAR	000015	
3		SUBCATFK	SubCatFK	NUMC	000003	
4		WEIGHTUNITMEASUR	WeightUnitMeasureCod	UNIT	000003	
5		SIZEUNITMEASUREC	SizeUnitMeasureCode	UNIT	000003	
6		STANDARDCOST	StandardCost	DEC	000010	
7		FINISHEDGOODFLAG	FinishedGoodFlag	CHAR	000005	
8		COLOR	Color	CHAR	000012	
9		SAFETYSTOCKLEVEL	SafetyStockLevel	INT4	000010	
10		REORDERPOINT	ReorderPoint	INT4	000010	
11		UNITPRICE	UnitPrice	DEC	000010	
12		SIZE	Size	CHAR	000003	
13		SIZERANGE	SizeRange	CHAR	000012	
14		WEIGHT	Weight	FLTP	000016	

Product MD (MD_PROD) Rule Group: Standard Group

Rul	Rule Name	Pos	Key	InfoObject	IC	Descript.	Data t	Lngh	Int
MD_PROD	1	✓	MD_PROD	Product MD	NUMC	000004			
MD_PR_NK	2		MD_PR_NK	Product Natural Key	CHAR	000015			
MD_PR_SC	3		MD_PR_SC	Product Subcategory	NUMC	000003			
MD_PR_FG	4		MD_PR_FG	Product Finished Good Flag	CHAR	000005			
MD_PR_CL	5		MD_PR_CL	Product Color	CHAR	000012			
MD_PR_SS	6		MD_PR_SS	Product Safety Stock Level	INT4	000010			
MD_PR_RP	7		MD_PR_RP	Product Reorder Point	INT4	000010			
MD_PR_UP	8		MD_PR_UP	Product Unit Price	DEC	000017			
MD_PR_SZ	9		MD_PR_SZ	Product Size	CHAR	000003			
MD_PR_SR	10		MD_PR_SR	Product Size Range	CHAR	000012			
MD_PR_WG	11		MD_PR_WG	Product Weight	FLTP	000016			
MD_QUAN	12		MD_QUAN	Quantity Unit	UNIT	000003			
MD_PR_CG	13		MD_PR_CG	Product Category	NUMC	000003			
MD_PRST	14		MD_PRST	Product Standard Cost	CURR	000017			
MD_CURRN	15		MD_CURRN	Currency Unit	CUKY	000005			

From DS to Product MD (MD_PROD) – Texts

Transformation: RSDS_DS_PROD_TXT_XTK_FF -> IOBJ_MD_PROD

Source: DS for Product Text (DS_PROD_TXT)

Target: Product MD (MD_PROD)

Version: Active

Active Version: Executable

Runtime Status: ABAP and HANA runtime are supported

100%

Rule Group

DS for Product Text (DS_PROD_TXT)

Pos	Key	Field	IC	Descript.	Data t	Lngh
1	✓	PRODUCTID	ProductID	NUMC	000004	
2		BIKEDESC_TEXT	BikeDesc_Text	CHAR	000040	

Product MD (MD_PROD) Rule Group: Standard Group

Rul	Rule Name	Pos	Key	InfoObject	IC	Descript.	Data t	Lngh	Int
MD_PROD	1	✓	MD_PROD	Product MD	NUMC	000004			
0TXTMD	2		0TXTMD	Medium description	CHAR	000040			

From DS to Product Subcategory (MD_PR_SC) – Attributes

Transformation: RSDS_DS_PR_SC_MD_XTK_FF -> IOBJ_MD_PR_SC

Source: DS for Product Subcategory Attr (DS_PR_SC_MD)

Target: Product Subcategory (MD_PR_SC)

Version: Active

Active Version: Executable

Runtime Status: ABAP and HANA runtime are supported

100%

Rule Group

DS for Product Subcategory Attr (DS_PR_SC_MD)

Pos	Key	Field	IC	Descript.	Data t	Lngh
1	✓	PRSCATKEY	PRSCATKEY	NUMC	000003	
2		PRCATFKEY	PRCATFKEY	NUMC	000003	

Product Subcategory (MD_PR_SC) Rule Group: Standard Group

Rul	Rule Name	Pos	Key	InfoObject	IC	Descript.	Data t	Lngh	Int
MD_PR_SC	1	✓	MD_PR_SC	Product Subcategory	NUMC	000003			
MD_PR_CG	2		MD_PR_CG	Product Category	NUMC	000003			

From DS to Product Subcategory (MD_PR_SC) – Texts

Transformation: RSDS_DS_PR_SC_TXT_XTK_FF -> IOBJ_MD_PR_SC Runtime Status: ABAP and HANA runtime are supported

Source: DS for Product Subcategory Text (DS_PR_SC_TXT)
Target: Product Subcategory (MD_PR_SC)
Version: Active
Active Version: Executable Edited Version

DS for Product Subcategory Text (DS_PR_SC_TXT)

Pos	Key	Field	IC	Descript.	Data t	Length
1	✓	PRSCATKEY	PRSCATKEY	NUMC	000003	
2		PRSCATTXT	PRSCATTXT	CHAR	000020	

Product Subcategory (MD_PR_SC) Rule Group: Standard Group

Rule Name	Pos	Key	InfoObject	IC	Descript.	Data t	Length	Int
MD_PR_SC	1	✓	MD_PR_SC	✓	Product Subcategory	NUMC	000003	
OTXTSH	2		OTXTSH	✓	Short description	CHAR	000020	

From DS to Promotion MD (MD_PROM) – Attributes

Transformation: RSDS_DS_PROM_MD_XTK_FF -> IOBJ_MD_PROM Runtime Status: ABAP and HANA runtime are supported

Source: DS for Promotion Attr (DS_PROM_MD)
Target: Promotion MD (MD_PROM)
Version: Active
Active Version: Executable Edited Version

DS for Promotion Attr (DS_PROM_MD)

Pos	Key	Field	IC	Descript.	Data t	Length
1	✓	PROMOKEY	PromoKey	NUMC	000003	
2		PROMOVALUE	PromoValue	DEC	000003	
3		PROMOTYPE	PromoType	CHAR	000030	
4		PROMOADDR	PromoAddr	CHAR	000020	
5		PROMOVALIDFROM	PromoValidFrom	DATS	000008	
6		PROMOVALIDTO	PromoValidTo	DATS	000008	

Promotion MD (MD_PROM) Rule Group: Standard Group

Rule Name	Pos	Key	InfoObject	IC	Descript.	Data t	Length	Int
MD_PROM	1	✓	MD_PROM	✓	Promotion MD	NUMC	000003	
0DATETO	2	✓	0DATETO	✓	Valid To	DATS	000008	
0DATEFROM	3		0DATEFROM	✓	Valid From	DATS	000008	
MD_PR_V	4		MD_PR_V	✓	Promotion Value	DEC	000017	
MD_PR_T	5		MD_PR_T	✓	Promotion Type	CHAR	000030	
MD_PR_A	6		MD_PR_A	✓	Promotion Address	CHAR	000020	

From DS to Promotion MD (MD_PROM) – Texts

Transformation: RSDS_DS_PROM_TXT_XTK_FF -> IOBJ_MD_PROM Runtime Status: ABAP and HANA runtime are supported

Source: DS for Promotion Text (DS_PROM_TXT)
Target: Promotion MD (MD_PROM)
Version: Active
Active Version: Executable Edited Version

DS for Promotion Text (DS_PROM_TXT)

Pos	Key	Field	IC	Descript.	Data t	Length
1	✓	PROMOKEY	PromoKey	NUMC	000003	
2		PROMODESC	PromoDesc	CHAR	000040	
3		PROMOVALIDFROM	PromoValidFrom	DATS	000008	
4		PROMOVALIDTO	PromoValidTo	DATS	000008	

Promotion MD (MD_PROM) Rule Group: Standard Group

Rule Name	Pos	Key	InfoObject	IC	Descript.	Data t	Length	Int
MD_PROM	1	✓	MD_PROM	✓	Promotion MD	NUMC	000003	
0DATETO	2	✓	0DATETO	✓	Valid To	DATS	000008	
0DATEFROM	3		0DATEFROM	✓	Valid From	DATS	000008	
0TXTMD	4		0TXTMD	✓	Medium description	CHAR	000040	

From DS to Reseller MD (MD_RS) – Attributes

Transformation: RSDS_DS_RS_MD_XTK_FF -> IOBJ MD_RS Runtime Status: ABAP and HANA runtime are supported

Source: DS for Reseller Attr (DS_RS_MD) Target: Reseller MD (MD_RS) Version: Active Active Version: Executable Edited Version

100% Rule Group Rule Rule

Pos	Key	Field	IC	Descript.	Data t	Length
1	✓	RESELLERKEY		ResellerKey	NUMC	000004
2		NATURALKEY		NaturalKey	CHAR	000010
3		PHONE		Phone	CHAR	000019
4		RESELLERTYPE		ResellerType	CHAR	000020
5		NUMOFEMPLOYEES		NumOfEmployees	INT4	000010
6		ORDERFREQUENCY		OrderFrequency	CHAR	000001
7		FIRSTORDERYEAR		FirstOrderYear	NUMC	000004
8		LASTORDERYEAR		LastOrderYear	NUMC	000004
9		PRODUCTLINE		ProductLine	CHAR	000010
10		RESELLERADDRESS		ResellerAddress	CHAR	000040
11		ANNUALSALES		AnnualSales	INT4	000010
12		BANKNAME		BankName	CHAR	000030
13		MINIMUMPAYMENTTY		MinimumPaymentType*	NUMC	000002
14		MINIMUMPAYMENTAM		MinimumPaymentAmount	INT4	000010
15		ANNUALREVENUE		AnnualRevenue	INT4	000010
16		YEAROPEN		YearOpen	NUMC	000004

Rule	Rule Name	Pos	Key	InfoObject	IC	Descript.	Data t	Length	Int
	MD_RS	1	✓	MD_RS		Reseller MD	NUMC	000004	
	MD_RS_NK	2		MD_RS_NK		Reseller Natural Key	CHAR	000010	
	MD_RS_PH	3		MD_RS_PH		Phone Number	CHAR	000019	
	MD_RS_TP	4		MD_RS_TP		Reseller Type	CHAR	000020	
	MD_RS_EN	5		MD_RS_EN		Reseller Number of Employees	INT4	000010	
	MD_RS_OF	6		MD_RS_OF		Reseller Order Frequency	CHAR	000001	
	MD_RS_FY	7		MD_RS_FY		Reseller First Order Year	NUMC	000004	
	MD_RS_LY	8		MD_RS_LY		Reseller Last Order Year	NUMC	000004	
	MD_RS_PL	9		MD_RS_PL		Reseller Product Line	CHAR	000010	
	MD_RS_AD	10		MD_RS_AD		Address	CHAR	000040	
	MD_RS_AS	11		MD_RS_AS		Reseller Annual Sales	INT4	000010	
	MD_RS_BN	12		MD_RS_BN		Reseller Bank Name	CHAR	000030	
	MD_RS_PT	13		MD_RS_PT		Reseller Min. Payment Type	NUMC	000002	
	MD_RS_PA	14		MD_RS_PA		Reseller Min. Payment Amount	INT4	000010	
	MD_RS_AR	15		MD_RS_AR		Reseller Annual Revenue	INT4	000010	
	MD_RS_YO	16		MD_RS_YO		Reseller Year Open	NUMC	000004	

From DS to Reseller MD (MD_RS) – Texts

Transformation: RSDS_DS_RS_TXT_XTK_FF -> IOBJ MD_RS Runtime Status: ABAP and HANA runtime are supported

Source: DS for Reseller Text (DS_RS_TXT) Target: Reseller MD (MD_RS) Version: Active Active Version: Executable Edited Version

100% Rule Group Rule Rule

Pos	Key	Field	IC	Descript.	Data t	Length
1	✓	RESELLERKEY		ResellerKey	NUMC	000004
2		RESELLERNAME		ResellerName	CHAR	000060

Rule	Rule Name	Pos	Key	InfoObject	IC	Descript.	Data t	Length	Int
	MD_RS	1	✓	MD_RS		Reseller MD	NUMC	000004	
	0TXTLG	2		0TXTLG		Long description	CHAR	000060	

Transformation

RSDS DS_S_TY_MD XTK_FF -> IOBJ MD_S_TY

Source

DS for Sales Territory Attr (DS_S_TY_MD)

Target

Sales Territory MD (MD_S_TY)

Version

Active

Active Version

Executable

Edited Version

100%

Rule Group

Rule

Runtime Status

ABAP and RANA runtime are supported

DS for Sales Territory Attr (DS_S_TY_MD)

Pos	Key	Field	IC	Descrpt.	Data t	Length
1	KEY	Key	NUMC	000003		
2	COUNTRY	Country	CHAR	000040		
3	GROUP	Group	CHAR	000020		

Sales Territory MD (MD_S_TY) Rule Group: Standard Group

Rule	Rule Name	Pos	Key	Info Object	IC	Descrpt.	Data t	Length	Int
=	MD_S_TY	1	KEY	MD_S_TY		Sales Territory MD	NUMC	000003	
=	MD_CNTR	2		MD_CNTR		Country	CHAR	000040	
=	MD_C_GR	3		MD_C_GR		Country Group	CHAR	000020	

Transformation RSDS_DS_S_TY_TXT XTK_FF -> IOBJ MD_S_TY **Runtime Status** ABAP and HANA runtime are supported

Source DS for Sales Territory Text (DS_S_TY_TXT)

Target Sales Territory MD (MD_S_TY)

Version Active

Active Version Executable Edited Version

100 Rule Group Rule Rule

Pos	Key	Field	Info Object	Description	Data Type	Length
1	KEY	Key	NUMC	000003		
2	REGION	Region	CHAR	000040		

Sales Territory MD (MD_S_TY) Rule Group: Standard Group

Rule	Rule Name	Pos	Key	Info Object	Icon	Description	Data Type	Length	Int
=	MD_S_TY	1	MD_S_TY	Sales Territory MD		NUMC	000003		
=	OTXTMD	2	OTXTMD	Medium description		CHAR	000040		

Transformation RSDS_DS_CURR_TXT XTX_FF -> IOBJ_MD_CURR Runtime Status ABAP and HANA runtime are supported

Source DS for Currency Text (DS_CURR_TXT)

Target Currency MD (MD_CURR)

Version Active

Active Version Executable Edited Version

100% Rule Group Rule Group Rule

Pos	Key Field	IC	Descrpt.	Data t	Length
1	CURRENCYKEY		Currency Key	NUMC	000003
2	CURRENCY		Currency	CHAR	000020
3	CURRENCYDESCRIPTION		Currency Description	CHAR	000040

Rul	Rule Name	Pos	Key	Info Object	IC	Descrpt.	Data t	Length	In
=	_MD_CURR	1		MD_CURR		Currency MD	NUMC	000003	
=	OTXTSH	2		OTXTSH		Short description	CHAR	000020	
=	OTXTMD	3		OTXTMD		Medium description	CHAR	000040	