





[Practice](#)[Compete](#)[Jobs](#)[Rank](#)[Leaderboard](#)



edwd42

Dashboard > Tutorials > 30 Days of Code > Day 0: Hello, World.

Day 0: Hello, World.

 by AllisonP

ProblemSubmissionsLeaderboardDiscussionsEditorialTutorial

Objective

In this challenge, we review some basic concepts that will get you started with this series. You will need to use the same (or similar) syntax to read input and write output in challenges throughout HackerRank. Check out the [Tutorial](#) tab for learning materials and an instructional video!

Task

To complete this challenge, you must save a line of input from stdin to a variable, print `Hello, World.` on a single line, and finally print the value of your variable on a second line.

You've got this!

Note: The instructions are Java-based, but we support submissions in many popular languages. You can switch languages using the drop-down menu above your editor, and the *inputString* variable may be written differently depending on the best-practice conventions of your submission language.

Input Format

A single line of text denoting *inputString* (the variable whose contents must be printed).

Output Format

Print `Hello, World.` on the first line, and the contents of *inputString* on the second line.

Sample Input




```
Welcome to 30 Days of Code!
```

Sample Output

```
Hello, World.
Welcome to 30 Days of Code!
```

Explanation

On the first line, we print the string literal `Hello, World.` . On the second line, we print the contents of the *inputString* variable which, for this sample case, happens to be `Welcome to 30 Days of Code!` . *If you do not print the variable's contents to stdout, you will not pass the hidden test case.*








Submissions: 364676



Max Score: 30

Difficulty: Easy



Rate This Challenge:



[More](#)

Current Buffer (saved locally, editable) 

JavaScript



1 of 2

6/28/17, 1:02 PM

```
1 function processData(inputString) {  
2   // This line of code prints the first line of output  
3   console.log("Hello, World.");  
4  
5   // Write the second line of output that prints the contents of 'inputString' here.  
6   console.log(inputString);  
7 }  
8  
9
```

```
16  
17 process.stdin.resume();  
18 process.stdin.setEncoding("ascii");  
19 _input = "";  
20 process.stdin.on("data", function (input) {  
21   _input += input;  
22 });  
23  
24 process.stdin.on("end", function () {  
25   processData(_input);  
26 });
```

Line: 8 Col: 1

[Upload Code as File](#) ☐ Test against custom input

Run Code

Submit Code

Testcase 0 ✓

Congratulations, you passed the sample test case.Click the **Submit Code** button to run your code against all the test cases.**Input (stdin)**

Welcome to 30 Days of Code!

Your Output (stdout)Hello, World.
Welcome to 30 Days of Code!**Expected Output**Hello, World.
Welcome to 30 Days of Code!

Copyright © 2017 HackerRank. All Rights Reserved

Join us on IRC at [#hackerrank](#) on freenode for hugs or bugs.[Contest Calendar](#) | [Interview Prep](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Support](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Request a Feature](#)