

COMP 321: Introduction to Computer Systems

Project 1: Factors

Assigned: 1/12/24, Due: 1/19/24, 11:55 PM

Important: This project must be done individually. Be sure to carefully read the course policies for assignments (including the honor code policy and the slip day policy) on the assignments page of the course web site:

<http://www.clear.rice.edu/comp321/html/assignments.html>

Overview

You will write C code to solve the following three problems. The problems are as follows:

- Write a small amount of C code to solve the problem.
- Become familiar with the C programming language.
- Understand the problem and its constraints.

Summary

You will write three versions of a program to solve the problem of finding the prime factors of a number greater than one¹:

- Count all of the prime factors of a number (e.g., 12 has prime factors: 2, 2, and 3).
- Count all of the prime factors of a number (e.g., 12 has prime factors: 2 and 3).
- Count the distinct prime factors of a number (e.g., 12 has prime factors: 2 and 3).

You will write a different procedure to handle each version. You do not need to write a particularly efficient program, although it should complete in sixty seconds on any input. In particular, a truly efficient version would use some data structure to store previously discovered primes, but you have not yet learned about data structures in C.

You will not write an entire program. We provide a basic `main` function to handle the I/O. First, you will write a recursive solution, but this solution might not work for certain large inputs, for example, 2,000,000,001. Second, you will write an iterative solution that is guaranteed to work for all valid inputs.

¹Please remember, "1" is *NOT* a prime number.

Deeply Recursive Programs

When a function is called from a C program, it is allocated memory to store its parameters and local variables. This allocation typically occurs on a region called the *program stack*. You will learn more about program stacks later in the semester.

A recursive function is one that calls itself repeatedly until some condition is satisfied. Depending on how deep the recursion is, the program stack may consume a lot of memory. Eventually the program will run out of memory and crash. For example, a very simple recursive solution to count all prime factors is likely to crash with certain large inputs, for example, 2,000,000,001. You should learn to write programs which efficiently use their stack. This is especially important if the program will be executed on a platform with limited memory, such as embedded systems or mobile phones. **In this assignment, you have to write both a recursive solution (that does not have to work on all inputs) and an iterative solution that uses the stack efficiently and works for all valid inputs.** A valid input is any number that can be represented by an unsigned `int` on `CLEAR`.

The `limit` command can be used to check and change the maximum stack size which can be allocated by your program. We encourage you to use this command. The default maximum stack size on `CLEAR` will be graded using only that default size.

Notes

- The compiler generates warnings to minimize the chance of errors. It does well enough to detect most errors, but an indication of whether or not a warning is regardless of your choice. (You can use flags to `cc`.)
- Testing is critical to the success of the program that you write. In this assignment, as do in the future, your score will be determined by how many test cases your program happens to pass. This is especially true for relatively simple programs such as this one. As the projects will get more complicated, establishing a habit of thoughtful and thorough testing now will be valuable.
- We provide a `main` function that you must not change. However, when `-t` is specified on the command line, the function `test_factors` will be called with no arguments instead of running the program normally. You may put whatever testing code you would like in this function. We will not use the `-t` argument when grading your program, so this is solely for you to use in your testing as you see fit.
- When `-r` is specified on the command line, the function `count_factors_recursive` will be called. This function should have a recursive implementation. You must not use `for` or `while` loops in its implementation. You may write helper functions, as needed, but they too must not use any loops. As previously discussed, this function does not need to handle all inputs without crashing due to stack overflow. (That said, it is fine if you are able to design an implementation that does handle all inputs without crashing).

- You may also find it helpful to use some simple `printf` statements within your procedures to see intermediate values during the execution of your program as you are testing and debugging your code. The `printf` statement in C has a format string followed by a list of zero or more additional arguments. The “%” characters in the format string specify the locations in the output where the additional arguments must be printed, and the character following each “%” must match the type of the corresponding argument to `printf`. For example, a single unsigned integer can be printed in C using `printf` as follows:

```
printf("Print an unsigned int, %u, between the commas.\n", number);
```

You can also learn from the other `printf` statements in the code given to you. Using `printf` statements is an effective method of debugging simple programs and for narrowing down errors in more complex programs. However, make sure that you comment out all such `printf` statements when you turn in your code, as the final program should only perform the input and output that is provided in the `main` function.

- 20% of your grade on this assignment will be based on your coding style, which includes commenting your code for clarity. These procedure words, a procedure array. An inappropriate adds each element. Comments inside is not relatively pointless. It is on
- When you are modifying the style of your code, it should not be obvious that if you consistently understand your code the course web site

<http://www.c>

Getting Started

To get started on this assignment, please visit the web page at <https://classroom.github.com/a/ZpGy3yQF>. (If you are copying this URL, do not include the period at the end of the sentence, as it is not part of the URL.) This page should say “RICE-COMP321-S24-Classroom” and “Accept the assignment — Factors”. Moreover, it should have a green button labeled “Accept this assignment”². Please accept the assignment.

Upon accepting the assignment, you will be redirected to another web page. This page will confirm that you have accepted the assignment, and it will eventually (after you click refresh) provide you with a link to your personal repository for the assignment. Click this link to go to your personal repository.

The web page for your personal repository has a green button labeled “Code”. Click this button. You should now see a text field with a URL. Copy or remember this URL.

Login to the CLEAR system if you have not already done so. Type the following:

²You may have to login to GitHub to see this page. If so, you will be prompted for your GitHub username and password.

```
git clone [Copy the URL for your repo here]
```

You will be prompted for your github username and password.

Once the clone operation is complete, you will have a directory named

```
factors-[YOUR github ID]
```

Please `cd` into this directory, and run the command `ls`. You should see the following files:

- `factors.c` – provided code
- `Makefile` – specification for building `factors` using `make`
- `writeup.txt` – a skeleton writeup file for you to complete

If you do **NOT** see these files, contact the course staff immediately!

Compiling and Running

To compile your code, type

```
UNIX% make
```

Note that the “UNIX%” part after the prompt, in

This will compile your code and determine the number of

```
UNIX% ./factors
```

```
Enter number:
```

```
12
```

```
12 has 3 prime factors
```

Since a prime number should produce output like

```
13 has 1 prime factor
```

Make sure that the iterative version of your program works for all valid inputs. However, the recursive version of your program may crash with large inputs. For example, on executing the recursive solution to count all prime factors with input 2,000,000,001, the following will likely occur:


```
UNIX% ./factors -r
```

```
Enter number:
```

```
2000000001
```

```
Segmentation fault (core dumped)
```

Your program must only handle valid inputs. If an invalid input is given to your program, it is acceptable for your program to output nonsense. In addition, it is acceptable for the recursive version of your program to crash due to stack overflow on large valid inputs.



Writeup

In COMP 215, you learned about testing. In this class, we expect you to employ that knowledge. Therefore, as part of your writeup, we want you to document the test suite that you used for this assignment. First, describe the black box testing strategy that you conceived of before writing your program. Specifically, list the black box test cases, and explain the reason for including each of them. Second, list the white box test cases that you conceived of after you had written your program, and explain why you believe that these test cases collectively achieve full coverage of the code that you have written for this assignment. Since we have not yet introduced you to a tool for C programs that can measure the coverage of your white box test cases, you should instead argue based on how you expect your code to handle each of the test cases. For example, one test case is expected to exercise the “then” branch of a particular “if” statement, while another test case is expected to exercise the “else” branch.

In addition, as another part of your writeup, we want you to describe one feature of C that you learned while completing this assignment that wasn't taught in lecture or lab. Your answer should be clear, concise, and less than 75 words.

Turning in Your


To turn in your assignment, we will *only* look at the loss of your code or what we need to turn in are factors you should ever perform originally provided to create a Makefile for correct

As a sanity check, you can see the output in the browser if you open the file in a web browser.

Grading

This project will be graded

- Writeup: 20%
- Coding style: 20%
- Correctness: 60%



hub remote repository. Protection against accidental deletion, the *only* files that you only two files on which the Makefile that was any modifications to the po. Make sure that what