Flight Log Workshop: Before You Arrive

Oct 14, 2026 · @Juan C. Méndez

Set up the day before. It takes about 20 minutes, most of it waiting, and it means our 60 minutes start with Claude already running on the code instead of with installs.

Checklist

Do these in order, ideally the day before. Each step below says how.

- [ ] **Accounts** (2 min): a personal GitHub account and a paid Claude plan
- [ ] **Your copy** (1 min): Use this template, tick "Include all branches"
- [ ] **Your Codespace** (10 min, mostly waiting): create it on `snapshot/00-start`; the check shows all ✔
- [ ] **Claude Code** (3 min): type `claude`, sign in, trust the folder, see the codebase-xray plugin
- [ ] **Park it** (1 min): stop the Codespace; reopen it the morning of

Step 1 · Accounts

You need two accounts, both yours.

Account	What you need	Why
GitHub	A **personal** account, signed in at github.com	Employer-managed accounts often block Codespaces or templates. The free plan includes 120 core-hours a month; the workshop uses about 4.
Claude	Any **paid** plan: Pro, Max, Team or Enterprise	Claude Code needs a paid plan. The x-ray starts dozens of agents at once, so a Pro plan may reach its usage limit mid-run. If that happens, switch to the snapshot branch and follow along.

On a work laptop, check that your network lets you reach github.com, github.dev, claude.ai and the npm registry. A VPN or proxy that blocks them is the most common day-of problem.

Step 2 · Your copy

You work in your own private copy, so nothing you do touches the shared repository.

1. Open github.com/code-exitos/flight-log-workshop.
2. Click **Use this template → Create a new repository**.
3. Set **Owner** to your account, keep the name `flight-log-workshop`, and choose **Private**.
4. **Tick "Include all branches."** The workshop jumps between `snapshot/*` branches, and without this box they are missing.
5. Click **Create repository**.

Step 3 · Your Codespace

A Codespace is a ready-made machine in your browser with Python, Node, the GitHub CLI, Claude Code and the codebase-xray plugin already installed. Its first build takes 5 to 10 minutes; every later start takes seconds.

1. In **your copy**, click **Code → Codespaces**, then **… → New with options**.
2. Pick branch **`snapshot/00-start`** and machine type **2-core**. Click **Create codespace**.
3. Wait for the setup to finish in the terminal. A setup check then runs on its own.
4. Read the check. Every line should show ✔:

```
✔ Git repo found and 'git fetch origin' works
✔ gh is logged in as <you> and owns <you>/flight-log-workshop
✔ Branch snapshot/00-start exists on origin
✔ Branch snapshot/01-map exists on origin
✔ Branch snapshot/02-prune exists on origin
✔ Python 3.12 is installed (3.8 or newer)
✔ Node v22 is installed (18 or newer)
✔ Diagrams render to SVG
✔ Claude Code is installed

Ready. You are on branch 'snapshot/00-start'.
```

A line with ✘ prints its own fix right under it. Run `bash scripts/workshop-check.sh` again after fixing it.

Step 4 · Claude Code

Sign in now so the session starts straight at the first prompt.

1. In the Codespace terminal, type `claude`.
2. Follow the sign-in link, log in with your Claude account, and paste the code back into the terminal.
3. When Claude Code asks whether to **trust this folder**, say yes. That turns on the codebase-xray plugin the repository asks for.
4. Type `/plugin` and check that **codebase-xray** is listed. Press Esc to close it.
5. Type `/exit`.

Don't run the x-ray yet. We start it together, and running it early uses your plan's allowance on the same work twice.

Step 5 · Park it

Stop the Codespace, don't delete it. A stopped Codespace keeps everything, including your Claude sign-in, and uses no compute hours.

- **Now:** at github.com/codespaces, open the … menu next to your Codespace and choose **Stop codespace**. It also stops by itself after 30 idle minutes.
- **The morning of:** open it from the same page. It starts in seconds and the check runs again. Type `claude` and wait for the first prompt.
- **Bring:** a laptop with a current Chrome, Edge or Firefox, and its charger. Two screens help: the Codespace on one, the slides on the other.

No Codespaces? Run it locally

Use this only if Codespaces is blocked for you. You need Git, Python 3.8 or newer, Node 22 or newer and the GitHub CLI. Do Step 2 first, then replace `YOUR-USER` with your GitHub name:

```
curl -fsSL https://claude.ai/install.sh | bash
git clone https://github.com/YOUR-USER/flight-log-workshop.git
cd flight-log-workshop
git switch snapshot/00-start
bash scripts/workshop-check.sh
claude
```

On Windows, use Git Bash or WSL. If the plugin doesn't appear in `/plugin`, add it inside Claude Code with `/plugin marketplace add code-exitos/codebase-xray` and `/plugin install codebase-xray@codebase-xray`, then `/reload-plugins`.

Troubleshooting

Problem	Fix
The check says you opened the facilitator's repo	You opened a Codespace on the shared repository. Make your own copy (Step 2) and open the Codespace there.
A `snapshot/*` branch is missing	You skipped "Include all branches". Run `bash scripts/workshop-check.sh`; it restores them.
`gh is not logged in`	Run `gh auth login` and follow the prompts.
✘ Diagrams don't render	Run `bash scripts/workshop-setup.sh`. The x-ray still works without it; its pages show diagram source instead of pictures.
codebase-xray is not in `/plugin`	Start `claude` again and accept the trust prompt, or add it as in the local section.
Codespaces is blocked or out of hours	Use a personal account, check github.com/settings/billing, or run it locally.
Claude says you reached your usage limit	Follow along on the next snapshot branch: `git switch snapshot/01-map` or `snapshot/02-prune`.

After the workshop

The workshop code is licensed for the session only, so delete your copies when it ends:

- [ ] Delete your Codespace at github.com/codespaces.
- [ ] Delete your copy of the repository: **Settings → Danger Zone → Delete this repository**.

Your own notes are fine to keep. Questions: juan.c.mendez@codexitos.com.