



The hierarchy in these diagrams represent the structure of Manifest modules and their dependent submodules. Each submodule is built and linked to the module above it, reflecting how components are connected and maintained within the system.






Client Company includes associated underwriting companies, claim offices, and claim adjusters linked to the client.





Note: In our Oracle system, Roles were created and housed in a table so we could assign specific roles to users, enabling them to navigate, access required data and perform activities within their responsibilities related to their work group.


This hierarchy illustrates that users, at the top level, are assigned both roles and client company access, which together determine the activities and functionality available to complete their tasks in Manifest.





Data for several fields within these components are mapped through the data feed for automated population into Manifest.

Some values are automatically assigned based on predefined rules when a claim is received or updated in the data feed, or through workflow rules.




Desk Locations within each Desk Location Type:

- **Pending** – Awaiting client updates
- **RFI** – Awaiting requested information
- **Transactional** – Ready to work
- **Review for Closure** – Under review before closing
- **Closed** – Work completed and finalized




Facilitators are defined as parties representing the loss but not directly involved in the loss event such as Adverse Carriers, Attorneys, and Experts






In the Claim Delivery function, a delivery order or criteria is defined and assigned to a desk location. A user is then assigned to that desk location and receives claims based on the query or delivery rules associated with it.






Letters are shared across clients, and client code lookup is part of the configuration to ensure the correct client, underwriting company, and other associated information are properly populated in each letter.






Task types are assigned to desk locations and configured based on the desk to which they are assigned.

Configuration includes the expected completion time (the time it should take to complete the task), default due date delay, and task description text.





When subrogation recovery checks are processed, they are assigned to a client, a settlement record, and a coverage that links to the corresponding loss type.



COLOR KEY FOR PROCESS OVERVIEW

TRIAGE	SUBRO INVESTIGATION	PARTY IDENTIFICATION AND COVERAGE VERIFICATION	DOCUMENT ASSEMBLY	SETTLEMENT NEGOTIATION	DISPUTE RESOLUTION ARBITRATION	DISPUTE RESOLUTION LITIGATION
--------	---------------------	--	-------------------	------------------------	--------------------------------	-------------------------------

