Assignment 2 COMP 7607: Paural Language Protesta - Compare Afford Kong

Fall 2023

In this assignment to use a language model to solve tagging problems. The tagging problem aim: to use a language model to solve tagging problems. The tagging problem aim: to use a language model to solve tagging problems. The tagging problem aim: to use a language model to solve tagging problems. The tagging problems are two typical problems are two typical problems. The tagging problems are two typical problems are two typical problems. The tagging problems are two typical problems are two typical problems. The tagging problems are two typical problems are two typical problems. The tagging problems are two typical problems are two typical problems. The tagging problems are two typical problems are two typical problems are two typical problems. The tagging problems are two typical problems are two typical problems are two typical problems. The tagging problems are two typical problems are two typical problems are two typical problems. The tagging problems are two typical problems are two typical problems are two typical problems. The tagging problems are two typical problems are two typical problems are two typical problems. The tagging problems are two typical problems. The tagging problems are two typical problems

Submit: You should submit your assignment to the COMP7607 Moodle page. You will need to submit a PDF file **UniversityNumber.pdf** of your report and a zip file **UniversityNumber.zip**, which includes:

- UniversityNumber.ipynb with all log outputs **OR** source code with a README and all log files.
- University Number Also Signment Project Exam Help
- UniversityNumber.transformer.test.txt
- UniversityNumber optional test.txt if any Please make sure you include your log files containing your training and evaluation progress. Do not submit any data or model files.

1 Data QQ: 749389476

We will conduct experiments on Conll2003, which contains 14041 sentences, and each sentence is annotated with the corresponding named entity tags. You can download the dataset from the link: conll2003 or https://github.com/qt11/COMP7607-Fa112023/blob/master/assignments/A2/conl12003.zip 1.

We only focus on the token and NER tags, which are the first and last columns in the dataset. The dataset is in the IOB ² format, which is a common format for named entity recognition. The IOB format 1 is a simple way to represent the named entity tags. For example, the sentence "I went to New York City last week" is annotated as follows:

I 0
went 0
to 0
New B-LOC
York I-LOC
City I-LOC
last 0
week 0

¹You can review the data samples at https://huggingface.co/datasets/conl12003

²https://en.wikipedia.org/wiki/InsideâĂŞoutsideâĂŞbeginning_(tagging)

2 Tagger

You will train your tagger on the train set and evaluate it on the dev set. Then, you may tune the hyperparameters of your tagger to get the best performance on the dev set. Finally, you will evaluate your tagger on the test set to get the final performance.

There are some ke

- You will batch the sentences, you need to the same length.
- You are free to contain the first tecture with (Bi)LSTM or Transformer unit for each part, but please do not be the first tecture weights in your basic taggers.
- You will adjust the hyperparameters of your tagger to get the best performance on the dev set. The hyperparameters include the learning rate, batch size, the number of hidden units, the number of layers the dropout rate, etc.
- You will use sequel 3 to evaluate your tagger on the dev set and the test set.

2.1 LSTM Tagger

We will first use an LSTM tagge to solve the NER problem. There is a very simple implementation of the LSTM tagger on PyTorch website https://pytorch.org/tutorials/beginner/nlp/sequence_models_tutorial.html. You can refer to this implementation to implement your LSTM tagger.

Email: tutorcs@163.com

2.2 Transformer Tagger

We will also use Transformer to solve the NER problem. You can refer to the following link to implement your Transformer tagger https://organicals/beginner/transformer_tutorial.html.

2.3 Results

Please report your best performance on the test set in the same format as the test.txt file, but replace the ground truth labels with your prediction.

Optional: After you finish the basic LSTM tagger and the Transformer tagger, you can try to improve the performance of your tagger with external resources. For example, you can use pre-trained word embeddings like GloVe ⁴ to initialize the word embeddings of your tagger. You can also use the pre-trained language model like BERT ⁵ to initialize the parameters of your tagger. Please describe your method in detail in your report and save your prediction in another file.

3 Report

You will write a report including the following parts:

- The description of your tagger, including the architecture, the hyperparameters, etc.
- The description of your settings, including the hyperparameters you have tried, the performance of your tagger on the dev set, etc.
- The **discussion** and **table** of your results, including the performance of your tagger on the test set, the analysis of the results, etc.

³https://github.com/chakki-works/seqeval

⁴https://nlp.stanford.edu/projects/glove/

⁵https://arxiv.org/abs/1810.04805

Optional: Visualizing the training process can help you analyze the training process and the performance of your tagger. You may use tensorboard to visualize the training process and the performance of your tagger, including the loss curve, the accuracy curve, etc. You can refer to the following link for more details about tensorboard: https://pytorch.org/tutorials/intermediate/tensorboard_tutorial.html.



WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

https://tutorcs.com

⁶https://github.com/tensorflow/tensorboard