

## Assignment 1: Dining Concierge Assistant

程序代写代做 CS编程辅导

Due Date: 02/22 11:59pm

You could do this assignment in a team of 2 people. The PDF version is here:

Customer Service chatbots are used for a lot of businesses around the world and it is getting more common by Natural Language Processing-powered applications. In this assignment you will implement a serverless, microservice-driven web application. Specifically, you will build a Dining Concierge chatbot that sends you restaurant suggestions given a set of preferences that you provide the chatbot with through conversation.

WeChat: cstutores

### Outline:

Assignment Project Exam Help

This assignment has the following requirements:

- Build and deploy the frontend of the application

Email: tutores@163.com

1. Repurpose the following frontend starter application to interface with your chatbot

QQ: 749389476

1. <https://github.com/ndrppnc/cloud-hw1-starter>

- Host your frontend in an AWS S3 bucket

https://tutores.com

1. Set the bucket up for website hosting
2. <https://docs.aws.amazon.com/AmazonS3/latest/dev/HostingWebsiteOnS3Setup.html>

- Build the API for the application

1. Use API Gateway to setup your API
  1. use the following API/Swagger specification for your API
    - <https://github.com/001000001/aics-columbia-s2018/blob/master/aics-swagger.yaml>

程序代写代做CS编程辅导

- Use <http://editor.swagger.io/> to visualize this file
- You can import the Swagger file into API

### Gateway



<https://docs.aws.amazon.com/apigateway/latest/developerguide/api-gateway-import-.html>

a Lambda function (LF0) that performs the

the request/response model (interfaces) specified in the API specification above

2. For now, just implement a boilerplate response to all

messages:

WeChat: cstutorcs

- ex. User says anything, Bot responds: "I'm still under development. Please come back later."

2. Notes

1. You will need to **enable CORS on your API methods**

- <https://docs.aws.amazon.com/apigateway/latest/developerguide/how-to-cors.html>

Email: [tutores@163.com](mailto:tutores@163.com)

2. API Gateway can **generate an SDK for your API**, which you can use in your frontend. It will take care of calling your API as well as session signing the API calls -- an important security feature

QQ: 749389476

- <https://docs.aws.amazon.com/apigateway/latest/developerguide/how-to-generate-sdk-javascript.html>

<https://tutores.com>

### • Build a Dining Concierge chatbot using Amazon Lex.

1. Create a new bot using the Amazon Lex service. Read up the documentation on all things Lex, for more information:

<https://docs.aws.amazon.com/lex/latest/dg/getting-started.html>

2. Create a Lambda function (LF1) and use it as a code hook for Lex, which essentially entails the invocation of your Lambda before Lex responds to any of your requests -- this gives you the chance to manipulate and validate parameters as well as format the bot's responses. More documentation on Lambda

code hooks at the following link:

<https://docs.aws.amazon.com/lex/latest/dg/using-lambda.html>

### 3. Bot Requirements:

1. Implement at least the following three intents:



GreetingIntent

DiningIntent

DiningSuggestionsIntent

Implementation of an intent entails its setup in

as well as handling its response in the

Lambda function code hook.

- Example: for the GreetingIntent you need to 1.

create the intent in Lex, 2. train and test the intent in

the Lex console, 3. implement the handler for the

GreetingIntent in the Lambda code hook, such that

when you receive a request for the GreetingIntent,

you compose a response such as "Hi there, how can

I help?"

3. For the DiningSuggestionsIntent, you need to collect at

least the following pieces of information from the user,

through conversation:

- Location
- Cuisine
- Dining Time
- Number of people
- Phone number

4. Based on the parameters collected from the user, push

the information collected from the user (location,

cuisine, etc.) to an SQS queue (Q1). More on SQS

queues here: <https://aws.amazon.com/sqs/>

- Also confirm to the user that you received their request and that you will notify them over SMS once you have the list of restaurant suggestions.

- Integrate the Lex chatbot into your chat API

1. Use the AWS SDK to call your Lex chatbot from the API Lambda (L10)
2. When the API receives a request, you should 1. extract the text message from the API request, 2. send it to your Lex chatbot, 3. receive the response, 4. send back the response from the API response.



- Use the Yelp API to get 5,000+ random restaurants from Manhattan.

1. Use the following tools:

1. Yelp API
  - Get restaurants by your self-defined cuisine types
    - You can do this by adding cuisine type in the search term (ex. Term: chinese restaurants)
    - Each cuisine type should have 1,000 restaurants or so.
    - Make sure your restaurants don't duplicate.
2. [DynamoDB](#) (a noSQL database)
  - Create a DynamoDB table and named "yelp-restaurants"
  - Store the restaurants you scrape, in DynamoDB (one thing you will notice is that some restaurants might have more or less fields than others, which makes DynamoDB ideal for storing this data)
  - With each item you store, make sure to attach a key to the object named "insertedAtTimestamp" with the value of the time and date of when you inserted the particular record
  - Store those that are necessary for your recommendation. (Requirements: Business ID, Name, Address, Coordinates, Number of Reviews, Rating, Zip Code)
3. Note: you can perform this scraping from your computer or from your AWS account -- your pick.

- Create an ElasticSearch instance using the AWS ElasticSearch Service.

程序代写代做 CS编程辅导

- Create an ElasticSearch index called “restaurants”
- Create an ElasticSearch document under the index “restaurants” called “Restaurant”
- Store partial information for each restaurant scraped in ElasticSearch under the “restaurants” index, where each entry has a “Restaurant” data type.
  - You only need to store RestaurantID and Cuisine for each restaurant



WeChat: cstutorcs

- Build a suggestions module, that is decoupled from the Lex chatbot.

Assignment Project Exam Help

1. Create a new Lambda function (LF2) that acts as a queue worker. Whenever it is invoked it 1. pulls a message from the SQS queue (Q1), 2. gets a random restaurant recommendation for the cuisine collected through conversation from ElasticSearch and DynamoDB, 3. formats them and 4. sends them over text message to the phone number included in the SQS message, using SNS (<https://docs.aws.amazon.com/sns/latest/dg/SMSMessages.html>).

Email: tutores@163.com

QQ: 749389476

<https://tutores.com>

1. Use the DynamoDB table “yelp-restaurants” (which you created from Step 1) to fetch more information about the restaurants (restaurant name, address, etc.), since the restaurants stored in ElasticSearch will have only a small subset of fields from each restaurant.
  2. Modify the rest of the LF2 function if necessary to send the user text/email.
2. Set up a CloudWatch event trigger that runs every minute and invokes the Lambda function as a result:  
<https://docs.aws.amazon.com/AmazonCloudWatch/latest/events/RulesLambdaSchedule.html>. This automates the queue worker Lambda to poll and process suggestion requests on its own.

**In summary**, based on a conversation with the customer, your LEX chatbot will identify the customer's preferred cuisine. You will search through ElasticSearch to get random suggestions of restaurant IDs with this cuisine. At this point, you would also need to query the DynamoDB table with these restaurant IDs to get information about the restaurants you want to suggest to your customer, including the name and address of the restaurant. Please note that you do not need to filter about filtering restaurants based on neighborhood in this step. Filter only using the cuisine.



**Extra Credit: 10 pts**

Implement state for your concierge application, such that it remembers your last search for both location and category. When a user returns to the chat, they should automatically receive a recommendation based on their previous search. You can use DynamoDB to store intermediary state information and a separate Lambda function to handle the recommendation based on the last search.

**Example Interaction**

**User: Hello**

**Bot: Hi there, how can I help?**

**User: I need some restaurant suggestions.**

**Bot: Great. I can help you with that. What city or city area are you looking to dine in?**

**User: Manhattan**

Bot: Got it, Manhattan. What cuisine would you like to try?

User: Japanese

Bot: Ok, how many people for your party?

User: Two

Bot: A few more suggestions?

User: Today

Bot: What time?

User: 7 pm, please

Bot: Great. Lastly, I need your phone number so I can send you my findings.

User: 123-456-7890

Bot: You're all set. Expect my suggestions shortly! Have a good day.

User: Thank you!

Bot: You're welcome.

(a few minutes later)

*User gets the following text message:*

“Hello! Here are my Japanese restaurant suggestions for 2 people, for today at 7 pm: 1. Sushi Nakazawa, located at 23 Commerce St, 2. Jin Ramen,

程序代写代做 CS编程辅导



WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476


https://tutorcs.com

located at 3183 Broadway, 3 Nibko, located at 1280 Amsterdam Ave. Enjoy your meal!"

程序代写代做 CS编程辅导

## ANNEX

Architecture Diagram



WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>