Homework #1
Due by Wednesday 2/8, 11:59pm

Submission ins...

1. For this assig... ...urn in 6 files:
   - A '.pdf' fil... ...on.
     Name you... ...w1_q1.pdf'
   - 5 '.py' file... ...tion 2-6. Name your files:
     'YourNet... ...YourNetID_hw1_q3.py', etc.

   <u>Note</u>: your n... ...23 pattern, not N12345678.

2. **You should submit your homework via Gradescope**.
   For Gradescope's autograding feature to work:
   a. Name all classes, functions and methods **exactly as they are in the assignment specifications**.
   b. Make sure there are **no print statements** in your code. If you have tester code, please put it in a "main" function and **do not call it**.

Question 1:

Draw the memory image for evaluating the following code:

```
>>> lst1 = [1, 2, 3]
>>> lst2 = [lst1 for i in range(3)]
>>> lst2[0][0] = 10
>>> print(lst2)
```

Question 2:

a. Write a function `shift(lst, k)` that is given a list of *N* numbers, and some positive integer *k* (*k*<*N*). The function should shift the numbers circularly *k* steps.

The shift has to be done **in-place**. That is, the numbers in the parameter list should reorder to form the correct output (you **shouldn't** create and return a new list with the shifted result).

For example, if `lst = [1, 2, 3, 4, 5, 6]` after calling `shift(lst, 2)`, `lst` will be `[3, 4, 5, 6, 1, 2]`

b. Modify your implementation, so we could optionally pass to the function a third argument that indicates the direction of the shift (either 'left' or 'right').
Note: if only two parameters are passed, the function should shift, by default, to the left.
Hint: Use the syntax for default parameter values.

Question 3:

a. Write a short Python function that takes a positive integer *n* and returns the sum of the squares of all the positive integers smaller than *n*.

b. Give a single command that computes the sum from section (a), relying on Python's list comprehension syntax and the built-in `sum` function.

c. Write a short Python function that takes a positive integer *n* and returns the sum of the squares of all the odd positive integers smaller than *n*.

d. Give a single command that computes the sum from section (c), relying on Python's list comprehension syntax and the built-in `sum` function.

Question 4:

a. Demonstrate how to use Python's list comprehension syntax to produce the list
[1, 10, 100, 1000, 10000, 100000].

b. Demonstrate ... list comprehension syntax to produce the list
[0, 2, 6, 12, 20 ...]

c. Demonstrate ... list comprehension syntax to produce the list
['a', 'b', 'c', ... , '...' ... ng to type all 26 such characters literally.

Question 5:

The *Fibonacci Numbers Sequence*, F_n, is defined as follows:

F_0 is *1*, F_1 is *1*, and $F_n = F_{n-1} + F_{n-2}$ for *n = 2, 3, 4, ...*

In other words, each number is the sum of the previous two numbers.
The first 10 numbers in Fibonacci sequence are: 1, 1, 2, 3, 5, 8, 13, 21, 34, 55

Note:
Background of Fibonacci sequence: https://en.wikipedia.org/wiki/Fibonacci_number

Implement a function **def** fibs(n). This function is given a positive integer n, and returns a generator that when iterated over, it will have the first n elements in the Fibonacci sequence.

For Example, if we execute the following code:
for curr **in** fibs(8):
  print(curr)
The expected output is:
1 1 2 3 5 8 13 21

Question 6:

You are given an implementation of a `Vector` class, representing the coordinates of a vector in a multidimensional space. For example, in a three-dimensional space, we might wish to represent a vector with coordinates ⟨5, –2, 3⟩.

For a detailed explanation of this implementation as well as of the syntax of operator overloading that is used here, please read sections 2.3.2 and 2.3.3 in the textbook (pages [...]).

```python
class Vector
    def __i            :
        se         ]*d

    def __len__(self):
        return len(self.coords)

    def __getitem__(self, j):
        return self.coords[j]

    def __setitem__(self, j, val):
        self.coords[j] = val

    def __add__(self, other):
        if (len(self) != len(other)):
            raise ValueError("dimensions must agree")
        result = Vector(len(self))
        for j in range(len(self)):
            result[j] = self[j] + other[j]
        return result

    def __eq__(self, other):
        return self.coords == other.coords

    def __ne__(self, other):
        return not (self == other)

    def __str__(self):
        return '<'+ str(self.coords)[1:-1] + '>'

    def __repr__(self):
        return str(self)
```

a. The `Vector` class provides a constructor that takes an integer *d*, and produces a *d*-dimensional vector with all coordinates equal to 0. Another convenient form for creating a new vector would be to send the constructor a parameter that is some iterable object representing a sequence of numbers, and to create a vector with dimension equal to the length of that sequence and coordinates equal to the sequence values. For example, `Vector([4, 7, 5])` would produce a three-dimensional vector with coordinates *<4, 7, 5>*.

Modify the constructor so that either of these forms is acceptable; that is, if a single integer is sent, it produces a vector of that dimension with all zeros, but if a sequence of numbers is passed, it produces a vector with coordinates based on that sequence.

Hint: use run-time type checking (the `isinstance` function) to support both syntaxes.

b. Implement the `__sub__` method for the `Vector` class, so that the expression *u−v* returns a new vector instance representing the difference between two vectors.

c. Implement the `__neg__` method for the `Vector` class, so that the expression *−v* returns a new vector instance whose coordinates are all the negated values of the respective coordinates of *v*.

d. Implement the `__mul__` method for the `Vector` class, so that the expression *v*3* returns a new vector with coordinates that are *3* times the respective coordinates of *v*.

e. Section (d) asks for an implementation of `__mul__`, for the `Vector` class, to provide support for the syntax *v*3*.

Implement the `__rmul__` method, to provide additional support for syntax *3*v*.

f. There two kinds of multiplication related to vectors:
   1. Scalar product – multiplying a vector by a number (a scalar), as described and implemented in section (d).
      For example, if *v = <1, 2, 3>*, then *v*5* would be *<5, 10, 15>*.
   2. Dot product – multiplying a vector by another vector. In this kind of multiplication if $v = <v_1, v_2, …, v_n>$ and $u = <u_1, u_2, …, u_n>$ then *v*u* would be $v_1*u_1 + v_2*u_2 + … + v_n*u_n$.
      For example, if *v = <1, 2, 3>* and *u = <4, 5, 6>*, then *v*u* would be 32 (1*4+2*5+3*6=32).

Modify your implementation of the `__mul__` method so it will support both

kinds of multiplication. That is, when the user will multiply a vector by a number it will calculate the scalar product and when the user multiplies a vector by another vector, their dot product will be calculated.

After implementing sections (a)-(f), you should expect the following behavior:

```
>>> v1 = Vec
>>> v1[1] =
>>> v1[-1] =
>>> print(v1)
<0, 10, 0, 0>
>>> v2 = Vector([2, 4, 6, 8, 10])
>>> print(v2)
<2, 4, 6, 8, 10>
>>> u1 = v1 + v2
>>> print(u1)
<2, 14, 6, 8, 20>
>>> u2 = -v2
>>> print(u2)
<-2, -4, -6, -8, -10>
>>> u3 = 3 * v2
>>> print(u3)
<6, 12, 18, 24, 30>
>>> u4 = v2 * 3
>>> print(u4)
<6, 12, 18, 24, 30>
>>> u5 = v1 * v2
>>> print(u5)
140
```