

CS 540: ~~Introduction to Artificial Intelligence~~ 程序代写代做 CS编程辅导

Final Exam: 12:25-2:25pm, December 16, 2002

Room 168 Noland



CLOSED BOOK

(Notes and a calculator allowed)

Write your answers on these pages and show your work. If you feel that a question is not fully specified, state any assumptions that you need to make in order to solve the problem. You may use the backs of these sheets for scratch work.

Write your name on this and all other pages of this exam. Make sure your exam contains six problems on ten pages.

Name

Assignment Project Exam Help

Student ID

Email: tutorcs@163.com

Problem	Score	Max Score
1	_____	28
2	_____	12
3	_____	20
4	_____	10
5	_____	12
6	_____	18
TOTAL	_____	100

Name: _____

Problem 1 – Representing and Reasoning with Logic (28 points)

程序代写代做 CS编程辅导

- a) Convert each of the following English sentences into *First-Order Predicate Calculus* (FOPC), using reasonably named predicates, functions, and constants. If you feel a sentence is ambiguous, clarify what you're representing in logic. (Write your answers below each English sentence.)

All birds can jump, except ostriches and penguins, unless they have a broken wing.



WeChat: cstutorcs

Assignment Project Exam Help

There was a student in CS 540 Fall 1999 who was born in a country in South America.

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

John sold Mary his CS 540 textbook (and, hence, this book that John formerly owned is now owned by Mary).

[You must use situation calculus here.]

Name: _____

- b) Provide a formal *interpretation* that shows that the following translation from English to FOPC is *incorrect*. Be sure to *explain your answer formally* using the interpretation you provide.

A book of Sue's



$\forall x [\text{book}(x) \wedge \text{owner}(x, \text{Sue})] \rightarrow \text{missing}(x)$

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

- c) What is the *most-general unifier* (mgu) of these two wff's? _____
Show your work.

$P(?x, ?x, f(?y))$ $Q(x, ?a, ?b)$ $g(1, ?b), ?b)$

QQ: 749389476

<https://tutorcs.com>

- d) Why is *And Elimination* a legal inference rule but *Or Elimination* is not?

Problem 2 – Neural Networks (12 points)

程序代写代做 CS编程辅导

- a) Consider a *perceptron* that has two real-valued inputs and an output unit with a *step function* as its activation function. All the initial weights and the bias (“threshold”) equal 0.1. Assume the teacher has said the output should be 0 for the input $in1 = 5$ and $in2 = -3$.

Show how the perceptron would alter this neural network upon processing this training example. (Note: the bias should be 0.2 and be sure to adjust the output unit’s bias during training.)



Perceptron BEFORE Training

WeChat: cstutorcs

Assignment Project Exam Help

Perceptron AFTER Training

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

- b) Qualitatively draw a (2D) picture of *weight space* where the backprop algorithm is likely to
- do well

ii. do poorly

Be sure to explain your answers.

Problem 3 –Miscellaneous Questions (20 points)

程序代写代做 CS编程辅导

- a) What do you feel are the two (2) most important design choices you would need to make if you used *CBR* to choose the location of your next vacation? Briefly justify your answers.

i. _____



ii. _____

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

- b) In a weird dream, you're the *simulated annealing* algorithm. Currently you're at node A in a search space; $g(A) = 7$ and $h(A) = 5$. You next randomly select node B ; $g(B) = 9$ and $h(B) = 8$. The temperature is a Wisconsin-like 10 degrees.

QQ: 749389476

Do you move to node B ? _____ Show your work. (*Lower* h values are better.)

<https://tutorcs.com>

- c) Show an example of a *cross over* for a GA whose individuals/entities are 6-bits long.

Name: _____

- d) On your way out of the lecture *To Build a Decision Tree*, you are surprised to find out the movie theater is giving away prizes. You watch the people ahead of you choose their prize either from behind Door #1 or Door #2. Of those who chose Door #1, half received \$5, 1% got a new bike worth \$1000, and 1% got a worthless movie poster. Everyone who chose Door #2 got \$10.

Assuming you want the likely dollar value of your prize, what door should you choose? _____



WeChat: cstutorcs

Assignment Project Exam Help

- e) Consider the *joint probability distribution* below.

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

A	B	C	P(A, B, C)
False	False	False	0.05
False	False	True	0.10
False	True	False	0.03
False	True	True	0.25
True	False	False	0.15
True	False	True	0.02
True	True	False	0.07
True	True	True	0.33

- i. What is $P(A = \text{true})$? _____ Show your work below.

- ii. What is $P(A \rightarrow B)$? _____ Explain.

Name: _____

Problem 4 – Important AI Concepts (10 points)

程序代写代做 CS编程辅导

Describe each of the following AI concepts and briefly explain its most significant aspect. (Write your answers in the space *below* the AI concept.)

Soundness



Overfitting

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

Fitness Functions

QQ: 749389476

<https://tutorcs.com>


Vector-Space Model

Negation by Failure

Name: _____

Problem 5 – Bayesian Networks (12 points)

Consider the following Bayesian Network, where variables **A**–**D** are all Boolean-valued:



- a) What is the probability that all four of these Boolean variables are false? _____

Email: tutorcs@163.com

QQ: 749389476

- b) What is the probability that **C** is true, **D** is false, and **B** is true? _____

<https://tutorcs.com>

- c) What is the probability that **C** is true given that **D** is false and **B** is true? _____

Problem 6– More Probabilistic Reasoning (18 points)

- a) Imagine that 99% of the time *RE Disease* (RED) causes red eyes in those with the disease, at any point in time 2% of all people have red eyes, and at any point in time 1% of the population has RED.

You have red eyes. What is the probability you have RED? _____



WeChat: cstutorcs

- b) Assume we have one diagnostic random variable (call it ***D***) and two measurement variables (call them ***M1*** and ***M2***). For simplicity, assume that the ***M***'s variables have three possible values (e.g., *low*, *medium*, and *high*) and that ***D*** is Boolean-valued.

We collect data on 300 episodes and find out the following:

D was *true* 100 times and for these cases:

M1=low 50 times, ***M1=med*** 30 times, and ***M1 = high*** 20 times

M2=low 10 times, ***M2=med*** 80 times, and ***M2 = high*** 10 times

D was *false* 200 times and for these cases:

M1=low 20 times, ***M1=med*** 80 times, and ***M1 = high*** 100 times

M2=low 80 times, ***M2=med*** 10 times, and ***M2 = high*** 10 times

Making the assumption that ***M1*** and ***M2*** are *conditionally independent* given ***D***,

- i. Show how Bayes rule can be used to compute **$P(D \mid M1, M2)$** given the data above and under the stated assumptions. [Do this **algebraically** – i.e., as an equation.]

Name: _____

- ii. On a new episode we find $M1=low$ and $M2=low$. What is the most likely diagnosis? This time justify your answer numerically.



WeChat: cstutorcs

- iii. Draw the Bayesian network that one would construct from the above data (do *not* add any “pseudo” counts to the above statistics; we won’t worry about dealing with probabilities equaling zero). Be sure to explain your solution.

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

Have a good vacation!