

└ Fitting ARMA models to the data

└ Estimating ARMA models

程序代写代做 CS编程辅导

Example: $\Delta \ln(GDP)$ for Belgium

→ estimate tentative

Figure 50 : Estimate (1) model for $\Delta \ln(GDP)$ Belgium

Sample: 1971:2 2007:4

Included observations: 147

Convergence achieved after 2 iterations

Variable	Coef.	Std. Error	t-Statistic	Prob.
C	0.005831	0.001143	5.101796	0.0000
AR(1)	0.704082	0.058970	11.93958	0.0000
R-squared	0.497486	Mean dependent var	0.005838	
Adjusted R-squared	0.492268	S.D. dependent var	0.005754	
S.E. of regression	0.004100	Akaike info criterion	-8.141966	
Sum squared resid	0.002456	Schwarz criterion	-8.101280	
Log likelihood	600.4345	F-statistic	142.5535	
Durbin-Watson stat	1.578452	Prob(F-statistic)	0.000000	
Inverted AR Roots	.70			

QQ: 749389476

Email: tutorcs@163.com

https://tutorcs.com

- └ Fitting ARMA models to the data

- └ Estimating ARMA models

程序代写代做 CS编程辅导

Figure 51 : Estimation results for the 1) model for $\Delta \ln(GDP)$ Belgium

Sample: 1971:2 2008:4

Included observations: 37



Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.001725	0.000483	3.574372	0.0005
DLNGDP(-1)	-0.704082	0.058970	-11.93258	0.0000
R-squared	0.495746	Mean dependent var		0.005838
Adjusted R-squared	0.492260	S.D. dependent var		0.005754
S.E. of regression	0.004100	Akaike info criterion		-8.141966
Sum squared resid	0.002438	Schwarz criterion		-8.101280
Log likelihood	600.4345	F-statistic		142.5535
Durbin-Watson stat	1.578452	Prob(F-statistic)		0.000000

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

Figure 52 : Estimating AR(2) model for $\Delta \ln(GDP)$ Belgium

Sample: 1971:2 2011:3

Included observations: 41

Convergence achieved after 2 iterations

WeChat: cstutors

Assignment Project Exam Help

Email: tutores@163.com

QQ: 749389476

<https://tutorcstutorcs.com>

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.005850	0.000847	6.909119	0.0000
AR(1)	0.911463	0.079576	11.45394	0.0000
AR(2)	-0.294443	0.079501	-3.703648	0.0003
R-squared	0.539602	Mean dependent var	0.005838	
Adjusted R-squared	0.523208	S.D. dependent var	0.005754	
S.E. of regression	0.003932	Akaike info criterion	-8.219349	
Sum squared resid	0.002226	Schwarz criterion	-8.158320	
Log likelihood	70.1027	F-statistic	84.38646	
Durbin-Watson stat	2.146360	Prob(F-statistic)	0.000000	
Inverted AR Roots	.46 -.29i	.46+.29i		

程序代写代做 CS编程辅导

Figure 53 : Estimating AR(3) model for $\Delta \ln(GDP)$ Belgium

Sample: 1971:2 2008:4

Included observations: 37

Convergence achieved after 3 iterations



Variable	WeChat: tutorcs	Coefficient	P>t Statistic	t-Statistic	Prob.
C		0.005871	0.000653	8.988452	0.0000
AR(1)		-0.634614	0.160774	10.33520	0.0000
AR(2)		-0.058590	0.106640	-0.549416	0.5836
AR(3)		0.1257129	0.081682	1.99851	0.0017
R-squared		0.570365	Mean dependent var		0.005838
Adjusted R-squared		0.561931	S.D. dependent var		0.005754
S.E. of regression		0.003811	Akaike info criterion		-8.274898
Sum squared resid		0.000077	Schwarz criterion		-0.193526
Log likelihood		612.2050	F-statistic		63.28015
Durbin-Watson stat		2.058299	Prob(F-statistic)		0.000000
Inverted AR Roots		.63 -.45i	.63+.45i	-.43	

QQ: 749389476

<https://tutorcs.com>

└ Fitting ARMA models to the data

└ Estimating ARMA models

程序代写代做 CS编程辅导

Figure 54 : Estimation results for (1) model for $\Delta \ln(GDP)$ Belgium

Sample: 1971:2 2000

Included observations: 2000



Convergence achieved after 9 iterations

Backcast: 1971:1

WeChat: cstutorcs
 Assignment Project Exam Help
 Email: tutorcs@163.com
 QQ: 749389476
<https://tutorcs.com>

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.005841	0.000652	8.952723	0.0000
MA(1)	0.884440	0.039768	22.24020	0.0000
R-squared	0.470877	Mean dependent var	0.005838	
Adjusted R-squared	0.407027	S.D. dependent var	0.005754	
S.E. of regression	0.004200	Akaike info criterion	-8.093824	
Sum squared resid	0.002558	Schwarz criterion	-8.053138	
Log likelihood	-596.0000	F-statistic	129.0381	
Durbin-Watson stat	1.876355	Prob(F-statistic)	0.000000	
Inverted MA Roots	-.88			

程序代写代做 CS编程辅导

Figure 55 : Estimating the AR(2) model for $\Delta \ln(GDP)$ Belgium

Sample: 1971:2 2000

Included observations: 2000

Convergence achieved after 19 iterations

Backcast: 1970:4 1971:1

WeChat: estutores
 Assignment Project Exam Help
 Email: tutorcs@163.com
 QQ: 749389476
<https://tutorcs.com>

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	-0.005824	0.00707	8.236254	0.0000
MA(1)	0.658915	0.075300	8.750510	0.0000
MA(2)	-1.428706	0.071408	-19.04152	0.0000
R-squared	0.498078	Mean dependent var	0.005838	
Adjusted R-squared	0.491107	S.D. dependent var	0.005754	
S.E. of regression	0.004105	Akaike info criterion	-8.132996	
Sum squared resid	0.00027	Schwarz criterion	-8.071967	
Log likelihood	600.7752	F-statistic	71.44862	
Durbin-Watson stat	1.692709	Prob(F-statistic)	0.000000	
Inverted MA Roots	-.33+.57i	-.33 -.57i		

└ Fitting ARMA models to the data

└ Estimating ARMA models

程序代写代做 CS编程辅导

Figure 56 : Estimate (1,1) model for $\Delta \ln(GDP)$ Belgium

Sample: 1971:2 2008:4

Included observations: 34

Convergence achieved after 7 iterations

Backcast: 1971:1



Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	-0.00819	0.01000	-0.836744	0.0000
AR(1)	0.581263	0.092106	6.310777	0.0000
MA(1)	-0.270706	0.108849	-2.484704	0.0141
R-squared	0.522981	Mean dependent var		0.005838
Adjusted R-squared	0.495345	S.D. dependent var		0.005754
S.E. of regression	0.004002	Akaike info criterion		-8.183883
Sum squared resid	0.002306	Schwarz criterion		-8.122854
Log likelihood	604.5154	F-statistic		78.93724
Durbin-Watson stat	1.941688	Prob(F-statistic)		0.000000
Inverted AR Roots	.58			
Inverted MA Roots	-.27			

Assignment Project Exam Help
QQ: 749389476
<https://tutorcs.com>

程序代写代做 CS编程辅导

Figure 57 : Estimate (1,2) model for $\Delta \ln(GDP)$ Belgium

Sample: 1971:2 2
 Included observations: 102
 Convergence achieved after 2 iterations
 Backcast: 1970:4 1971:1

WeChat: cstutores

Assignment Project Exam Help

Email: tutorcs@163.com

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.005832	0.001026	5.692222	0.0000
AR(1)	0.484945	0.123080	3.940075	0.0001
MA(1)	0.287716	0.124995	2.301818	0.0228
MA(2)	0.36100	0.091613	3.93348	0.0006
R-squared	0.545511	Mean dependent var	0.005838	
Adjusted R-squared	0.535910	S.D. dependent var	0.005754	
S.E. of regression	0.003920	Akaike info criterion	-8.218661	
Sum squared resid	0.002197	Schwarz criterion	-8.137289	
Log likelihood	608.0716	F-statistic	57.21298	
Durbin-Watson stat	1.882080	Prob(F-statistic)	0.000000	
Inverted AR Roots	.48			
Inverted MA Roots	-.14 -.57i	-.14+.57i		

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

Figure 58 : Estimate (2,1) model for $\Delta \ln(GDP)$ Belgium

Sample: 1971:2
 Included observations: 21
 Convergence achieved after 2 iterations
 Backcast: 1971:1

WeChat: cstutorgs

Assignment Project Exam Help

Email: tutorcs@163.com

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.005800	0.000623	9.306416	0.0000
AR(1)	1.335567	0.150299	8.886095	0.0000
AR(2)	-0.610058	0.104117	-5.859366	0.0000
MA(1)	-0.410150	0.075154	-5.48505	0.0101
R-squared	0.562620	Mean dependent var	0.005838	
Adjusted R-squared	0.533444	S.D. dependent var	0.005754	
S.E. of regression	0.003845	Akaike info criterion	-8.257033	
Sum squared resid	0.002145	Schwarz criterion	-8.175661	
Log likelihood	610.8920	F-statistic	61.31567	
Durbin-Watson stat	2.085756	Prob(F-statistic)	0.000000	
Inverted AR Roots	.67 -.41i	.67+.41i		
Inverted MA Roots	.46			

QQ: 749389476

<https://tutorcs.com>

└ Fitting ARMA models to the data

└ Estimating ARMA models

程序代写代做 CS编程辅导

Figure 59 : Estimate results for an AR(2), MA(2) model for $\Delta \ln(GDP)$ Belgium

Sample: 1971:2
 Included observations: 30
 Convergence after 1 iterations
 Backcast: 1970:4 1971:1

Variable	Coefficient	S.E. Error	t-Statistic	Prob.
C	0.005903	0.001008	5.857344	0.0000
AR(1)	-0.264531	0.193537	-1.398720	0.362
AR(2)	0.467106	0.081719	5.716035	0.0000
MA(1)	1.163758	0.151428	7.685222	0.0000
MA(2)	0.172362	0.149734	1.151122	0.2516
R-squared	0.102108	Mean dependent var	0.005838	
Adjusted R-squared	0.549778	S.D. dependent var	0.005754	
S.E. of regression	0.003861	Akaike info criterion	-8.242268	
Sum squared resid	0.002117	Schwarz criterion	-8.140553	
Log likelihood	610.8067	F-statistic	45.57109	
Durbin-Watson stat	1.960197	Prob(F-statistic)	0.000000	
Inverted AR Roots	.59	- .79		
Inverted MA Roots	-.17	- .99		

Assignment Project Exam Help
Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

Figure 60 : Estimate (3,2) model for $\Delta \ln(GDP)$ Belgium

Sample: 1971:2
 Included observations: 14
 Convergence achieved after 1 iterations
 Backcast: 1970:4 1971:1

Variable	WeChat: estutures	Coef.	Std. Error	t-Statistic	Prob.
C	0.005825	0.000630	9.244649	0.0000	
AR(1)	-0.584641	0.140707	-4.138173	0.0000	
AR(2)	0.501768	0.125699	3.991834	0.0001	
AR(3)	-0.486215	0.088530	-5.492067	0.0000	
MA(1)	0.441004	0.078565	5.513066	0.0000	
MA(2)	-0.538773	0.002485	-216.8091	0.0000	
R-squared	0.694792	Mean dependent var	0.005838		
Adjusted R-squared	0.579761	S.D. dependent var	0.005754		
S.E. of regression	0.003730	Akaike info criterion	-8.304646		
Sum squared residual	0.001962	Schwarz criterion	-8.182588		
Log likelihood	616.3915	F-statistic	41.28419		
Durbin-Watson stat	2.100323	Prob(F-statistic)	0.000000		
Inverted AR Roots	.68 -.38i	.68+.38i	-.81		
Inverted MA Roots	.54	-.99			

QQ: 749389476

Email: tutorcs@163.com

<https://tutorcs.com>

程序代写代做 CS编程辅导

Example: $\Delta \ln(GDP)$ for Belgium

- ▶ Overfitting: test the joint significance of the MA-coefficients going from the AR(3) to the ARMA(3,2) model



$$F = \frac{(0.001962 - 0.001630)/2}{0.001962/(147-6)} = 4.13$$

Assignment Project Exam Help

where the 5% critical values ≈ 3.07

Email: tutorcs@163.com

Or test the joint significance of the coefficients needed for going from the ARMA(3,2) to the ARMA(4,4) model

QQ: 749389476
<https://tutorcs.com>

$$F = \frac{(0.001962 - 0.001630)/3}{0.001630/(147-9)} = 9.38$$

where the 5% critical values ≈ 2.68 .

程序代写代做 CS编程辅导

Figure 62 : Estimate (4,4) model for $\Delta \ln(GDP)$ Belgium

Sample(adjusted): 1970-01-01 1999-01-01
 Included observations: 29 after adjusting endpoints
 Convergence achieved in 7 iterations
 Backcast: 1970-01-01



Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.005358	0.000650	8.237166	0.0000
AR(1)	0.645318	0.215114	2.999885	0.0032
AR(2)	-0.127614	0.291476	-0.426721	0.6155
AR(3)	-0.038514	0.208333	-0.184865	0.8536
AR(4)	-0.110431	0.156096	-0.707455	0.4805
MA(1)	0.216640	0.092090	2.34067	0.2378
MA(2)	-0.408080	0.122208	-3.339241	0.0011
MA(3)	-0.282807	0.199376	-1.418458	0.1583
MA(4)	0.052946	0.106673	-4.808488	0.0000
R-squared	0.662905	Mean dependent var	0.005838	
Adjusted R-squared	0.659100	S.D. dependent var	0.005754	
S.E. of regression	0.003437	Akaike info criterion	-8.449443	
Sum squared resid	0.001630	Schwarz criterion	-8.266355	
Log likelihood	630.0340	F-statistic	33.92249	
Durbin-Watson stat	2.025286	Prob(F-statistic)	0.000000	
Inverted AR Roots	.75	.64	-.37 -.30i	-.37+.30i
Inverted MA Roots	.99	-.14 -.72i	-.14+.72i	-.95

Assignment Project Exam Help
 Email: tutorcs@163.com
 QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

- ▶ Residual diagnostics: note that for both the AR(3) and the ARMA(3,2) the correlation left in the residuals.



This indicates/implies that:

- ▶ The fitted ARMA models are not rich enough to capture all of the dynamics in $\Delta \ln(GDP)$ for Belgium
- ▶ WeChat: cstutorcs
- ▶ The least squares estimator is biased and inconsistent!

Assignment Project Exam Help

Note that especially the correlation at lag 4 looks significant. As we have quarterly data, this might be a seasonal effect. In order to account for seasonality, an additional MA coefficient at lag 4 is added. For truly seasonal patterns, such an MA-component best captures spikes (and not decay) at the quarterly lags. Also note that the MA(4) is highly significant in the ARMA(4,4) model.

- ▶ An ARMA(1,(2,4)) model has the smallest AIC and SBC with the residuals being \approx white noise.

程序代写代做 CS编程辅导

Figure 63 : Correlogram of residuals from AR(3) model for $\Delta \ln(GDP)$ Belgium



Sample: 1960M1 - 2011M1
Included observations: 52
Q-statistic: 10.00 (prob. adjusted for 3 ARMA term(s))

	Autocorrelation	Partial Correlation	AC	PAC	Q-Stat	Prob
1	-0.035	-0.033	0.1621			
2	0.050	0.049	0.5348			
3	0.166	0.170	4.7500			
4	-0.243	-0.241	12.750	0.000		
5	-0.056	-0.056	15.910	0.001		
6	-0.034	-0.038	15.360	0.002		
7	0.121	0.211	17.633	0.001		
8	-0.159	-0.037	18.180	0.003		
9	-0.076	-0.121	19.100	0.004		
10	-0.048	-0.170	19.469	0.007		
11	-0.018	0.094	19.523	0.012		
12	0.111	-0.230	21.514	0.011		
13	0.097	0.067	23.058	0.011		
14	0.107	-0.034	24.940	0.009		
15	-0.053	0.097	25.400	0.013		
16	0.059	-0.108	25.982	0.017		
17	0.014	0.062	25.983	0.026		
18	0.003	-0.025	25.984	0.038		
19	-0.117	-0.071	28.333	0.029		
20	-0.094	-0.088	29.843	0.028		
21	-0.063	-0.069	30.522	0.033		
22	-0.016	0.075	30.565	0.045		
23	0.074	-0.012	31.526	0.049		
24	-0.077	-0.042	32.571	0.051		
25	0.084	-0.009	33.843	0.051		

程序代写代做 CS编程辅导

Figure 64 : Correlogram of residuals from ARMA(3,2) model for $\Delta \ln(GDP)$ Belgium



Sample: 1960-1994
Included observations: 35
Q-statistic probability: 0.0000 (adjusted for 5 ARMA term(s))

	Autocorrelation	Partial Correlation	AC	PAC	Q-Stat	Prob
1	-0.95	-0.053	0.4233			
2	0.183	0.181	5.4921			
3	0.036	0.055	5.6879			
4	-0.226	-0.205	12.494			
5	-0.058	-0.029	14.463			
6	-0.039	0.072	14.360	0.000		
7	0.165	0.183	18.598	0.000		
8	-0.166	-0.034	19.771	0.000		
9	-0.048	-0.061	21.534	0.000		
10	-0.038	-0.082	21.858	0.001		
11	-0.055	-0.031	22.350	0.001		
12	-0.101	-0.079	23.995	0.001		
13	-0.135	-0.094	26.986	0.001		
14	0.123	0.112	29.469	0.001		
15	-0.064	-0.036	30.143	0.001		
16	0.121	0.012	32.603	0.001		
17	-0.084	-0.086	32.918	0.001		
18	0.027	0.091	33.043	0.002		
19	-0.149	-0.143	36.834	0.001		
20	-0.089	-0.034	38.208	0.001		
21	-0.081	-0.092	39.338	0.001		
22	-0.021	0.072	39.415	0.002		
23	0.077	0.002	40.474	0.002		
24	-0.049	-0.059	40.909	0.002		
25	0.088	0.004	42.291	0.003		

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

Figure 65 : Estimate 

Sample: 1971:2 2014:3

Included observations: 42

Convergence achieved after 5 iterations

Backcast: 1970:2 1971:1

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	-0.005205	0.000206	25.7424	0.0000
AR(1)	0.826454	0.048550	17.02258	0.0000
MA(2)	-0.221029	0.065615	-3.368584	0.0010
MA(4)	0.693470	0.066047	10.48250	0.0000
R-squared	0.658776	Mean dependent var	0.005838	
Adjusted R-squared	0.651617	S.D. dependent var	0.005754	
S.E. of regression	0.003397	Akaike info criterion	-8.505295	
Sum squared resid	0.001660	Schwarz criterion	-8.423922	
Log likelihood	629.1392	F-statistic	92.02632	
Durbin-Watson stat	1.918171	Prob(F-statistic)	0.000000	
Inverted AR Roots	.83			
Inverted MA Roots	.98	-.00 -.85i	-.00+.85i	-.98

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

Figure 66 : Correlogram of residuals from ARMA(1,(2,4)) model for $\Delta \ln(GDP)$ Belgium



Sample: 1960-01-01/2010-01-01
Included observations: 50
Q-statistic: 1.000 (based on Ljung-Box test for 3 ARMA term(s))

Autocorrelation	Partial Correlation	AC	PAC	Q-Stat	Prob
1 -0.03		0.033	0.1650		
2 0.021	0.020	0.2341			
3 -0.102	-0.103	1.8063			
4 0.000	0.007	1.8063	0.179		
5 0.000	0.097	2.8600	0.186		
6 -0.112	-0.118	5.3151	0.150		
7 0.114	0.130	7.3407	0.119		
8 0.136	0.118	10.275	0.068		
9 0.098	0.06	11.140	0.068		
10 0.002	0.010	11.740	0.109		
11 -0.048	-0.056	12.110	0.146		
12 -0.070	-0.052	12.900	0.167		
13 0.109	-0.060	14.847	0.138		
14 0.154	0.196	18.757	0.066		
15 -0.058	-0.085	19.316	0.081		
16 0.053	-0.010	19.778	0.101		
17 0.080	-0.077	20.438	0.117		
18 0.081	0.041	21.566	0.120		
19 -0.166	-0.139	26.302	0.050		
20 -0.135	-0.077	29.444	0.031		
21 -0.074	-0.074	30.406	0.034		
22 0.036	-0.005	30.638	0.044		
23 0.038	0.005	30.889	0.057		
24 -0.068	-0.087	31.705	0.063		
25 0.088	0.058	33.105	0.060		

WeChat: cstutorcs

Assignment Project Exam Help


Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

Figure 67 : Impulse response function for estimated AR(3), ARMA(3,2) and ARMA(1,(2,4)) model on (GDP) Belgium



程序代写代做 CS编程辅导

- ▶ Parameter stability test: note that the DGP appears to change around]



Split the sample into two sub-samples, e.g. 1970:1-1994:4 and 1995:1-2007:4, and perform Chow test.

$$F = \frac{(0.001650 - (0.000539 + 0.000809)) / 4}{(0.000539 + 0.000809) / (147 - 8)} = 7.79$$

Assignment Project Exam Help

where the 5% critical values ≈ 2.45 .

Email: tutorcs@163.com

ARMA process is not stable over the sample period!

Especially if you want to predict future output growth, you better estimate the ARMA process over a smaller sample size in order to avoid parameter instability. The model estimated over the period 1995:1-2007:4 passes the diagnostic checks, i.e. no autocorrelation in the residuals and no parameter instability (check!).

程序代写代做 CS编程辅导

Figure 68 : Estimated time series from ARMA(1,(2,4)) model for $\Delta \ln(GDP)$ Belgium



程序代写代做 CS编程辅导

Figure 69 : Estimated  (2,4)) model for $\Delta \ln(GDP)$ Belgium (1971:2-1994:4)

Sample: 1971:2 1

Included observat

Convergence achieved after 25 iterations

Backcast: 1970:2-1971:4

WeChat: cstutorcs

Assignment Project Exam Help
Email: tutorcs@163.com

QQ: 749389476
<https://tutorcs.com>

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.004986	0.002177	2.290402	0.0243
AR(1)	0.885904	0.047424	18.68061	0.0000
MA(2)	-0.100000	0.085663	-1.18953	0.3109
MA(4)	-0.772815	0.133766	-5.777360	0.0000

R-squared	0.855801	Mean dependent var	0.006057
Adjusted R-squared	0.851047	S.D. dependent var	0.006304
S.E. of regression	0.002433	Akaike info criterion	-9.158194
Sum squared resid	0.000539	Schwarz criterion	-9.050663
Log likelihood	439.0142	F-statistic	180.0238
Durbin-Watson stat	0.808649	Prob(F-statistic)	0.000000

Inverted AR Roots	.89
Inverted MA Roots	.99 -.00+.89i -.00-.89i -.99

程序代写代做 CS编程辅导

Figure 70 : Estimated $\Delta \ln(GDP)$ model for $\Delta \ln(GDP)$ Belgium (1995:1-2007:4)



Sample: 1995:1 2007:4

Included observations: 13

Convergence achieved after 11 iterations

Backcast: 1994:1 (1994:4)

WeChat: cstutorcs

Variable	Coefficient	Std. Error	t-Statistic	Prob.
C	0.005406	0.000286	18.88504	0.0000
AR(1)	0.435196	0.134807	3.233077	0.0022
MA(2)	-0.210030	0.122053	-1.752310	0.0373
MA(4)	-0.528349	0.126916	-4.162999	0.0001
R-squared	0.255307	Mean dependent var	0.005436	
Adjusted R-squared	0.208764	S.D. dependent var	0.004615	
S.E. of regression	0.004105	Akaike info criterion	-8.079476	
Sum squared resid	0.000809	Schwarz criterion	-7.929381	
Log likelihood	214.0664	F-statistic	5.485364	
Durbin-Watson stat	2.104329	Prob(F-statistic)	0.002533	
Inverted AR Roots	.44			
Inverted MA Roots	.94	.00 -.78i	-.00+.78i	-.94


Assignment Project Exam Help
QQ: 749389476

Email: tutorcs@163.com

<https://tutorcs.com>

程序代写代做 CS编程辅导

Figure 72 : Using an ARIMA model to forecast $\Delta \ln(GDP)$ from 2005:1 onward (estimation period: 1991:1-2004:4)




程序代写代做 CS编程辅导

Figure 73 : Using an ARIMA model to forecast $\Delta \ln(GDP)$ from 2005:1 onward (estimation period: 1999:1-2004:4)




程序代写代做 CS编程辅导

Figure 74 : Using an ARIMA(1,1,1)(1,1,1,4) model to forecast $\Delta \ln(GDP)$ from 2005:1 onward (estimated sample: 1995:1-2004:4)



程序代写代做 CS编程辅导

Figure 75 : Using an ARIMA model to forecast $\Delta \ln(GDP)$ from 2005:1 onward (estimation period: 1991:1-2004:4)



程序代写代做 CS编程辅导

Figure 76 : Using an ARIMA model to forecast $\Delta \ln(GDP)$ from 2005:1 onward (estimation period: 1999:1-2004:4)



WeChat: cstutorcs

Assignment Project Exam Help


Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

Figure 77 : Using an AR(1) model to forecast $\Delta \ln(GDP)$ from 2005:1 onward (estimated from 1995:1-2004:4)



程序代写代做 CS编程辅导

Figure 78 : Forecast a time series using an MA(2) model in forecasting $\Delta \ln(GDP)$ from 2005:1 to 2007:4. (estimation period: 1995:1-2004:4)



Forecast: DLNGDPF

Actual: DLNGDP

Forecast sample: 2005.1 2007:4

Included observations: 12

Assignment Project Exam Help

Root Mean Squared Error	0.002336
Mean Absolute Error	0.001556
Mean Abs. Percent Error	39.58930
Theil Inequality Coefficient	0.197821
Bias Proportion	0.038087
Variance Proportion	0.579495
Covariance Proportion	0.382418

Email: tutors@163.com

QQ: 749389470

<https://tutorscs.com>

程序代写代做 CS编程辅导

Figure 79 : Forecast a time series using an AR(1) model in forecasting $\Delta \ln(GDP)$ from 2005:1 to 2007:4. Estimation period: 1995:1-2004:4)



Forecast: DLNGDPF

Actual: DLNGDP

Forecast sample: 2005:1 2007:4

Included observations: 12

Assignment Project Exam Help

Root Mean Squared Error	0.002339
Mean Absolute Error	0.001507
Mean Abs. Percent Error	38.21297
Theil Inequality Coefficient	0.198067
Bias Proportion	0.036135
Variance Proportion	0.625387
Covariance Proportion	0.338478

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

Figure 80 : Forecast a time series using an ARMA(1,(2,4)) model in forecasting $\Delta \ln(GDP)$ from 2005:1 to 2007:4 (estimation period: 1995:1-2004:4)



Forecast: DLNGDPF

Actual: DLNGDP

Forecast sample: 2005:1 2007:4

Included observations: 12

Assignment Project Exam Help

Root Mean Squared Error	0.002013
Mean Absolute Error	0.001275
Mean Abs. Percent Error	35.09018
Theil Inequality Coefficient	0.166328
Bias Proportion	0.014317
Variance Proportion	0.482558
Covariance Proportion	0.503125

Email: tutors@163.com

QQ: 749389470

<https://tutorscs.com>