

FIT2081 Params

Terms in this set (92)

setContentview(arg1, arg2)	View, ViewGroup.LayoutParams
startActivity(arg1, arg2)	...

Assignment Project Exam Help

<https://tutorcs.com>

WeChat: cstutorcs

intent.putExtra(arg1, arg2)	String key, datatype data
Required method for Broadcast Receiver	onReceive
onReceive(arg1, arg2)	intent, bundle options

FIT2081 Params

Study

Getting data out of bundle	String string = bundle.getString(Activity, String key)
Button Handling 1	b.setOnClickListener(new View.OnClickListener()... View.OnClickListener buttonHandler = new View.OnClickListener()
Button Handling 2	b.setOnClickListener(buttonHandler)
SharedPreferences sP = getSharedPreferences(arg1, arg2)	String key, int mode
SharedPreferences sP = getPreferences(arg1)	int mode
Editor	SharedPreferences.Editor editor = sP.edit()
onCreateOptionsMenu(arg1)	Menu menu - menu in which to place items
Menu Inflater	MenuInflater inflater = getMenuInflater()
inflater.inflate(arg1, arg2)	int menu item, menu
Snackbar.make(arg1, arg2, arg3)	View, charsequence, int length
ActionBarDrawerToggle(arg1, arg3, arg3, arg4, arg5)	Activity, drawer, int drawerIndicator, int StringResourceDescribeOpenAction, int StringResourceDescribeCloseAction

Assignment Project Exam Help

<https://tutorcs.com>

WeChat: estutorcs

FIT2081 Params

Study

drawer.openDrawn(right to left)	Gravity.END
NavigationView name = findViewById(arg1)	int referenceToNavView
setOnNavigationItemSelectedListener(arg1)	NavigationView.OnNavigationItemSelectedListener listener
onNavigationItemSelectedListener(arg1)	MenuItem item

Assignment Project Exam Help

<https://tutorcs.com>

Upgrade to remove adverts - Only HK\$20.07/month

WeChat: cstutorcs

ArrayAdapter(arg1, arg2, arg3, arg4)	Context, int resourceToLayout, int IdOfTextView, list)
ArrayAdapter<String> adapter = new ArrayAdapter<String>(arg1, arg2, arg3)	Context, int resourceToLayout, list)
Method to notify the adapter of a data change	adapter.notifyDataSetChanged()
listView.setAdapter(arg1)	Adapter adapter
3 methods required by RecyclerView.Adapter	onCreateViewHolder, onBindViewHolder, getItemCount()

FIT2081 Params

Study

onBindViewHolder(arg1, arg2)	ViewHolder contentsOfTheItemAtGivenPosition, int positionOfTimeInAdapterSet
Fragment onCreateView(arg1, arg2, arg3)	LayoutInflater inflater, ViewGroup container (parent view the fragment is attached to), Bundle instanceState)
return inflater.inflate(arg1, arg2, arg3)	int fragment, declared container, false)
fragment.getArguments(arg1)	bundle

Assignment Project Exam Help

<https://tutorcs.com>

WeChat: cstutorcs

Upgrade to remove adverts Only HK\$26.67/month

rtFragmentManager.beginTransaction()	
.add(arg1, arg2, arg3)	int containerViewId, Fragment fragment, String tag
.replace(arg1, arg2, arg3)	int containerViewId, Fragment fragment, String tag)
.remove(arg1)	Fragment fragment
SQLiteHelper constructor(arg1, arg2, arg3, arg4)	Context, String name, SQLiteDatabase.CursorFactory factory, int version)

FIT2081 Params

Study

onCreate inclusive method	db.execSQL(TASKS_TABLE_CREATE)
onUpgrade/onDowngrade(arg1, arg2, arg3)	SQLiteDatabase db, int oldVersion, int newVersion
db.insert(arg1, arg2, arg3)	String tableName, String nullColumnHack, ContentValues toBeInserted
Initialise ContentValues	ContentValues values = new ContentValues()

Assignment Project Exam Help

<https://tutorcs.com>

Upgrade to remove adverts Only HK\$26.67/month

WeChat: cstutorcs

db.delete(arg1, arg2, arg3)	String tableName, string whereClause, String[] WhereArgs)
db.update(arg1, arg2, arg3, arg4)	String tableName, ContentValues values, String whereClause, String[] whereArgs
addTask(arg1)	ContentValues values
what does public Cursor getAllTasks() return	return tasks
deleteTask(arg1) returns what	int taskID returns boolean

FIT2081 Params

Study

2 methods required by CursorAdapter	newView, bindView
newView(arg1, arg2, arg3)	Context, Cursor c, ViewGroup parent)
bindView(arg1, arg2, arg3)	View view, content, cursor c
getView(arg1, arg2, arg3)	int position, View view, ViewGroup parent)

Assignment Project Exam Help

Upgrade to remove adverts Only HK\$26.67/month

<https://tutorcs.com>

CursorLoader name = new CursorLoader(arg1, arg2, arg3, arg4, arg5, arg6)	Content, URI, String[] projection, String selectionClause, String[] selectionArgs, string sortOrder
How to institute a Cursor	LoaderManager.LoaderCallbacks<Cursor>
3 methods required by CursorLoader	onCreateLoader, onLoadFinished, onLoadReset
onCreateLoader(arg1, arg2)	int arg1, bundle bundle)
onLoadFinished(arg1, arg2)	Loader loader, cursor c
onLoaderReset(arg1)	Loader loader

FIT2081 Params

Study

DatabaseReference mChild = mRef.child("name") ... mChild.push().insertValue(data)	-
Datasnapshot	dataSnapshot.getValue()
Fragment ContentResolver	ContentResolver resolver = getActivity().getApplicationContext().getContentRe solver()
resolver.insert(arg1, arg2)	Uri, ContentValues
resolver.delete(arg1, arg2, arg3)	Uri, String where, String[] selectionArgs
resolver.update(arg1, arg2, arg3, arg4)	uri, ContentValues, String where, String[] selectionArgs
getType(arg1)	uri
Cursor query(arg1, arg2, arg3, arg4)	uri, String[] projection - list of columns to return, bundle queryArgs, cancellationsignal
notifyChange(arg1, arg2, arg3)	uri, contentObserver observer, int flags
addURI(arg1, arg2, arg3)	String authority - ip address/dns service, string path, int code - returned when uri is matched against given.
private class MyTask extends AsyncTask<arg1, arg2, arg3>	arg1 passed to doInBackground, arg2 onProgressUpdate, arg3 onPostExecute

Assignment Project Exam Help

<https://tutorcs.com>

WeChat: estutorcs

FIT2081 Params

Study

onProgressUpdate	UI thread
onPostExecute	main thread
SupportMapFragment calls what?	onMapReady()
onMapReady(arg1)	GoogleMap googleMap
Map onCreateView(arg1, arg2, arg3)	LayoutInflater, ViewGroup view, Bundle bundle)
ent))getFragmentManager().findFragmentById(int	
Geolocation	-
LatLngMapPosition = new LatLong(arg1, arg2)	location.getLatitude(), location.getLongitude()
getX() vs getRawX()	getX = coordinates relative to the view, getRawX = coordinates relative to the device.
onTouch(arg1, arg2)	View v, MotionEvent
onScroll(arg1, arg2, arg3, arg4) returns ?	ME initial, ME finishing, float v1, float v2 returns super.

Assignment Project Exam Help

<https://tutorcs.com>

WeChat: cstutorcs

FIT2081 Params

Study

onDoubleTap(arg1)	ME
onDoubleTapEvent(arg1)	ME
onLongPress(arg1)	ME
onSingleTap(arg1)	ME
onSingleTapConfirmed(arg1)	ME
onDown(arg1)	ME
onScaleEnd(arg1)	ScaleGestureDetector
onScale(arg1)	ScaleGestureDetector
detector.getScaleFactor()	-

Assignment Project Exam Help

<https://tutores.com>

WeChat: cstutores