


程序代写代做 CS编程辅导



WeChat: cstutorcs
Active Data Warehousing
Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

Outline



- An **Active Data Warehouse** is where the data warehouse is immediately updated when the operational database is updated.
- This chapter discusses ~~WeChat.computers~~ complexities in three parts, which are:
 - 1) Incremental updates
 - 2) Data warehousing schema evolution
 - 3) Operational database evolution

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

1 Passive vs. Active Data Warehousing



- A **Passive Data Warehousing** is a data warehouse that, once built, will remain unchanged.

WeChat: cstutorcs


- An **Active Data Warehousing** is dynamic.
*Assignment Project Exam Help
Email: tutorcs@163.com
QQ: 749389476*
- When the operational database is updated, the data warehouse is immediately updated. The data warehouse is always up-to-date, and it is no longer purely historical.

<https://tutorcs.com>

程序代写代做 CS编程辅导

1 Passive vs. Active Data Warehousing

- The architecture of Data Warehousing



程序代写代做 CS编程辅导

1 Passive vs. Active Data Warehousing



- Designing an **Active Data Warehousing** adopts a bottom-up approach, where the star schema is built from Level-0, and the upper levels (e.g. Level-1, Level-2, etc) are built on top of the immediate lower levels.
- Passive data warehouses may be built using the same approach, but is often easier to build a data warehouse top-down, that is, to start from a reasonable upper level (e.g. Level-2) and move down level-by-level to the very bottom level (e.g. Level-0).

<https://tutorcs.com>

程序代写代做 CS编程辅导

2 Incremental Updates



- **Incremental updates** in Active Data Warehousing are not to automatically update the data warehouse.
 - Other elements need to be considered, such as the "recentness" of the data in the data warehouse, as all data in the data warehouse need to be removed as they may not be as relevant as before.
 - For example: data has an expire date; rules changed

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

2.1 Automatic Updates of Data Warehouse



- **Automatic update**: updates that occur immediately once the operational database has changed.
- In the Computer Lab Activities case study, It is a simple database that consists of four tables: Lab Activities, Computer, Student, and Degree.

WeChat: cstutors

Assignment Project Exam Help


Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

2.1 Automatic Updates of Data Warehouse



程序代写代做 CS编程辅导

2.1 Automatic Updates of Data Warehouse



- The data warehouse consists of three levels of granularity based on one fact measure: Number_of_Usage (or Number_of_Logins).

WeChat: cstutorcs


- The data warehouse consists of three levels of granularity.
- The Level-0 star schema (or the lowest level) does not have any aggregation in the fact measure.
- The level of aggregation increases as the level of the star schema increases in Level-1 and Level-2 star schemas.

<https://tutorcs.com>

程序代写代做 CS编程辅导

2.1 Automatic Updates of Data Warehouse


- Level-0 Star Schema



程序代写代做 CS编程辅导

2.1 Automatic Updates of Data Warehouse

- Level-1 Star Schema



程序代写代做 CS编程辅导

2.1 Automatic Updates of Data Warehouse

- Level-2 Star Schema



2.1 Automatic Updates of Data Warehouse - Level 0



- The first step in starting the implementation is to create dimension tables, and then follow by the TempFact and Fact Tables.
- Assuming that the operational database that contains the tables are within the same system, when new records are being added to the tables in the operational database, the dimension tables of the data warehouse must be updated automatically.
- Therefore, **create view** can be used to create the dimension tables, instead of create table.

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 0

create or replace view LoginTimeDim as
select distinct(LoginDate) from LabActivities;



create or replace view LoginTimeDim as
select distinct(LoginTime) from LabActivities;

Assignment Project Exam Help

create or replace view DegreeDim as
select DegreeCode, DegreeName, DegreeDuration from Degree;
Email: tutorcs@163.com

create or replace view StudentDim as
select StudentNo, FirstName, LastName, Gender, StudyType
from Student;

QQ: 749389476
https://tutorcs.com

2.1 Automatic Updates of Data Warehouse - Level 0



- If we would like to ~~use~~ dimension table as a table rather than a view (or a ~~virtual table~~), we can use the **create table** command, but then we must have a database trigger that triggers an insertion of a new record.

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 0

- Take the Student Dimension as an example:



```
create table StudentDim as
select StudentNo, FirstName,
LastName, Gender, StudyType
from Student;
```

```
create or replace trigger InsertNewStudent
after insert on Student
```

WeChat: cstutorcs
Assignment Project Exam Help

```
for each row
begin
```

Email: tutorcs@163.com

```
insert into StudentDim
values (:new.StudentNo, :new.FirstName,
:new.LastName, :new.Gender, :new.StudyType);
```

```
commit;
```

QQ: 749389476

```
end InsertNewStudent;
```

2.1 Automatic Updates of Data Warehouse - Level 0



- For simplicity, we do the insertion of new records to the operational database only, that is when new students log in to the Computer Lab Activities table or when there is a new degree program, or when new students enrol.
- Update and Delete will be dealt with separately.

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 0



- Use **create table** and **insert** statements to use a database trigger to automatically add a fact record to the fact when there is a new record is inserted into the transaction table

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 0

```
create or replace trigger Upd
  after insert on LabActiviti
  for each row
  declare
```



```
  Degree Student.DegreeCode%type;
begin
  select DegreeCode into Degree from Student
  where StudentNo = :new.StudentNo;
  insert into ComputerLabFactLevel0
  values (:new.LoginDate, :new.LoginTime, Degree, :new.StudentNo, 1);
  commit;
end UpdateFactLevel0;
```

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 0

- If we opt for Fact with a measure, then **create view** is sufficient and there is no need for a database trigger.



WeChat: cstutorcs

create or replace view ComputerLabFactLevel0 as
select distinct

Assignment Project Exam Help

LoginDate, LoginTime,

S.DegreeCode, L.StudentNo

from Student S, LabActivities L

where S.StudentNo = L.StudentNo

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 0



- **PK-FK Constraints**
- In Passive Data Warehousing, there is no need to create a Primary Key - Foreign Key constraint between each dimension key with the fact, because once the star schema is created and built, no records will be updated in the star schema there will be no insert as the data warehouse is passive and no delete.
- In Active Data Warehousing, where the data warehouse is actively updated when there are changes in the operational database, the PK-FK constraint between dimensions and the fact becomes important to minimize data anomalies due to updates.

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 0

- Take the Degree Dimension as an example:



```
alter table DegreeDim  
add constraint DegreeDimPK primary key (DegreeCode);
```

- The Fact Table will have FKS by referencing PKs.
- The Fact Table will also have a composite PK which combines all the four dimension keys.

QQ: 749389476

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 1



- In the Level-1 star schema, the Semester Dimension replaces the Login Date Dimension and the Time Period Dimension replaces the Login Time Dimension.
- The Semester Dimension contains only two semesters, whereas the Time Period Dimension divides the 24-hour day into three time periods.

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 1



- We could make use of the ComputerLabFact Table from Level-0 as the source for the TempFact Table at level 1.

create table TempComputerLabFactLevel1 as
select distinct

 LoginTime, LoginDate,
 DegreeCode, StudentNo
from ComputerLabFactLevel0;

Assignment Project Exam Help

DegreeCode

StudentNo

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 1

- Add two new attributes SemesterID and TimeID to TempFact Table and fill in the appropriate values



alter table TempComputerLabFactLevel1
add (SemesterID varchar2(10));

Assignment Project Exam Help
update TempComputerLabFactLevel1 set SemesterID = ...

Email: tutorcs@163.com
alter table TempComputerLabFactLevel1
add (TimeID varchar2(10));

QQ: 749389476
update TempComputerLabFactLevel1 set TimeID = ...

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 1

- Create a database trigger that automatically trigger an insertion into the TempFact table when there is an insertion to the Fact Level-0.



WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 1

```
create or replace trigger UpdLevel1
```

```
after insert on ComputerLab
```

```
for each row
```

```
declare
```

```
TempSemesterID SemesterDim.SemesterID%type;
```

```
TempTimeID TimePeriodDim.TimeID%type;
```

```
begin
```

Assignment Project Exam Help

```
if (to_char(:new.LoginDate, 'MM/DD') >= '01/01')
```

```
and (to_char(:new.LoginDate, 'MM/DD') <= '07/15')
```

```
then
```

Email: tutorcs@163.com

```
TempSemesterID := 'S1';
```

```
else
```

QQ: 749389476

```
TempSemesterID := 'S2';
```

```
end if;
```

<https://tutorcs.com>



2.1 Automatic Updates of Data Warehouse - Level 1

```
if (to_char(:new.LoginTime, 'HH24:MI') >= '06:00')  
and (to_char(:new.LoginTime, 'HH24:MI') < '12:00')  
    then TempTimeID := '1';  
elsif (to_char(:new.LoginTime, 'HH24:MI') >= '12:00')  
and (to_char(:new.LoginTime, 'HH24:MI') < '18:00')  
    then TempTimeID := '2';  
else TempTimeID := '3'; end if;
```



WeChat: cstutorcs

Assignment Project Exam Help

```
insert into TempComputerLabFactLevel1  
values (:new.LoginTime, :new.LoginDate, :new.DegreeCode,  
:new.StudentNo, TempSemesterID, TempTimeID);  
  
commit;  
end UpdateTempFactLevel1;
```

Email: tutorcs@163.com
QQ: 749389476

2.1 Automatic Updates of Data Warehouse - Level 1

- After the TempFact₁ is loaded, the final Fact Table for Level-1 can be created.



WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 1

```
create table ComputerLabFactLevel1  
select  
    SemesterID, TimeID, DegreeCode, StudentNo,  
    count(StudentNo) as Num_of_Logins  
from TempComputerLabFactLevel1  
group by SemesterID, TimeID, DegreeCode, StudentNo;
```



WeChat: cstutorcs

Assignment Project Exam Help

```
alter table ComputerLabFactLevel1  
add constraint SemesterDimFK foreign key (SemesterID)  
references SemesterDim (SemesterID);
```

QQ: 749389476

```
alter table ComputerLabFactLevel1  
add constraint TimePeriodDimFK foreign key (TimeID)  
references TimePeriodDim (TimeID);
```

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 1

```
alter table ComputerLabFactLevel1  
add constraint DegreeDimFK foreign key (DegreeCode)  
references DegreeDim (DegreeCode);
```



WeChat: cstutorcs

```
alter table ComputerLabFactLevel1
```

Assignment Project Exam Help
references StudentDim (StudentNo);

Email: tutorcs@163.com

```
alter table ComputerLabFactLevel1
```

add constraint FactPK primary key (SemesterID, TimeID, DegreeCode, StudentNo);
QQ: 749389476

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 1

- A database trigger is created to ensure that for every record inserted into the tempFact Level1, it will increase the fact measure Number_of_Logins by one.



WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 1

```
create or replace trigger UpdateFactLevel1
    after insert on TempComputerLab
    for each row
begin
    update ComputerLabFactLevel1
    set Num_of_Logins = Num_of_Logins + 1
    where SemesterID = :new.SemesterID
        and TimeID = :new.TimeID
        and DegreeCode = :new.DegreeCode
        and StudentNo = :new.StudentNo;
    commit;
end UpdateFactLevel1;
```



WeChat: cstutorcs

Assignment Project Exam Help

where SemesterID = :new.SemesterID

and TimeID = :new.TimeID

and DegreeCode = :new.DegreeCode

and StudentNo = :new.StudentNo;

commit;

<https://tutorcs.com>

QQ: 749389476

2.1 Automatic Updates of Data Warehouse - Level 2



- In Level-2, we basically move the Student Dimension, to lower the granularity of the fact measure Number_of_Logins.
- All other dimensions are reused. Fact Level-2 reuses Fact Level-1, where the aggregation of the fact measure is increased.
- There is no need to have a TempFact in Level-2 because we can create the Fact in Level-2 by using **create view** from the Fact in Level-1.

QQ: 749389476

<https://tutorcs.com>

2.1 Automatic Updates of Data Warehouse - Level 2



```
create or replace view ComputerLabFactLevel2 as
select SemesterID, TimeID, DegreeCode,
       sum(Num_of_Logins) as Num_of_Logins
  from ComputerLabFactLevel1
 group by SemesterID, TimeID, DegreeCode,
```

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

2.2 Expiry Date



- In Active Data Warehousing, data keeps coming to the data warehouse. As time goes by, the data warehouse collects a good wealth of data, which is beneficial for decision making.
- In some decision making, decision makers often want to focus on recent data, as old ~~Assignment Project Exam Help~~ data (or very old data) in some applications may be meaningless, as the data has already expired.

WeChat: cstutorcs

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

2.2 Expiry Date



- In the Lab Activities study, the star schema uses Semester as a Dimension, without the Year. The fact measure includes all login records. Hence, the measure can be outdated.
WeChat: cstutorcs
- This raises the notion of **Expiry Date** or **Expiry Time**, where the data input to the data warehouse are limited by the time, and as the time goes by, the old data become less important or even irrelevant, and in this case, they should not contribute to the data warehouse anymore.
Email: tutorcs@163.com
QQ: 749389476

<https://tutorcs.com>

2.2 Expiry Date - Level 0

程序代写代做 CS编程辅导



- For the Level-0 staff, with fact measure, we can create a new Fact Table with a filtering condition on the Login Date (e.g. only to include the last 5 years' data)

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.2 Expiry Date - Level 0

程序代写代做 CS编程辅导

```
create table ComputerLa  
as  
select distinct
```



```
    LoginDate, LoginTime,
```

WeChat: cstutorcs

```
    count(L.StudentNo) as Num_of_Logins
```

Assignment Project Exam Help

```
from Student S, LabActivities L
```

```
where S.StudentNo = L.StudentNo
```

Email: tutorcs@163.com

```
and to_char(LoginDate, 'YYYY') >= '2015'
```

```
group by LoginDate, LoginTime, S.DegreeCode, L.StudentNo;
```

QQ: 749389476

<https://tutorcs.com>

2.2 Expiry Date - Level 0

程序代写代做 CS编程辅导



- For the Fact without an expiry date measure, the ***create view*** command can be used. However, a filtering clause must be used.
- The filtering clause is used to select which records from the underlying operational database to use in the star schema.

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.2 Expiry Date - Level 0

程序代写代做 CS编程辅导

```
create or replace view  
select distinct
```



```
FactLevel0 as
```

```
    LoginDate, LoginTime,
```

WeChat: cstutorcs

```
from Student S, LabActivities L
```

```
where S.StudentNo = L.StudentNo
```

```
and to_char(LoginDate, 'YYYY') >= '2015';
```

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.2 Expiry Date - Level 1

程序代写代做 CS编程辅导



- The Level-1 star schema includes the creation of TempFact and Fact Tables.
- When trimming old data from the data warehouse, we must execute the **delete** command manually.

Assignment Project Exam Help

delete from TempComputerLabFactLevel1
where to_char(LoginDate, 'YYYY') >= '2015',
WeChat: cstutorcs
Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.2 Expiry Date - Level 1

程序代写代做 CS编程辅导

```
create or replace trigger ReduceFactLevel1
after delete on TempComputerLabFactLevel1
for each row
```

```
begin
```

```
    update ComputerLabFactLevel1
```

```
    set Num_of_Logins = Num_of_Logins - 1
    where SemesterID = :old.SemesterID
```

```
        and TimeID = :old.TimeID
```

```
        and DegreeCode = :old.DegreeCode
```

```
        and StudentNo = :old.StudentNo;
```

```
    commit;
```

```
end ReduceFactLevel1;
```

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

2.2 Expiry Date - Level 2

程序代写代做 CS编程辅导



- The Level-2 Fact Table inherits the virtual table from the fact in Level-1. So, when Level-1 is up-to-date, Level-2 will be up-to-date as well.

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.3 Data Warehouse Rules Changed



- A consequence of Active Data Warehousing is that the design that was developed in the beginning when the data warehouse was first built might have changed due to new business rules or new requirements.
- So, an important question that must be answered when dealing with Active Data Warehousing not only relates to an incremental update of new data, but what happens if the rules have changed and what are the implications for the data warehouse.

<https://tutorcs.com>

2.3 Data Warehouse Rules Changed



- In the Lab Activities, Semester 1 study, Semester 1 is from 1-Jan to 15-Jul and Semester 2 is from 16-Jul to 31-Dec.
- Suppose the semester dates change. Instead of Semester 1 being from 1-Jan to 15-Jul, it is now from 1-Jan to 30-Jun, hence the two semesters are of equal length.

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.3 Data Warehouse Rules Changed - Level 0



- Since the Semester Dimension starts to exists from Level-1 upwards, the change of semester dates will not affect the Level-0 star schema as the Level-0 star schema does not have the Semester Dimension.

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.3 Data Warehouse Rules Changed - Level 1




- Two places that will be affected by the change of the semester dates:
 - 1) Semester Dimension: When the semester dates change, we can utilize a temporal dimension to store the history of the semester dates.

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.3 Data Warehouse Rules Changed - Level 1



2.3 Data Warehouse Rules Changed - Level 1



- 2) TempFact: The rule for changing new semester dates will very much affect how the TempFact is maintained or updated. Since TempFact has been created, we only need to change the database trigger.
- Assuming that the new semester date rule starts in 2021, the only change will be checking the Login Date for SemesterID.

WeChat: cstutorcs
Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.3 Data Warehouse Rules Changed - Level 1



- The Fact and the dimension trigger for the Fact will not change because it will only affect new records and the semester date rule has been handled in the TempFact.

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

2.3 Data Warehouse Rules Changed - Level 2



- The Level-2 star schema remains unchanged because it is based on the Level-1 star schema, where the fact in Level-2 is created using the **create view** command.
- If Level-1 is updated correctly, the updates will be correctly reflected in Level-2.

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

3 Data Warehousing Schema Evolution



- As Active Data Warehousing is time-boundless, the data warehousing requirements first used to design the data warehouse might have evolved over time.
WeChat: cstutorcs
- There might be a need to change the requirements.
Assignment Project Exam Help
- Consequently, data warehousing schema evolves over time. This is known as **Data Warehousing Schema Evolution**.

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

3 Data Warehousing Schema Evolution



- There are four types of warehousing schema evolution:
 - 1) Changes to a star schema at one level propagating to upper levels
 - 2) Changes to a star schema at one level which do not affect the upper levels
 - 3) Inserting a new star schema into the data warehouse, and
 - 4) Deleting a star schema from a data warehouse

Assignment Project Exam Help


Email: tutores@163.com

QQ: 749389476


<https://tutorcs.com>

程序代写代做 CS编程辅导

3 Data Warehousing Schema Evolution



(a) Changes propagating
to upper levels




(b) Changes not affecting
upper levels


Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>



(c) Inserting new
star schema



(d) Deleting star schema

程序代写代做 CS编程辅导

3.1 Changes Propagating to the Next Levels



- In a data warehouse setting of star schemas of various levels of granularity, where one star schema changes the structure, the changes may propagate to the upper levels of the star schema.
- In Active Data Warehousing, star schemas are reactive to changes, so change propagation must be dealt with in the next levels of the star schema.

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

3.1 Changes Propagating to the Next Levels



- In the Lab Activities dimension, the Semester Dimension does not contain any information about the Year. This means that the analysis is purely based on semester.
- The way to deal with this situation is by including the Year information into the Semester. Therefore, there will be a separate record for each semester/year.

WeChat: cstutorcs
Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 0



- The semester and year information will not appear until Level-1, so there are no changes to the Level-0 star schema.

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1



- In the Level-1 star diagram, the Semester Dimension is now changed to the Semester-Year Dimension, incorporating the year information to the dimension. Other dimensions remain unchanged.

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels

- Level 1



SemesterYearDIM
SemYearID
Semester
Year
Description

TimePeriodDIM
TimID
TimeDescription
StartTime
EndTime

DegreeDIM
DegreeCode
DegreeName
DegreeDuration

ComputerLabFACT
SemYearID
TimID
DegreeCode
StudentNo
Num of Logins

StudentDIM
StudentNo
FirstName
LastName
Gender
DOB
StudyType

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1



- The Semester Year dimension table must first be created when the data warehouse is built. The Semester Year information will be converted from the Login Date attribute in the operational database.

WeChat: cstutorcs
Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1



```
create table SemesterYear  
select distinct LoginDat  
from LabActivities;
```

WeChat: cstutorcs

```
alter table SemesterYearDimTemp  
add (
```

Email: tutorcs@163.com

SemYearID varchar2(10),

QQ: 749389476

Semester varchar2(2),

Year varchar2(4)

Description varchar2(20)

<https://tutorcs.com>

Assignment Project Exam Help

3.1 Changes Propagating to the Next Levels - Level 1

```
update SemesterYearDimT
set Semester = 'S1'
where to_char(LoginDate, 'MM/DD') >= '01/01'
and to_char(LoginDate, 'MM/DD') <= '06/30';
```



Assignment Project Exam Help
Email: tutorcs@163.com

QQ: 749389476

```
update SemesterYearDimTemp
set Year = to_char(LoginDate, 'YYYY');
```

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1

```
update SemesterYearDimT  
set SemYearID = Year ||
```



```
create table SemesterYearDim as  
select distinct(SemYearID), Semester, Year, Description  
from SemesterYearDimTemp;
```

WeChat: cstutorcs
Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1



- After the dimension is updated, the dimension must be maintained so that the new transaction records from the operational database will be immediately reflected in this star schema.

WeChat: cstutorcs
Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1



```
create or replace trigger Year
```

```
after insert on LabActiv
```

```
for each row
```

```
declare
```

```
TempSemester
```

```
SemesterYearDim.Semester%type;
```

```
TempYear
```

```
SemesterYearDim.Year%type;
```

```
TempSemesterYearID
```

```
SemesterYearDim.SemYearID%type;
```

```
TempDescription
```

```
SemesterYearDim.Description%type;
```

```
IsFound number;
```

WeChat: cstutorcs
Assignment Project Exam Help
Email: tutorcs@163.com
QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1



```
begin
  if to_char(:new.LoginDate) >= '01/01'
    and to_char(:new.LoginDate, 'MM/DD') <= '06/30'
    then
      TempSemester := 'S1';
    else TempSemester := 'S2';
  end if;
  TempYear := to_char(:new.LoginDate, 'YYYY');
  TempDescription := null;
  TempSemesterYearID := TempSemester || TempYear;
```

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1



```
select count(*) into IsFou  
from SemesterYearDim  
where SemYearID = TempSemesterYearID;
```

WeChat: cstutorcs

```
if IsFound = 0 then  
    insert into SemesterYearDim  
        values (TempSemesterYearID, TempSemester, TempYear, TempDescription);  
commit;  
end if;  
  
end AddSemesterYear;
```

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1

- A TempFact Table is created in the usual way but the Fact Table from Level-0 is re-used.



WeChat: cstutorcs

create table TempComputerLabFactLevel1 as

select distinct

Assignment Project Exam Help

LoginTime, LoginDate, Email: tutorcs@163.com

DegreeCode, StudentNo

from ComputerLabFactLevel0

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1



- Adding the SemYearID column into TempComputerLabFactLevel1 table can be tricky as Login Date needs to be converted to SemYearID.

WeChat: cstutorcs

Assignment Project Exam Help

alter table TempComputerLabFactLevel1
add (SemYearID varchar2(10));

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1



```
update TempComputerLabFactLevel1
set SemYearID = to_char(LoginDate, 'YYYY') || 'S1'
where to_char(LoginDate, 'MM/DD') >= '01/01'
and to_char(LoginDate, 'MM/DD') <= '06/30';
```

WeChat: cstutorcs
Assignment Project Exam Help

```
update TempComputerLabFactLevel1
set SemYearID = to_char(LoginDate, 'YYYY') || 'S2'
where to_char(LoginDate, 'MM/DD') >= '07/01'
and to_char(LoginDate, 'MM/DD') <= '12/31';
```

Email: tutorcs@163.com
QQ: 749389476
<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1



```
alter table TempComputerLabFactLevel1  
add (SemYearID varchar2(10));
```

```
update TempComputerLabFactLevel1
```

WeChat: cstutorcs

```
set SemYearID = to_char(LoginDate, 'YYYY') || 'S1'
```

Assignment Project Exam Help

```
where to_char(LoginDate, 'MM/DD') >= '10/01'  
and to_char(LoginDate, 'MM/DD') <= '06/30';
```

Email: tutorcs@163.com

```
update TempComputerLabFactLevel1
```

QQ: 749389476

```
set SemYearID = to_char(LoginDate, 'YYYY') || 'S2'
```

where to_char(LoginDate, 'MM/DD') >= '07/01'

and to_char(LoginDate, 'MM/DD') <= '12/31';

3.1 Changes Propagating to the Next Levels - Level 1



- Converting the LoginTime attribute to TimeID attribute.

```
alter table TempComputerLabFactLevel1 add (TimeID number);
```

WeChat: cstutorcs

```
update TempComputerLabFactLevel1  
set TimeID = '1'  
where to_char(LoginTime, 'HH24:MI') >= '06:00'
```

Assignment Project Exam Help

```
and to_char(LoginTime, 'HH24:MI') < '12:00';
```

Email: tutores@163.com
QQ: 749389476

```
update TempComputerLabFactLevel1 set TimeID = ...
```

```
update TempComputerLabFactLevel1 set TimeID = ...
```

<https://tutorcs.com>

程序代写代做 CS 编程辅导

3.1 Changes Propagating to the Next Levels

- Level 1



- Finally, the database is configured to automatically trigger an insertion to the TempFact
- The final Fact Table for Level 1 is created by aggregating the four dimension identifiers and counting the StudentNo.

WeChat: cstutorcs
Assignment Project Exam Help

select

Email: tutorcs@163.com

SemYearID, TimeID, DegreeCode, StudentNo,

count(StudentNo) as Num_of_logins from TempComputerLabFactLevel1

group by SemYearID, TimeID, DegreeCode, StudentNo;

QQ: 749389476
<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1



- Once the Fact Table has been created, to maintain this table, a database trigger must be used to ensure that when new records are inserted into the TempFact Table, they will be reflected in the Fact Table.

WeChat: cstutorcs
Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1



```
create or replace trigger tLevel1
after insert on TempComputerLabFactLevel1
for each row
declare IsFound number;
begin
    select count(*) into IsFound
    from ComputerLabFactLevel1
    where SemYearID = :new.SemYearID
        and TimeID = :new.TimeID
        and DegreeCode = :new.DegreeCode
        and StudentNo = :new.StudentNo;
```

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 1

```
if IsFound <> 0 then
    update ComputerLabFactLevel1
    set Num_of_Logins = Num_of_Logins + 1
    where SemYearID = :new.SemYearID
        and TimeID = :new.TimeID
        and DegreeCode = :new.DegreeCode
        and StudentNo = :new.StudentNo;
else
    insert into ComputerLabFactLevel1
    values (:new.SemYearID, :new.TimeID, :new.DegreeCode, :new.StudentNo, 1);
end if;
commit;
end UpdateFactLevel1;
```



WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 2



- The changes in the star schema, namely the changes of the Semester Year Dimension, are carried forward to the upper level: Level-2.
- The Level-2 star schema basically removes the Student Dimension from Level-1.

WeChat: cstutorcs

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.1 Changes Propagating to the Next Levels - Level 2



SemesterYearDIM
SemYearID
Semester
Year
Description

TimePeriodDIM
TimelD
TimeDescription
StartTime
EndTime

DegreeDIM
DegreeCode
DegreeName
DegreeDuration

ComputerLabFACT
SemYearID
TimelD
DegreeCode
Num_of_Logins

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

3.2 Changes Not Affecting the Next Levels




- There are cases where changes to a star schema on one level will not affect the next levels. Hence, the changes are isolated to that particular star schema.
- In the Lab Activities case study, assuming now that the requirement needs to include the Computer information in the data warehouse, the Computer Dimension needs to be added to the Level-0 star schema.
- The other four dimensions are unchanged and the fact measure also remains the same.

<https://tutorcs.com>

程序代写代做 CS编程辅导

3.2 Changes Not Affecting the Next Levels



程序代写代做 CS编程辅导

3.2 Changes Not Affecting the Next Levels



- From the schema perspective, adding the Computer Dimension to the Level-0 star schema will not affect the next levels since the Computer Dimension will not be used in the next levels.
- In the Level-1 star schema, granularity is reduced by focusing on semester and time period, the fact measure is how aggregated.
- There is no need to include the Computer Dimension in Level-1 as the granularity of the star schema in Level-1 is already reduced.

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

3.3 Inserting New Star Schema



- In the Lab Activities study, the jump in the granularity level from Level-0 to Level-1; that is, from Login Date and Login Time to Semester Year and Time Period (e.g. morning, afternoon, night) might be seen to be wide.
- It is possible to insert a new star schema between these levels. Suppose the proposed star schema is at the month and hour granularity level. **Email: tutorcs@163.com**

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

3.3 Inserting New Star Schema



MonthDIM
MonthID
Month
Year

HourDIM
HourID
StartTime
EndTime

DegreeDIM
DegreeCode
DegreeName
DegreeDuration

StudentDIM
StudentNo
FirstName
LastName
Gender
DOB
StudyType

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.3 Inserting New Star Schema

- Creation of the star schema



- The creation of this schema could be done in the usual way, that is, the Month Dimension, and the Hour Dimension can be created manually.
- The other two dimensions, Degree and Student Dimensions, can be reused from the Assignment Project Exam Help

WeChat: cstutorcs

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做CS编程辅导

3.3 Inserting New Star Schema - Creation of the star schema

- For the Fact Table (extracts records from the operational database)

```
create table ComputerLabFact as
select distinct
    to_char(LoginDate, 'YYYY') || to_char(LoginDate, 'MM') as MonthID,
    to_char(LoginDate, 'HH24') as HourID,
    S.DegreeCode, L.StudentNo,
    count(L.StudentNo) as Num_of_Logins
from Student S, LabActivities L
where S.StudentNo = L.StudentNo
group by
    to_char(LoginDate, 'YYYY') || to_char(LoginDate, 'MM'),
    to_char(LoginDate, 'HH24'),
    S.DegreeCode, L.StudentNo;
```

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.3 Inserting New Star Schema - Creation of the star schema

- For the Fact Table (extracts records from the Level-0FactTable)

```
create or replace view ComputerLabFactSubLevel1 as  
select distinct
```

```
    to_char(LoginDate, 'YYYY') || to_char(LoginDate, 'MM') as MonthID,  
    to_char(LoginTime, 'HH24') as HourID,  
    DegreeCode, StudentNo,  
    sum(StudentNo) as Num_of_Logins  
from ComputerLabFactLevel0  
group by  
    to_char(LoginDate, 'YYYY') || to_char(LoginDate, 'MM'),  
    to_char(LoginTime, 'HH24'),  
    DegreeCode, StudentNo;
```

WeChat: cstutorcs
Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.3 Inserting New Star Schema

- Maintaining the star schema

- After the initial creation of the new star schema, we need to implement database triggers that new transaction records in the operational database can immediately be incorporated into the data warehouse.
- The Month Dimension needs to be maintained because new transaction records may be for the new month which is not yet in the data warehouse.
- The Hour Dimension does not need to be maintained manually because the dimension contains the 24-hour period when it is created.
- The Fact Table does not need to be maintained manually either because the Fact Table is a view rather than a table.



WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

3.3 Inserting New Star Schema - Impact on the Sub-levels



- The Level-1 star schema includes the Semester Year Dimension and Time Period Dimension. These two dimensions were created directly using the Lab Activities table in the operational database. They do not rely on the lower level star schemas.

WeChat: cstutorcs
Assignment Project Exam Help

- The TempFact was created based on the Fact Table from the Level-0 star schema. Therefore, there won't be any inter-dependency between the Level-1 star schema and the new Sub-Level-1 star schema.

<https://tutorcs.com>

3.3 Inserting New Star Schema - Impact on the Levels

- The Fact Table will not be impacted either because the Level-2 star schema is based on its own Fact.

WeChat: cstutorcs

- The Level-2 star schema will not be impacted because the dimensions are reused, and the Fact Table is created using the create view command based on the Fact Table from the Level-1 star schema.

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

3.4 Deleting Star Schema



- In the Lab Activities study, there are a couple of implications for the Level-2 star schema when the Level-1 star schema is deleted.

WeChat: cstutorcs

- Dimensions: The Level-2 star schema shares three dimensions with the Level-1 star schema. When deleting the Level-1 star schema, we only remove the Fact Table; the dimension tables are not removed as they are still being used by the Level-2 star schema.

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

3.4 Deleting Star Schema



- Fact: The Fact Table for Level-2 is created using the ***create view*** command based on the Fact Table in Level-1. Since the Level-1 Fact Table is now removed, this will have an impact on the Fact Table for Level-2. The fact measure is also the same, which is an aggregate value of Number_of_Logins.

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4 Operational Database Evolution

- As the operational system is changed, the data warehousing requirements may also change.

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

4.1 Changes in the Table Structure



- In the Computer Lab Activities case study, in the original system, the Login Time is recorded but not the Logout Time.
- Supposing the Logout Time is recorded in the Lab Activities table in the operational database, this information (e.g. Logout Time) or the derived information (e.g. Duration of Login) can be included in the data warehouse.
- In this case, a new fact measure: Duration (or Total Duration), can be added to the star schema.

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.1 Changes in the Table Structure



程序代写代做 CS编程辅导

4.1 Changes in the Table Structure



- There are two possible solutions to deal with this.
- Option 1 is to update the existing star schemas.
- Option 2 is to build a new data warehouse, since the star schema now has new requirements.

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.1 Changes in the Table Structure



- Option 1 : update the existing star schemas
- The existing Level-0 Fact Table needs to be altered by adding a new attribute

WeChat: cstutorcs

Assignment Project Exam Help

alter table ComputerLabFactLevel0

add Total_Duration date;

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.1 Changes in the Table Structure



- Option 1 : update the existing star schemas
- To handle the new records, the database trigger can be used

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.1 Changes in the Table Structure



```
create or replace trigger factLevelNew0
```

```
after insert on LabAc
```

```
for each row
```

```
declare
```

```
    Degree Student.DegreeCode%type;
```

```
begin
```

```
    select DegreeCode into Degree
```

```
    from Student
```

```
    where StudentNo = :new.StudentNo;
```

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.1 Changes in the Table Structure



```
insert into ComputerLabFactLevel0  
values (:new.LoginDate, :new.LoginTime,  
       :Degree, :new.StudentNo, 1, :new.LogoutTime - :new.LoginTime);  
commit;  
end UpdateFactLevelNew0
```

WeChat: cstutorcs
Assignment Project Exam Help
Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.1 Changes in the Table Structure



- Option 2 : build a new data warehouse
 - The steps that need to be taken are the same as when building a new data warehouse

WeChat: cstutorcs

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.2 Changes in the E/R Schema



- Another type of change to the operational database is the addition of new entities (and hence new relationships) in the E/R diagram.
- Two areas of extension are applied in the Computer Lab Activities case study
Assignment Project Exam Help
 - 1) Create an entity to store the Room information
Email: tutorcs@163.com
 - 2) Add Software Access and Software entities that related to the lab
QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.2 Changes in the E/R Schema



程序代写代做 CS编程辅导

4.2 Changes in the E/R Schema



- The data warehouse has expanded into two Level-0s.
 - One is at the login granularity
 - The second is at the software access granularity

Assignment Project Exam Help


Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>


程序代写代做 CS编程辅导

4.2 Changes in the E/R Schema



程序代写代做 CS编程辅导

4.2 Changes in the E/R Schema



程序代写代做 CS编程辅导

4.3 Changes in the Operational Database



- All the operational systems, in which the data warehouse is based, may change.
- The old system is decommissioned and the new system is deployed.
- Table names may change, table structures may change; the entire design may change.

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.3 Changes in the Operational Database



- In the Lab Activities entity, suppose now the system that stores the computer lab activities is changed, then the Degree entity is no longer there.
- There is also a new system that keeps the enrolment records of students. It keeps track of every individual subject in which each student enrolls.

WeChat: cstutorcs


Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.3 Changes in the Operational Database



程序代写代做 CS编程辅导


4.3 Changes in the Operational Database



4.3 Changes in the Operational Database

- The data warehouse is built based on a star schema with five dimensions: Login Date, Login Time, Student, Degree, and Computer Dimensions, which is a Level-0 star schema.

WeChat: cstutorcs



程序代写代做 CS编程辅导

4.3 Changes in the Operational Database



- There are two options to deal with Active Data Warehousing when the operational databases have changed.
 - Option 1: Update existing star schema
 - Option 2: Create new star schema

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.3 Changes in the Operational Database



- Option 1: Update entire student master schema
- The Degree information needs to be taken from the new Student Enrolment database
- In the database trigger for the fact, it needs to obtain the degree information from the Student Enrolment system

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.3 Changes in the Operational Database

- Option 2: Create new star schema
- Create a separate star schema from each operational database and after that, the two star schemas are combined



WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com


QQ: 749389476

<https://tutorcs.com>

4.3 Changes in the Operational Database

- Option 2: Create new star schema
- The first star schema is based on the Computer Lab Activities operational database

WeChat: cstutorcs




程序代写代做 CS编程辅导

4.3 Changes in the Operational Database

- Option 2: Create new star schema
- The second star schema is based on the Student Enrolment operational database

WeChat: cstutorcs



程序代写代做 CS编程辅导

4.3 Changes in the Operational Database



- Option 2: Create new star schema
- Once the two star schemas are created, they need to be merged to form the final star schema.
- The first step is to copy the first star schema to the final star schema, and add a new column for the Degree Code.

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.3 Changes in the Operational Database

- Option 2: Create new schema

```
create table ComputerLabFactNew0a as  
select * from ComputerLabFact0a;
```



WeChat: cstutorcs

alter table ComputerLabFactNew0a

add (

Email: tutorcs@163.com

DegreeCode varchar2(10),

SemYearID varchar2(10),

QQ: 749389476

Semester varchar2(2),

Year varchar2(4));

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.3 Changes in the Operational Database



- Option 2: Create new fact table schema
- Because there is a different granularity level between the two star schemas, we need to have a temporary attribute to store the semester year information in the final Fact Table.
- Then, the SemYearID column is filled with the corresponding semester year information based on the Login Date.

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.3 Changes in the Operational Database

- Option 2: Create new schema

```
update ComputerLabFactNew0a
```

```
set Semester = 'S1'
```

WeChat: cstutorcs

```
where to_char(LoginDate, 'MM/DD') >= '01/01'
```

```
and to_char(LoginDate, 'MM/DD') <= '06/30';
```

Assignment Project Exam Help
Email: tutorcs@163.com

```
update ComputerLabFactNew0a
```

```
set Semester = 'S2'
```

QQ: 749389476

```
where Semester is null;
```

<https://tutorcs.com>

程序代写代做 CS编程辅导

4.3 Changes in the Operational Database

- Option 2: Create new fact table schema

```
update ComputerLabFactNew0a
```

```
set Year = to_char(LoginDate, 'YYYY')
```

WeChat: cstutorcs
Assignment Project Exam Help

```
update ComputerLabFactNew0a
```

```
set SemYearID = Year || Semester
```

QQ: 749389476

```
alter table ComputerLabFactNew0a
```

```
drop (Semester, Year); https://tutorcs.com
```

程序代写代做 CS编程辅导

4.3 Changes in the Operational Database



- Option 2: Create new star schema
- Finally, the final star schema is updated by filling in the correct Degree Code for each student, where the semester year information matches the two star schema.
- Once the final Fact Table is created, we need a database trigger that will automatically insert records into the final Fact Table when there are new records in the first Fact Table.

QQ: 749389476

<https://tutorcs.com>

Summary



- Active Data Warehousing studies inter-dependency between the operational database, which is the source of the data warehouse and the data warehouse itself, as well as among the star schemas of various levels of granularity in the data warehouse.
- There are three types of inter-dependencies studied in this chapter :
 - 1) Incremental updates
 - 2) Changes in the data warehouse
 - 3) Changes in the operational database
- Since inter-dependency can be quite complex in many cases, Active Data Warehousing is used only for applications that really need active data in the data warehouse.

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749589476

<https://tutorcs.com>