

# SEC204

程序代写代做 CS编程辅导

## Computer Architecture and Low Level Programming



Dr. Vasilios Kelefouras

WeChat: cstutorcs

Email: v.kelefouras@plymouth.ac.uk

Email: tutorcs@163.com

Website:

QQ: 749389476

<https://www.plymouth.ac.uk/staff/vasilios>

<https://tutorcs.com>

Date

30/10/2019

School of Computing  
(University of Plymouth)

# Overview

程序代写代做 CS编程辅导

2



## □ First, we'll briefly discuss development tools

- ▣ Assembler

- ▣ Linker

- ▣ Debugger

- ▣ Compiler

- ▣ Object code disassembler

WeChat: cstutorcs

Assignment Project Exam Help

Email: [tutorcs@163.com](mailto:tutorcs@163.com)

## □ Then we'll do practical activities

- ▣ Please see [Week\\_5b.pdf](#)

<https://tutorcs.com>

QQ: 749389476

# Assembler

## 程序代写代做 CS编程辅导



### ASSEMBLER

- Converts the Assembler source code to machine/binary code for the processor
- Assembly code varies for different assemblers (even for the same architecture)

`gcc file.c -S -o file.S` // generate the assembly from C

`gcc file.S -o file` // generate the binary

`gcc -c file.S -o file.o` // This will give object code file named file.o. It is binary but not executable

### Examples include

- MASM
- NASM
- GAS
- HLA

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

# Linker

程序代写代做 CS编程辅导

4

- The linker links together a set of object files to produce a binary file which can be directly executed
- Links objects: resolves undefined functions and memory address labels declared in the program code
- For external functions (e.g., printf) usually a second step is required to link the assembly object code with other external dynamic libraries and allow the executable to run on the host system
- `gcc file.o -o file` // Creates executable file from the object file test.o



WeChat: cstutorcs

Assignment Project Exam Help

Email: [tutorcs@163.com](mailto:tutorcs@163.com)

QQ: 749389476

<https://tutorcs.com>

# Debugger

程序代写代做 CS编程辅导

5



- Runs the program with a controlled “sandbox”
- Runs the program in a controlled environment, specifying runtime parameters
- Stops the program at any point within the program
- Examines data elements, such as memory locations or registers
- Changes elements in the program while it is running to help bug removal
- We will be using GDB
- To tell GCC to emit extra information for use by a debugger, add -g to your other options.
- `gcc test.c -o -g binary`

WeChat: cstutorcs

Assignment Project Exam Help

Email: [tutorcs@163.com](mailto:tutorcs@163.com)

QQ: 749389476

<https://tutorcs.com>

# GDB Basic Commands

程序代写代做 CS编程辅导

6



- break - Set a breakpoint
- watch - Set a watchpoint. Execution when a variable reaches the specific value
- info - observe system elements, such as registers, the stack, memory
- x - examine memory location
- print - Display variable values
- Run - Start execution
- list - List specified functions or lines
- next - Step to the next instruction in the program
- step - Step to the next instruction in the program
- cont - Continue executing the program from the stopped point
- until - Run the program until it reaches the specified source code line (or greater)

WeChat: cstutorcs

Assignment Project Exam Help

Email: tutorcs@163.com

QQ: 749389476

<https://tutorcs.com>

# COMPILER and DISASSEMBLER

程序代写代做 CS编程辅导

7



## COMPILER

- Converts high level assembly language and then into binary code for the processor to execute.
- `gcc test.c -o test` // Creates executable file test from C language program test.c

Assignment Project Exam Help

## DISASSEMBLER

- Takes a full executable program (or an object code file) and displays the assembly
- `objdump -d binary file` // shows the assembly of the binary file

Email: [tutorcs@163.com](mailto:tutorcs@163.com)

QQ: 749389476

<https://tutorcs.com>

# Reverse Engineering (1)

程序代写代做 CS编程辅导

8



- “Reverse engineering is the process of extracting the knowledge or design blueprint of anything man-made ... is usually conducted to obtain missing knowledge, ideas, and design philosophy when such information is unavailable. In some cases, the information is owned by someone who isn't willing to share them. In other cases, the information has been lost or destroyed.”

WeChat: cstutorcs

Assignment Project Exam Help

– *Secrets of Reverse Engineering, Eldad Eilam*  
Email: [tutorcs@163.com](mailto:tutorcs@163.com)

QQ: 749389476

<https://tutorcs.com>



# Reverse Engineering (2)

程序代写代做 CS编程辅导

9



- Reversing engineering your own software can show what others may learn from it
- If the software is supposed to “hide” information (e.g., encryption), make sure it works the way you think it should
- Preventing hackers from reverse engineering your code to find vulnerabilities
- Reverse engineering malicious software (malware) to prevent attacks
- Preventing stealing copyrighted information (digital rights)

WeChat: cstutorcs

Assignment Project Exam Help

Email: [tutorcs@163.com](mailto:tutorcs@163.com)

QQ: 749389476

<https://tutorcs.com>

# Any questions?

程序代写代做 CS编程辅导



WeChat: cstutorcs

Assignment Project Exam Help

Email: [tutorcs@163.com](mailto:tutorcs@163.com)

QQ: 749389476

<https://tutorcs.com>



*Now let's open **week5\_b.pdf***