8080-cs-710095375975-default.cs-asia-southeast1-yelo.cloudshell.dev

deKloud | AI | Must Read | Googs | Watch | Trading | DL | jobs

Note: This tool assumes you are authenticated in your environment (e.g., Cloud Shell or local gcloud auth login) with permissions for the project provided.

1. Link Trial Billing Account | 2. Setup AlloyDB

Create AlloyDB Cluster & Instance

Configure and deploy your AlloyDB environment.

Google Cloud Project ID

gen-ai-apac-project-2

Region *Loading regions...* (Refresh List)

us-central1 (Iowa)

Cluster Name

my-alloydb-cluster

Instance Name

my-primary-inst

Database Password

••••••••••••••••••••

Deployment Started...

Deployment Running...

Logs | Summary

```
Starting command: ./create_alloydb.sh gen-ai-apac-project-2 us-central1 gen-ai-apac-
project-2 my-alloydb-cluster my-primary-inst
Starting deployment for Project: gen-ai-apac-project-2...
Checking environment and authentication...
Running in Cloud Shell.
Setting project to gen-ai-apac-project-2...
Updated property [core/project].
Verifying permissions on project gen-ai-apac-project-2...
Authentication verified. Proceeding...
```

Note: This tool assumes you are authenticated in your environment (e.g., Cloud Shell or local `gcloud auth login`) with permissions for the project provided.

1. Link Trial Billing Account | 2. Setup AlloyDB

Create AlloyDB Cluster & Instance

Configure and deploy your AlloyDB environment.

Google Cloud Project ID

gen-ai-apac-project-2

Region *Loading regions...* **(Refresh List)**

us-central1 (Iowa)

Cluster Name

my-alloydb-cluster

Instance Name

my-primary-inst

Database Password

••••••••••••••••••••

Deployment Complete

Deployment Complete

Reveal Private IP & Copy

Logs | Summary

BASIC INFO

Cluster	my-alloydb-cluster
Instance	my-primary-inst
Region	us-central1
Project	gen-ai-apac-project-2

NETWORK

VPC Network	easy-alloydb-vpc
Subnet	easy-alloydb-subnet

Google Cloud | gen-ai-apac-project-2 | Search (/) for resources, docs, products, and more | Search

AlloyDB for Postgre...

- Get Started
- Clusters
- Backups

Clusters | Create cluster | Migrate data | Install AlloyDB Omni | Purchase AlloyDB Omni | Learn

Health issues | Collapse details | View all issue details

Nothing high priority

1 issue

- Availability configuration
- Data protection
- Security
- Performance & capacity
- Cost
- Other

Clusters are groups of instances of virtual machines that power your workload, and can include a primary instance and multiple read pool instances. All cluster resources share a storage layer, which scales to suit your needs. Learn more

Filter | Enter property name or value

Resource name	Resource type	Location	Read pool nodes	Maintenance	Issues	Private IP address	Actions
my-alloydb-cluster	Primary cluster	us-central1			View issues →		
Ready mary-inst	Primary instance	us-central1-a				10.92.0.2:5432	

Google Cloud | gen-ai-apac-project-2 | alloy | Search

AlloyDB for Postgre...

All clusters > Primary cluster
my-alloydb-cluster: Overview

Move data | + Create Secondary Cluster | Delete Cluster | Learn

Primary cluster

- Overview
- AlloyDB Studio
- System insights
- Query insights
- Data protection
- Connectivity
- Users
- Databases
- Operations

Location	us-central1 (Iowa) Low CO2
Total storage used	7.8 MB
Network	easy-alloydb-vpc
Maintenance	Upcoming: No maintenance scheduled right now. Edit Show details
Data replication	No streams found Start stream
Dataplex integration	Enabled Edit
Service Account	c-131261540068-aa0c4760@gcp-sa-alloydb.iam.gserviceaccount.com

Overview | Launchpad New

1 hour | 6 hours | 1 day | 7 days | 30 days | Custom

Chart
Mean CPU utilization

Go to Query Insights for more in-depth info on queries and performance

Instances in your cluster | + Add read pool

Google Cloud | gen-ai-apac-project-2 | alloy | Search

All clusters > Primary cluster my-alloydb-cluster: AlloyDB Studio > Primary instance my-primary-inst

Explorer

- postgres
  - Schema 7
    - public (Default)
      - Tables 0
      - Views 48
        - g_agg_stat_statements
        - g_columnar_activity
        - g_columnar_agg_stat_...
        - g_columnar_column_s...
        - g_columnar_columns
        - g_columnar_columns_...
        - g_columnar_index_par...
        - g_columnar_index_par...
        - g_columnar_indexes
        - g_columnar_indexes_i...
        - g_columnar_jobs
        - g_columnar_memory_...
        - g_columnar_native_sc...
        - g_columnar_policies
        - g_columnar_recomme...
        - g_columnar_recomme...
        - g_columnar_recomme...
        - g_columnar_relations
        - g_columnar_relations_...

Untitled query | Untitled query | Untitled query

Run | Save | Format | Clear | Valid

```
SELECT * FROM
  "google_ml"."cost_optimized_models_view" LIMIT 1000;
```

Results | Explanation

Execution time: 12.2 ms | Learn

1 Overview

2 Before you begin

3 Why AlloyDB for your business data & AI?

4 AlloyDB setup

5 Setup Illustrated

6 Cleanup

7 **Congratulations**

7. Congratulations

You're good to go!!!

Get started with setting up your data with AlloyDB quick & easy!!!