

CODE: NON

NULL 8

Alteisen

FOUNDER





ALTEISEN

NULL · FOUNDER

mail null@codenon.io

web codenon.io

ig @codenon.io

CODE: NON

tap or scan to save my contact

CODE: NON

VOID

BucDevGin

CO-FOUNDER · 02 / 02



BUCDEVGIN

VOID · CO-FOUNDER

mail void@codenon.io

web codenon.io

ig @codenon.io

CODE: NON

tap or scan to save my contact



CODE: NON

// founder

alteisen()

: null

{ role: "founder" } // tap → save contact

```
return {
  name: "Alteisen",
  mail: "null@codenon.io",
  web:  "codenon.io",
  ig:   "@codenon.io",
};
```



CODE: NON

// scan, or tap the front

CODE: NON

// co-founder

bucdevgin()

: void

{ role: "co-founder" } // tap → save contact

```
return {
  name: "BucDevGin",
  mail: "void@codenon.io",
  web:  "codenon.io",
  ig:   "@codenon.io",
};
```



CODE: NON

// scan, or tap the front

CODE: NON

null — the intentional absence
of a value.



ALTEISEN

NULL · FOUNDER



ALTEISEN

Ø · NULL · FOUNDER

mail null@codenon.io

web codenon.io

ig @codenon.io

CODE: NON

tap or scan to save my contact

CODE: NON

void — returns nothing, does everything.



BUCDEVGIN

VOID · CO-FOUNDER



BUCDEVGIN

◯ · VOID · CO-FOUNDER

mail void@codenon.io

web codenon.io

ig @codenon.io

CODE: NON

tap or scan to save my contact



01

CODE

Alteisen

Null · founder



ALTEISEN

NULL · FOUNDER

mail null@codenon.io

web codenon.io

ig @codenon.io

NON

BucDevGin

Void · co-founder



BUCDEVGIN

VOID · CO-FOUNDER

mail void@codenon.io

web codenon.io

ig @codenon.io

CODE: NON

we build what only your business does

ALTEISEN



DESIGNATION	NULL
UNIT	01 · FOUNDER
MAKER	CODE: NON
INTERFACE	NFC · QR

SN CN-0001 · TAP TO CONNECT





NAME Alteisen

MAIL null@codenon.io

WEB codenon.io

IG @codenon.io

SN **CN-0001** · SCAN OR TAP TO SAVE CONTACT

BUCDEVGIN



DESIGNATION	VOID
UNIT	02 · CO-FOUNDER
MAKER	CODE: NON
INTERFACE	NFC · QR

SN CN-0002 · TAP TO CONNECT





NAME BucDevGin

MAIL void@codenon.io

WEB codenon.io

IG @codenon.io

SN **CN-0002** · SCAN OR TAP TO SAVE CONTACT

Alteisen

Null — Founder

CODE: NON

null@codenon.io



codenon.io

Need something only your business does? We build it.

null@codenon.io

@codenon.io

BucDevGin

Void — Co-founder

CODE: NON

void@codenon.io



codenon.io

Need something only your business does? We build it.

void@codenon.io

@codenon.io

console ✕ 1

Uncaught TypeError:

Cannot read properties of null (reading '**Alteisen**')

```
    at CODE: NON (codenon.io:1:1)
    at tap (nfc:0:0)
```



CODE: NON

// founder

```
> codenon.contact("null")
< {
    name: "Alteisen",
    mail: "null@codenon.io",
    web:  "codenon.io",
    ig:   "@codenon.io" }
```



✓ 0 errors · tap or scan to save contact

warning [-Wvoid]:

'BucDevGin' returns void,
but does everything anyway.

in CODE: NON (codenon.io:2:1)
note: this is intended



CODE: NON

// co-founder

```
> codenon.contact("void")
< {
    name: "BucDevGin",
    mail: "void@codenon.io",
    web:  "codenon.io",
    ig:   "@codenon.io" }
```



✓ 0 errors · tap or scan to save contact

PERSONNEL FILE · CODE: NON · CN-0001

CODENAME

NULL



FIG. 1

NAME	**Alteisen**
ROLE	**Founder**
LOCATION	[redacted]
CLEARANCE	**LEVEL 0** [redacted]

CLASSIFIED

ATTACHMENT A · DECLASSIFIED



MAIL **null@codenon.io**

WEB **codenon.io**

IG **@codenon.io**

NOTES [redacted]

FILE CN-0001 · TAP OR SCAN TO OPEN · DO NOT DUPLICATE

PERSONNEL FILE · CODE: NON · CN-0002

CODENAME

VOID

NAME	BucDevGin
ROLE	Co-founder
LOCATION	[redacted]
CLEARANCE	LEVEL 0 [redacted]



FIG. 2

CLASSIFIED

ATTACHMENT A · DECLASSIFIED



MAIL **void@codenon.io**

WEB **codenon.io**

IG **@codenon.io**

NOTES [redacted]

FILE CN-0002 · TAP OR SCAN TO OPEN · DO NOT DUPLICATE



CODE: NON

SIGNAL: NULL

ALTEISEN

> null · founder

// tap to resolve



ALTEISEN

NULL · FOUNDER

mail null@codenon.io

web codenon.io

ig @codenon.io

CODE: NON

signal restored



CODE: NON

SIGNAL: VOID

BUGDEVGIN

> void · co-founder

// tap to resolve



BUCDEVGIN

VOID · CO-FOUNDER

mail void@codenon.io

web codenon.io

ig @codenon.io

CODE: NON

signal restored



CODE: NON

ALTEISEN

NULL · FOUNDER



ALTEISEN

NULL · FOUNDER

mail null@codenon.io

web codenon.io

ig @codenon.io

CODE: NON



CODE: NON

BUCDEVGIN

VOID · CO-FOUNDER



BUCDEVGIN

VOID · CO-FOUNDER

mail void@codenon.io

web codenon.io

ig @codenon.io

CODE: NON



ALTEISEN

FOUNDER

GROUP	CODE: NON
PERIOD	01
STATE	intentionally empty



ALTEISEN

Nl · NULL · FOUNDER


mail null@codenon.io

web codenon.io

ig @codenon.io

CODE: NON · group 0

tap or scan to save my contact



BUCDEVGIN

CO-FOUNDER

GROUP	CODE: NON
PERIOD	01
STATE	returns nothing



BUCDEVGIN

Vd · VOID · CO-FOUNDER

mail void@codenon.io

web codenon.io

ig @codenon.io

CODE: NON · group 0

tap or scan to save my contact



ALTEISEN

NULL · FOUNDER

CODE: NON



codenon.io

null@codenon.io
@codenon.io



BUCDEVGIN


VOID · CO-FOUNDER

CODE: NON



codenon.io

void@codenon.io
@codenon.io


CODE: NON BIOS SETUP UTILITY
Detecting units ..... done
Unit 0 ..... Alteisen
Designation ..... [NULL]
Title ..... Founder
NFC controller ..... present
Memory test ..... 0 KB OK
Press <TAP> to enter setup
v1.0 · codenon.io

BOOT MENU

1. NFC · tap the card
2. QR · scan the code
3. MAIL · null@codenon.io
4. WEB · codenon.io
5. IG · @codenon.io



↑↓ select · ⏎ boot

ESC: never

CODE: NON BIOS SETUP UTILITY

Detecting units	done
Unit 1	BucDevGin
Designation	[VOID]
Title	Co-founder
NFC controller	present
Return value	none, as designed

Press <TAP> to enter setup

v1.0 · codenon.io

BOOT MENU

1. NFC · tap the card
2. QR · scan the code
3. MAIL · void@codenon.io
4. WEB · codenon.io
5. IG · @codenon.io



↑↓ select · ⏎ boot

ESC: never

ALTEISEN NULL CODE:NON CN-0001


0 0 0



ALTEISEN

NULL · FOUNDER

mail null@codenon.io

web codenon.io

ig @codenon.io

DO NOT FOLD, SPINDLE OR MUTILATE

CODE: NON

B U C D E V G I N V O I D C O D E : N O N C N - 0 0 0 2





BUCDEVGIN

VOID · CO-FOUNDER

mail void@codenon.io

web codenon.io

ig @codenon.io

DO NOT FOLD, SPINDLE OR MUTILATE

CODE: NON

CODE: NON · FIELD MAP 01

0°N 0°E — where every missing value lands.



NULL ISLAND

0°00′00″N · 0°00′00″E

Alteisen · founder



ALTEISEN

0°N 0°E · NULL · FOUNDER

mail null@codenon.io

web codenon.io

ig @codenon.io

CODE: NON · FIELD MAP 02

The farthest point from any land. Pure void.



POINT NEMO

48°52′36″S · 123°23′36″W

BucDevGin · co-founder



BUCDEVGIN

48°S 123°W · VOID · CO-FOUNDER

mail void@codenon.io

web codenon.io

ig @codenon.io

CODE: NON · field map 02

tap or scan to save my contact

Side A — Null

C-60

Alteisen · founder

A



CODE: NON · TYPE I · NFC

codenon.io



Tracklist

A1 tap the card

A2 scan the code

A3 save my contact

null@codenon.io · @codenon.io

℗ CODE: NON

Side B — Void

C-60

BucDevGin · co-founder

B



CODE: NON · TYPE I · NFC

codenon.io



Tracklist

B1 tap the card

B2 scan the code

B3 save my contact

void@codenon.io · @codenon.io

℗ CODE: NON

CODE: NON · LINE 0

00:00



Alteisen · founder

now boarding · tap to connect



ALTEISEN

LINE 0 · NULL · FOUNDER

mail null@codenon.io

web codenon.io

ig @codenon.io

CODE: NON

next departure: now

CODE: NON · LINE 1 --:--



BucDevGin · co-founder

no further stops · tap to connect



BUCDEVGIN

LINE 1 · VOID · CO-FOUNDER

mail void@codenon.io

web codenon.io

ig @codenon.io

CODE: NON

next departure: now

CODE: NON · PASSPORT · PASSEPORT

P · CDN · CN0000001



SURNAME
NULL

GIVEN NAMES
Alteisen

NATIONALITY
CODE: NON

DATE OF ISSUE
2026

OCCUPATION
Founder

AUTHORITY
codenon.io

P<CDNNULL<<ALTEISEN<<<<<<<<<<<<<<<<<<<<<<<<<<<<
CN000000010CDN2601010X3101011<<<<<<<<<<<<<<04

VISA · CONTACT

null@codenon.io

ARRIVED
CODE:NON
★ 2026 ★

codenon.io
@codenon.io

ENTRY · NULL
tap to connect

CODE: NON · PASSPORT · PASSEPORT

P · CDN · CN0000002



SURNAME
VOID

GIVEN NAMES
BucDevGin

NATIONALITY
CODE: NON

DATE OF ISSUE
2026

OCCUPATION
Co-founder

AUTHORITY
codenon.io

P<CDNVOID<<BUCDEVGIN<<<<<<<<<<<<<<<<<<<<<<<<
CN000000020CDN2601010X3101011<<<<<<<<<<<<<<04

VISA · CONTACT



void@codenon.io

ARRIVED
CODE:NON
★ 2026 ★

codenon.io
@codenon.io

ENTRY · VOID
tap to connect