
01 Null & Void

FOUNDER · NULL





CO-FOUNDER · VOID






02 Return type

FOUNDER · NULL





CO-FOUNDER · VOID






03 Empty set / Event horizon

FOUNDER · NULL






CO-FOUNDER · VOID






04 CODE: / NON


FOUNDER · NULL






CO-FOUNDER · VOID





05 Spec plate

FOUNDER · NULL





CO-FOUNDER · VOID





06 Swiss

FOUNDER · NULL





CO-FOUNDER · VOID





07 Stack trace

FOUNDER · NULL

```
console                                   ✕ 1

Uncaught TypeError:
Cannot read properties of null
(reading 'Alteisen')
    at CODE: NON (codenon.io:1:1)
    at tap (nfc:0:0)

CODE: NON                                 // founder
```

```
> codenon.contact("null")
< {
    name: "Alteisen",
    mail: "null@codenon.io",
    web:  "codenon.io",
    ig:   "@codenon.io" }

✓ 0 errors · tap or scan to save contact
```

CO-FOUNDER · VOID

```
compiler                                  ⚠ 1

warning [-Wvoid]:
'BucDevGin' returns void,
but does everything anyway.
    in CODE: NON (codenon.io:2:1)
    note: this is intended

CODE: NON                                 // co-founder
```

```
> codenon.contact("void")
< {
    name: "BucDevGin",
    mail: "void@codenon.io",
    web:  "codenon.io",
    ig:   "@codenon.io" }

✓ 0 errors · tap or scan to save contact
```


08 Dossier

FOUNDER · NULL

PERSONNEL FILE · CODE: NON · CN-0001

CODENAME

NULL



NAME	Alteisen
ROLE	Founder
LOCATION	[redacted]
CLEARANCE	LEVEL 0 [redacted]

CLASSIFIED

ATTACHMENT A · DECLASSIFIED

MAIL	null@codenon.io
WEB	codenon.io
IG	@codenon.io
NOTES	[redacted]

FILE CN-0001 · TAP OR SCAN TO OPEN · DO NOT DUPLICATE

CO-FOUNDER · VOID

PERSONNEL FILE · CODE: NON · CN-0002

CODENAME

VOID



NAME	BucDevGin
ROLE	Co-founder
LOCATION	[redacted]
CLEARANCE	LEVEL 0 [redacted]

CLASSIFIED


ATTACHMENT A · DECLASSIFIED

MAIL	void@codenon.io
WEB	codenon.io
IG	@codenon.io
NOTES	[redacted]

FILE CN-0002 · TAP OR SCAN TO OPEN · DO NOT DUPLICATE


09 Glitch


FOUNDER · NULL






CO-FOUNDER · VOID






10 Halftone

FOUNDER · NULL





CO-FOUNDER · VOID





11 Element

FOUNDER · NULL





CO-FOUNDER · VOID





12 Foil

FOUNDER · NULL





CO-FOUNDER · VOID





13 BIOS

FOUNDER · NULL

```
CODE: NON BIOS SETUP UTILITY

  Detecting units ..... done
  Unit 0 ..... Alteisen
  Designation ..... [ NULL ]
  Title ..... Founder
  NFC controller ..... present
  Memory test ..... 0 KB OK

Press <TAP> to enter setup                    v1.0 · codenon.io
```

```
BOOT MENU

  1. NFC   · tap the card
  2. QR    · scan the code
  3. MAIL  · null@codenon.io
  4. WEB   · codenon.io
  5. IG    · @codenon.io

↑↓ select · ⏎ boot                            ESC: never
```

CO-FOUNDER · VOID

```
CODE: NON BIOS SETUP UTILITY

  Detecting units ..... done
  Unit 1 ..... BucDevGin
  Designation ..... [ VOID ]
  Title ..... Co-founder
  NFC controller ..... present
  Return value ..... none, as designed

Press <TAP> to enter setup                    v1.0 · codenon.io
```

```
BOOT MENU


  1. NFC   · tap the card
  2. QR    · scan the code
  3. MAIL  · void@codenon.io
  4. WEB   · codenon.io
  5. IG    · @codenon.io

↑↓ select · ⏎ boot                            ESC: never
```

14 Punch card

FOUNDER · NULL

CODE: NON · NULL · FOUNDER CN-0001



ALTEISEN


NULL · FOUNDER

mail null@codenon.io
web codenon.io
ig @codenon.io

DO NOT FOLD, SPINDLE OR MUTILATE CODE: NON

CO-FOUNDER · VOID

CODE: NON · VOID · CO-FOUNDER CN-0002



BUCDEVGIN


VOID · CO-FOUNDER

mail void@codenon.io
web codenon.io
ig @codenon.io

DO NOT FOLD, SPINDLE OR MUTILATE CODE: NON


15 Null Island / Point Nemo

FOUNDER · NULL





CO-FOUNDER · VOID






16 Mixtape

FOUNDER · NULL





CO-FOUNDER · VOID







17 LED sign


FOUNDER · NULL





CO-FOUNDER · VOID





18 Passport

FOUNDER · NULL





CO-FOUNDER · VOID

