SNAP - Developer Site BI

Background

Proper way to test developer site BI

Prerequisite

- Registered account on BI Developer Site
- Credentials for the application that will be tested on BI Developer Site

No	App Info	Status	Valid	Option
1	**App Name** DANA Indonesia **App Desc** Open Platform e wallet dengan berbagai fitur pembayaran online maupun offline **Client Id** [redacted] **Client Secret** [redacted] **Public Key** [redacted] **Private Key** [redacted]	active	Aug 09, 2022	+ Request Extend

Aplikasi Pengujian

- When To Use?
  - DANA wants to test API owned by external
  - External wants to test API owned by DANA
- Get Token

  a. Generate Signature Token

  Go to the Security API and choose /api/v1.0/utilities/signature-auth for generate signature based on your client id & private key. Click the execute button, then it will generate the signature.



  b. Generate B2B2C or B2B Token

  Go to the /api/v1.0/access-token/b2b2c or /api/v1.0/access-token/b2b API and paste the signature that has been generated from step a to x-signature, to generate a customer token. Use the sample request to payload body for a valid response, otherwise you can use another request depend on the case. Click execute to generate access token.

BANK INDONESIA

Beranda Info API Direktori Publikasi lahut.siboro@bina.id SNAP Developer Site

APLIKASI PENGUJIAN

Keamanan

- Overview
- Guides
- Code Snippets
- Response Code
- Aplikasi Pengujian

Keamanan

POST /api/v1.0/utilities/signature-auth API for generate Signature at Access Token

POST /api/v1.0/utilities/signature-service API for generate Signature at Service

POST /api/v1.0/access-token/b2b API for generate Access Token B2B

Sample Request

```
{
  "grantType":"client_credentials",
  "additionalInfo":{

  }
}
```

Parameters Cancel

Name	Description
Content-Type * required string (header)	e.g. application/json Content-Type - e.g. application/json
X-TIMESTAMP * required string (header)	e.g. 2020-01-01T00:00:00+07:00 X-TIMESTAMP - e.g. 2020-01-01T00:00:00+07:00
X-CLIENT-KEY * required string (header)	Please use your client id X-CLIENT-KEY - Please use your client id
X-SIGNATURE * required string (header)	e.g. 7c8f0a2a7e9f6b72f7a6fb67f5e2e63c8d47f4 X-SIGNATURE - e.g. 7c8f0a2a7e9f6b72f7a6fb67f5e2e4
body * required (body)	Edit Value | Model

```
{
  "grantType":"client_credentials",
  "additionalInfo":{

  }
}
```

Cancel

Parameter content type: application/json

Execute

Responses Response content type: application/json

Code	Description
200	Success

POST /api/v1.0/access-token/b2b2c API for generate Access Token B2B2C

© 2022 - SNAP Developer Site



- Generate API Signature

  Go to the /api/v1.0/utilities/signature-service on Security API Section, and fill the required field. e.g: /api/v1.0/balance-inquiry, fill endpoinUrl with specific api endpoin (this case using /api/v1.0/balance-inquiry), access token from generated token from previous steps (B2B2C or B2B), and body payload you should fill this with payload that you want to request on the specific api.

  Notes: If the request body that put on signature-service and request body that put on specific api different will get Invalid Signature.



- Test specific as Pengguna API

  Go to the specific API that you want to test. e.g: /api/v1.0/balance-inquiry, choose Balance Information and click balance inquiry API. After choose the API, fill the required header field. Field Authorization with B2B token and field Authorization-Customer with B2B2C token that has been generated from previous step, and X-Signature with generated API signature service in previous step. Other than that field, you can fill with the example value. Then click execute, and the result would be listed on application testing activities.

BANK INDONESIA

Beranda Info API Direktori Publikasi lahot.siboro@bi.go.id SNAP Developer Site

Informasi Saldo

- Overview
- Guides
- Code Snippets
- Response Code
- Aplikasi Pengujian

APLIKASI PENGUJIAN

BalanceInquiry

POST /api/v1.0/balance-inquiry API Balance Inquiry

Please use this value for sandbox:

accountNo : 2000100101

Sample Request


```
{
  "partnerReferenceNo":"20201029000000000001",
  "bankCardToken":"6d79631712647464b6e56a",
  "accountNo":"2000100101",
  "balanceTypes":[
    "Cash",
    "Coins"
  ],
  "additionalInfo":{
    "deviceId":"12345678237",
    "channel":"mobilephone"
  }
}
```


Parameters Cancel

Name	Description
Content-Type * required string (header)	e.g application/json Content-Type - e.g application/json
Authorization * required string (header)	Format : Bearer (access token) e.g Bearer eyJhbGciOi Authorization - Format : Bearer (access token) e.g Bearer
Authorization-Customer string (header)	Mandatory at B2B2C use case. Format : Bearer (access token) e.g Bearer eyJhbGciOi Authorization-Customer - Mandatory at B2B2C use case
X-TIMESTAMP * required string (header)	e.g 2020-01-01T00:00:00+07:00 X-TIMESTAMP - e.g 2020-01-01T00:00:00+07:00
X-SIGNATURE * required string (header)	e.g 7c8f0a2a7e96fb73f7ab9b675e2a42c3c647f X-SIGNATURE - e.g 7c8f0a2a7e96fb73f7ab9b675e2a4c
ORIGIN string (header)	e.g www.yourdomain.com ORIGIN - e.g www.yourdomain.com
X-PARTNER-ID * required string (header)	Please use your client id X-PARTNER-ID - Please use your client id
X-EXTERNAL-ID * required string (header)	e.g 41807553358950050018441621807937 X-EXTERNAL-ID - e.g 41807553358950050018441621807
X-IP-ADDRESS string (header)	e.g 172.24.251.24 X-IP-ADDRESS - e.g 172.24.251.24
X-DEVICE-ID string (header)	Mandatory at B2B2C use case. e.g 0986ANDCASA X-DEVICE-ID - Mandatory at B2B2C use case. e.g 0986
CHANNEL-ID * required string (header)	e.g 95221 CHANNEL-ID - e.g 95221
X-LATITUDE string (header)	e.g -6.1817169 X-LATITUDE - e.g -6.1817169
X-LONGITUDE string (header)	e.g 106.8842084 X-LONGITUDE - e.g 106.8842084
body * required (body)	Edit Value | Model


```
{
  "partnerReferenceNo":"20201029000000000001",
  "bankCardToken":"6d79631712647464b6e56a",
  "accountNo":"2000100101",
  "balanceTypes":[
    "Cash",
    "Coins"
  ],
  "additionalInfo":{
    "deviceId":"12345678237",
    "channel":"mobilephone"
  }
}
```


Cancel

Parameter content type: application/json

Execute

Responses Response content type: application/json

Code	Description
200	Success

© 2022 - SNAP Developer Site



Client Simulator

- When To Use?
  - DANA wants to test API owned by DANA
  - External wants to test API owned by External

This section describe step to test on API (Penyedia), to record our request & response from account inquiry. This section is the most same thing with testing API from Postman collection.

- Login to https://apidevportal.bi.go.id/snap/
- Open Client Simulator on profile drop down button
- Fill required (*) field, adjust the field based on request/case that you want to produce. For example this request below is to record a success response from account inquiry



- Click send to record request & response in dev site BI
- If the request don't sent successful, and got infinite loading at the send button like this picture below, try to inspect the request.

- And if result like this json below, This is happen because of 100% routing to APIGEE, so we need to request to SRE team to set 100% route to Super GW

```
{
    "responseCode": "4053700",
    "responseMessage": "Requested function is not supported",
    "customerNumber": "",
    "amount": {}
}
```

- If the request was sent successful, the result will appear in Client Simulator Activity in profile dropdown button