
## FUNDAMENTALS OF ARTIFICIAL INTELLIGENCE - CS161 Fall 2015

Programming Assignment 2 - Due 11:55pm Thursday, October 15

## **Homework Guidelines:**

- Submit your commented LISP program in a file named **hw2.lsp** via **CCLE**.
- Your programs should be written in good style. In LISP, a comment is any characters following a semicolon (;) on a line. Provide an overall comment explaining your solutions. Furthermore, every function should have a header comment explaining precisely what its arguments are, and what value it returns in terms of its arguments. In addition, you should use meaningful variable names.
- The physical layout of the code on the page is very important for making LISP programs readable. Make sure that you use blank lines between functions and indent properly. Programming style will be a major consideration in grading the assignment.
- You are restricted to using the following functions, predicates, and operators introduced in class: quote ['], car, cdr [cadadr, etc.], first, second [third, etc.], rest, cons, list, append, length, numberp, stringp, listp, atom, symbolp, oddp, evenp, null, not, and, or, cond, if, equal, defun, let, let\*, =, <, >, +, -, \*, /. Note: you are not permitted to use setq.
- You may assume that all input to your functions are legal, i.e., you do not need to validate inputs.
- Do not write any additional helper functions for your code unless this is explicitly allowed. Test functions are OK.
- Your function declarations should look exactly as specified in this assignment. Make sure the
  functions are spelled correctly, take the correct number of arguments, and those arguments are in the
  correct order
- Even if you are not able to implement working versions of these functions, please include a correct skeleton of each. Some of these assignments are auto graded and having missing functions is problematic.

The first two problems are to implement two brute-force search algorithms: depth-first and depth-first iterative-deepening. The search trees will be represented as lists in which a leaf node is represented by an atom, and a non-leaf node is represented by a list of its child nodes. For example, the list ((W X) (Y Z)) represents the complete two-level binary tree shown below on the left, and the list ((A (B)) C (D)) represents the tree shown below on the right.



The third problem is to implement a depth-first solver for the missionary-cannibal problem discussed in class using a code skeleton.

- 1. Write a single pure LISP function, called DFS, that performs a depth-first search of a tree. The function should take a single argument that is the list representation of the tree, and return a single, top-level list of the terminal nodes in the order they would be visited by a left-to-right depth-first search. For example, (dfs '((A (B)) C (D))) would return (A B C D). Do not use any auxiliary functions.
- 2. Write a *set* of pure LISP functions that implement depth-first iterative-deepening. Your top-level function, called DFID, should take two arguments, the list representation of the tree, and an integer representing the maximum depth of the tree, and return a single top-level list of the terminal nodes in the order that they would be visited by a left-to-right depth-first iterative-deepening search. Note that those nodes that are visited in multiple iterations will appear multiple times in the output list. For example, (dfid '((A (B)) C (D)) 3) would return (C A C D A B C D).

Each of these functions must work for trees of arbitrary depth and branching factor, and hence you may not assume any a priori upper bound on these parameters. Be sure to exhibit sufficient test cases to convince yourself and us that your programs work in general. Try at least the examples above, as well as the list (A (B C) (D) (E (F G))).

3. Implement a depth-first solver for the missionary-cannibal problem that was described in class. To implement this solver, we provide you with a code skeleton (hw2\_skeleton.lsp). Implement the functions in the code skeleton as described in their associated comments. DO NOT CHANGE THE FUNCTION NAMES OR PARAMETERS. Also do not write any additional functions.