Anexo A. Catálogo de endpoints por servicio

Versión 1.0 · 28 de octubre de 2026. Lista las rutas públicas de la API (`/api/v1`) que expone cada servicio, extraídas con una lectura automática de los controladores de cada repositorio en `main` (el contrato completo, con cuerpos y respuestas, está en el Swagger de cada servicio en modo desarrollo). El API gateway reparte cada ruta a su servicio; cualquier otra ruta responde 404. Las rutas internas (`/internal/**`) solo se aceptan desde la red de Docker con `X-Internal-Token` y el gateway nunca las reenvía, por lo que aquí solo se cuentan.

Servicio de seguridad (`en-monitor-security-service`, puerto 8082)

21 rutas públicas y 3 internas.

Método	Ruta	Controlador
GET	`/api/v1/admin/roles`	AdminController
GET	`/api/v1/admin/users`	AdminController
DELETE	`/api/v1/admin/users/{idUser}/roles/{roleName}`	AdminController
PUT	`/api/v1/admin/users/{idUser}/roles/{roleName}`	AdminController
PUT	`/api/v1/admin/users/{idUser}/status`	AdminController
GET	`/api/v1/auth/account`	AuthController
POST	`/api/v1/auth/account/delete`	AuthController
POST	`/api/v1/auth/account/delete/code`	AuthController
POST	`/api/v1/auth/email/verification/resend`	AuthController
POST	`/api/v1/auth/email/verify`	AuthController
POST	`/api/v1/auth/google`	AuthController
POST	`/api/v1/auth/login`	AuthController
POST	`/api/v1/auth/logout`	AuthController
POST	`/api/v1/auth/password/change`	AuthController
POST	`/api/v1/auth/password/forgot`	AuthController
POST	`/api/v1/auth/password/reset`	AuthController
GET	`/api/v1/auth/permissions`	AuthController
PUT	`/api/v1/auth/profile`	AuthController
POST	`/api/v1/auth/refresh`	AuthController
POST	`/api/v1/auth/register`	AuthController
GET	`/api/v1/support/contacts`	SupportController

Servicio de dispositivos (`en-monitor-device-service`, puerto 8084)

6 rutas públicas y 4 internas.

Método	Ruta	Controlador
GET	`/api/v1/appliance-types`	ApplianceTypeController
GET	`/api/v1/homes/{homeId}/devices`	HomeDeviceController
POST	`/api/v1/homes/{homeId}/devices`	HomeDeviceController
DELETE	`/api/v1/homes/{homeId}/devices/{deviceId}`	HomeDeviceController
PUT	`/api/v1/homes/{homeId}/devices/{deviceId}`	HomeDeviceController

Método	Ruta	Controlador
POST	`/api/v1/homes/{homeId}/devices/{deviceId}/credentials`	HomeDeviceController

Servicio de mediciones (`en-monitor-measurement-service`, puerto 8085)

6 rutas públicas y 3 internas.

Método	Ruta	Controlador
GET	`/api/v1/consumption-levels`	ConsumptionLevelController
GET	`/api/v1/homes/{homeId}/consumption/history`	HomeConsumptionController
GET	`/api/v1/homes/{homeId}/consumption/summary`	HomeConsumptionController
GET	`/api/v1/measurements`	MeasurementController
GET	`/api/v1/measurements/latest`	MeasurementController
GET	`/api/v1/measurements/statistics`	MeasurementController

Servicio de hogares (`en-monitor-home-service`, puerto 8086)

14 rutas públicas y 4 internas.

Método	Ruta	Controlador
GET	`/api/v1/home-types`	HomeTypeController
GET	`/api/v1/home-types/{idHomeType}`	HomeTypeController
GET	`/api/v1/homes`	HomeController
POST	`/api/v1/homes`	HomeController
POST	`/api/v1/homes/join`	HomeController
DELETE	`/api/v1/homes/{homeId}`	HomeController
PUT	`/api/v1/homes/{homeId}/favorite`	HomeController
GET	`/api/v1/homes/{homeId}/members`	HomeController
DELETE	`/api/v1/homes/{homeId}/members/me`	HomeController
DELETE	`/api/v1/homes/{homeId}/members/{userId}`	HomeController
PUT	`/api/v1/homes/{homeId}/owner`	HomeController
GET	`/api/v1/homes/{homeId}/thresholds`	HomeThresholdsController
PUT	`/api/v1/homes/{homeId}/thresholds`	HomeThresholdsController
POST	`/api/v1/homes/{homeId}/thresholds/defaults`	HomeThresholdsController

Servicio de notificaciones (`en-monitor-notification-service`, puerto 8087)

15 rutas públicas y 0 internas.

Método	Ruta	Controlador
GET	`/api/v1/admin/notifications`	AdminNotificationsController
DELETE	`/api/v1/admin/notifications/{id}`	AdminNotificationsController
PUT	`/api/v1/admin/notifications/{id}/read`	AdminNotificationsController
GET	`/api/v1/notifications/activity`	ActivityNotificationsController
PUT	`/api/v1/notifications/activity/read`	ActivityNotificationsController
DELETE	`/api/v1/notifications/activity/{id}`	ActivityNotificationsController
PUT	`/api/v1/notifications/activity/{id}/read`	ActivityNotificationsController

Método	Ruta	Controlador
GET	`/api/v1/notifications/preferences`	NotificationChannelsController
PUT	`/api/v1/notifications/preferences`	NotificationChannelsController
POST	`/api/v1/notifications/push/devices`	NotificationChannelsController
GET	`/api/v1/notifications/push/devices/available`	NotificationChannelsController
POST	`/api/v1/notifications/push/devices/remove`	NotificationChannelsController
GET	`/api/v1/notifications/push/public-key`	NotificationChannelsController
POST	`/api/v1/notifications/push/subscriptions`	NotificationChannelsController
POST	`/api/v1/notifications/push/subscriptions/remove`	NotificationChannelsController

Servicio de alertas (`en-monitor-alert-service`, puerto 8088)

5 rutas públicas y 0 internas.

Método	Ruta	Controlador
DELETE	`/api/v1/alerts`	AlertController
GET	`/api/v1/alerts`	AlertController
DELETE	`/api/v1/alerts/{idAlert}`	AlertController
GET	`/api/v1/alerts/{idAlert}`	AlertController
PUT	`/api/v1/alerts/{idAlert}/read`	AlertController

Servicio de recomendaciones (`en-monitor-recommendation-service`, puerto 8089)

4 rutas públicas y 0 internas.

Método	Ruta	Controlador
DELETE	`/api/v1/recommendations`	RecommendationController
GET	`/api/v1/recommendations`	RecommendationController
DELETE	`/api/v1/recommendations/{idRecommendation}`	RecommendationController
PUT	`/api/v1/recommendations/{idRecommendation}/read`	RecommendationController

Resumen

Los siete servicios exponen 71 rutas públicas y 14 internas. El gateway no declara rutas propias: solo reparte las de los servicios, valida el token y rechaza `/internal/**`.

Versión en inglés: ../EN/annex-a-endpoint-catalog.md