

trends_and_repetitions_report_customer.txt

TBD2 pipeline output - rendered to PDF

Metrics Trends:

CSR10101: Decreasing

CSR10102: Stable

CSR10103: Decreasing

CSR10104: Increasing

CSR10105: Decreasing

CSR10106: Increasing

CSR10107: Stable

CSR10108: Increasing

CSR10109: Stable

CSR10110: Stable

CSR10111: Increasing

CSR10112: Increasing

CSR10113: Stable

CSR10114: Increasing

CSR10115: Decreasing

CEM10101: Decreasing

CEM10102: Stable

CEM10103: Decreasing

CEM10104: Increasing

CEM10105: Increasing

CEM10106: Decreasing

CEM10107: Increasing

CEM10108: Stable

CEM10109: Stable

CEM10110: Decreasing

CEM10111: Increasing

CEM10112: Stable

CEM10113: Decreasing

CEM10114: Increasing

ORH10101: Stable

ORH10102: Decreasing

ORH10103: Stable

ORH10104: Decreasing

ORH10105: Decreasing

ORH10106: Increasing

ORH10107: Increasing
ORH10108: Increasing
ORH10109: Decreasing
ORH10110: Stable
ORH10111: Decreasing
ORH10112: Stable
ORH10113: Decreasing
ORH10114: Increasing
ORH10115: Stable
CRM10101: Decreasing
CRM10102: Increasing
CRM10103: Increasing
CRM10104: Stable
CRM10105: Decreasing
CRM10106: Stable
CRM10107: Stable
CRM10108: Stable
CRM10109: Decreasing
CRM10110: Decreasing
CRM10111: Stable
CRM10112: Stable
CRM10113: Increasing
CRM10114: Increasing
CRM10115: Stable
CRM10116: Stable
CRM10117: Decreasing
CRM10118: Stable
CRM10119: Decreasing
ITM10101: Decreasing
ITM10102: Stable
ITM10103: Decreasing
ITM10104: Increasing
ITM10105: Stable
ITM10106: Increasing
ITM10107: Stable
ITM10108: Stable
ITM10109: Increasing
ITM10110: Increasing
ITM10111: Decreasing
ITM10112: Stable

ITM10113: Increasing
ITM10114: Increasing
ITM10115: Stable
ITM10116: Increasing
ITM10117: Increasing
ITM10118: Increasing
ITM10119: Stable
CIM10101: Increasing
CIM10102: Increasing
CIM10103: Stable
CIM10104: Stable
CIM10105: Decreasing
CIM10106: Stable
CIM10107: Stable
CIM10108: Stable
CIM10109: Increasing
CIM10110: Decreasing
CIM10111: Increasing
CIM10112: Decreasing
CIM10113: Stable
CIM10114: Stable
CIM10115: Increasing
CIM10116: Stable
CIM10117: Stable
CIM10118: Decreasing
CIM10119: Increasing
CPM10101: Stable
CPM10102: Increasing
CPM10103: Stable
CPM10104: Decreasing
CPM10105: Decreasing
CPM10106: Increasing
CPM10107: Increasing
CPM10108: Stable
CPM10109: Increasing
CPM10110: Stable
CPM10111: Decreasing
CPM10112: Increasing
CPM10113: Decreasing
CPM10114: Decreasing

CPM10115: Decreasing
CPM10116: Increasing
CPM10117: Increasing
CPM10118: Increasing
CPM10119: Stable
QSL10101: Stable
QSL10102: Decreasing
QSL10103: Stable
QSL10104: Stable
QSL10105: Stable
QSL10106: Increasing
QSL10107: Stable
QSL10108: Stable
QSL10109: Stable
QSL10110: Stable
QSL10111: Stable
QSL10112: Stable
QSL10113: Decreasing
QSL10114: Increasing
QSL10115: Decreasing
QSL10116: Stable
QSL10117: Stable
QSL10118: Stable
QSL10119: Decreasing
BIM10101: Decreasing
BIM10102: Increasing
BIM10103: Decreasing
BIM10104: Stable
BIM10105: Stable
BIM10106: Increasing
BIM10107: Decreasing
BIM10108: Decreasing
BIM10109: Decreasing
BIM10110: Decreasing
BIM10111: Stable
BIM10112: Stable
BIM10113: Decreasing
BIM10114: Stable
BIM10115: Increasing
BIM10116: Increasing

BIM10117: Decreasing
BIM10118: Increasing
BIM10119: Stable
BPR10101: Increasing
BPR10102: Increasing
BPR10103: Stable
BPR10104: Stable
BPR10105: Decreasing
BPR10106: Increasing
BPR10107: Increasing
BPR10108: Increasing
BPR10109: Increasing
BPR10110: Increasing
BPR10111: Decreasing
BPR10112: Increasing
BPR10113: Stable
BPR10114: Stable
BPR10115: Increasing
BPR10116: Decreasing
BPR10117: Stable
BPR10118: Increasing
BPR10119: Increasing
BIH10101: Decreasing
BIH10102: Stable
BIH10103: Stable
BIH10104: Stable
BIH10105: Decreasing
BIH10106: Decreasing
BIH10107: Decreasing
BIH10108: Increasing
BIH10109: Decreasing
BIH10110: Decreasing
BIH10111: Stable
BIH10112: Increasing
BIH10113: Stable
BIH10114: Stable
BIH10115: Stable
BIH10116: Stable
BIH10117: Stable
BIH10118: Stable

BIH10119: Increasing
BEV10101: Increasing
BEV10102: Stable
BEV10103: Decreasing
BEV10104: Stable
BEV10105: Decreasing
BEV10106: Stable
BEV10107: Stable
BEV10108: Stable
BEV10109: Stable
BEV10110: Stable
BEV10111: Decreasing
BEV10112: Increasing
BEV10113: Increasing
BEV10114: Stable
BEV10115: Increasing
BEV10116: Stable
BEV10117: Stable
BEV10118: Decreasing
BEV10119: Increasing
CHG10101: Decreasing
CHG10102: Stable
CHG10103: Stable
CHG10104: Stable
CHG10105: Decreasing
CHG10106: Increasing
CHG10107: Stable
CHG10108: Decreasing
CHG10109: Decreasing
CHG10110: Stable
CHG10111: Decreasing
CHG10112: Decreasing
CHG10113: Stable
CHG10114: Decreasing
CHG10115: Stable
CHG10116: Stable
CHG10117: Increasing
CHG10118: Stable
CHG10119: Stable
CBC10101: Increasing

CBC10102: Stable
CBC10103: Decreasing
CBC10104: Increasing
CBC10105: Stable
CBC10106: Increasing
CBC10107: Increasing
CBC10108: Increasing
CBC10109: Decreasing
CBC10110: Decreasing
CBC10111: Increasing
CBC10112: Stable
CBC10113: Decreasing
CBC10114: Stable
CBC10115: Stable
CBC10116: Decreasing
CBC10117: Decreasing
CBC10118: Decreasing
CBC10119: Decreasing
RTN10101: Decreasing
RTN10102: Stable
RTN10103: Increasing
RTN10104: Increasing
RTN10105: Decreasing
RTN10106: Decreasing
RTN10107: Increasing
RTN10108: Decreasing
RTN10109: Increasing
RTN10110: Stable
RTN10111: Stable
RTN10112: Increasing
RTN10113: Decreasing
RTN10114: Decreasing
RTN10115: Stable
RTN10116: Stable
RTN10117: Increasing
RTN10118: Decreasing
RTN10119: Decreasing
CII10101: Decreasing
CII10102: Decreasing
CII10103: Decreasing

CII10104: Stable
CII10105: Decreasing
CII10106: Stable
CII10107: Stable
CII10108: Stable
CII10109: Stable
CII10110: Stable
CII10111: Increasing
CII10112: Stable
CII10113: Decreasing
CII10114: Decreasing
CII10115: Decreasing
CII10116: Stable
CII10117: Increasing
CII10118: Increasing
CII10119: Increasing
CCM10101: Decreasing
CCM10102: Decreasing
CCM10103: Stable
CCM10104: Decreasing
CCM10105: Stable
CCM10106: Stable
CCM10107: Increasing
CCM10108: Increasing
CCM10109: Increasing
CCM10110: Increasing
CCM10111: Increasing
CCM10112: Stable
CCM10113: Decreasing
CCM10114: Decreasing
CCM10115: Increasing
CCM10116: Stable
CCM10117: Stable
CCM10118: Stable
CCM10119: Increasing
CSP10101: Increasing
CSP10102: Stable
CSP10103: Increasing
CSP10104: Increasing
CSP10105: Stable

CSP10106: Increasing
CSP10107: Decreasing
CSP10108: Increasing
CSP10109: Increasing
CSP10110: Stable
CSP10111: Decreasing
CSP10112: Increasing
CSP10113: Stable
CSP10114: Increasing
CSP10115: Decreasing
CSP10116: Stable
CSP10117: Stable
CSP10118: Decreasing
CSP10119: Increasing
CFS10101: Increasing
CFS10102: Increasing
CFS10103: Decreasing
CFS10104: Stable
CFS10105: Stable
CFS10106: Stable
CFS10107: Stable
CFS10108: Stable
CFS10109: Decreasing
CFS10110: Stable
CFS10111: Decreasing
CFS10112: Stable
CFS10113: Decreasing
CFS10114: Stable
CFS10115: Stable
CFS10116: Increasing
CFS10117: Stable
CFS10118: Decreasing
CFS10119: Decreasing

Metrics Repetitions (Fourier Analysis):

CSR10101: No clear repetition (potential instability)
CSR10102: Dominant period: 2.04 units (repetitive)
CSR10103: No clear repetition (potential instability)
CSR10104: No clear repetition (potential instability)
CSR10105: No clear repetition (potential instability)

CSR10106: Dominant period: 2.13 units (repetitive)
CSR10107: No clear repetition (potential instability)
CSR10108: No clear repetition (potential instability)
CSR10109: No clear repetition (potential instability)
CSR10110: No clear repetition (potential instability)
CSR10111: No clear repetition (potential instability)
CSR10112: Dominant period: 9.15 units (repetitive)
CSR10113: No clear repetition (potential instability)
CSR10114: Dominant period: 13.22 units (repetitive)
CSR10115: Dominant period: 3.70 units (repetitive)
CEM10101: Dominant period: 5.17 units (repetitive)
CEM10102: Dominant period: 272.91 units (repetitive)
CEM10103: Dominant period: 3.72 units (repetitive)
CEM10104: Dominant period: 2.03 units (repetitive)
CEM10105: No clear repetition (potential instability)
CEM10106: No clear repetition (potential instability)
CEM10107: Dominant period: 18.19 units (repetitive)
CEM10108: Dominant period: 4.15 units (repetitive)
CEM10109: No clear repetition (potential instability)
CEM10110: Dominant period: 13.71 units (repetitive)
CEM10111: Dominant period: 5.06 units (repetitive)
CEM10112: Dominant period: 44.81 units (repetitive)
CEM10113: Dominant period: 5.73 units (repetitive)
CEM10114: No clear repetition (potential instability)
ORH10101: Dominant period: 2.14 units (repetitive)
ORH10102: Dominant period: 8.18 units (repetitive)
ORH10103: No clear repetition (potential instability)
ORH10104: Dominant period: 2.19 units (repetitive)
ORH10105: Dominant period: 2.43 units (repetitive)
ORH10106: Dominant period: 6.11 units (repetitive)
ORH10107: No clear repetition (potential instability)
ORH10108: No clear repetition (potential instability)
ORH10109: No clear repetition (potential instability)
ORH10110: Dominant period: 2.14 units (repetitive)
ORH10111: No clear repetition (potential instability)
ORH10112: No clear repetition (potential instability)
ORH10113: Dominant period: 2.91 units (repetitive)
ORH10114: Dominant period: 2.07 units (repetitive)
ORH10115: No clear repetition (potential instability)
CRM10101: Dominant period: 2.47 units (repetitive)

CRM10102: No clear repetition (potential instability)
CRM10103: No clear repetition (potential instability)
CRM10104: Dominant period: 9.56 units (repetitive)
CRM10105: No clear repetition (potential instability)
CRM10106: Dominant period: 9.88 units (repetitive)
CRM10107: Dominant period: 8.53 units (repetitive)
CRM10108: Dominant period: 5.78 units (repetitive)
CRM10109: Dominant period: 13.05 units (repetitive)
CRM10110: No clear repetition (potential instability)
CRM10111: Dominant period: 13.52 units (repetitive)
CRM10112: No clear repetition (potential instability)
CRM10113: Dominant period: 52.67 units (repetitive)
CRM10114: No clear repetition (potential instability)
CRM10115: No clear repetition (potential instability)
CRM10116: Dominant period: 158.00 units (repetitive)
CRM10117: Dominant period: 16.05 units (repetitive)
CRM10118: Dominant period: 2.63 units (repetitive)
CRM10119: No clear repetition (potential instability)
ITM10101: Dominant period: 5.04 units (repetitive)
ITM10102: No clear repetition (potential instability)
ITM10103: No clear repetition (potential instability)
ITM10104: No clear repetition (potential instability)
ITM10105: Dominant period: 24.81 units (repetitive)
ITM10106: Dominant period: 3.43 units (repetitive)
ITM10107: No clear repetition (potential instability)
ITM10108: Dominant period: 2.67 units (repetitive)
ITM10109: No clear repetition (potential instability)
ITM10110: No clear repetition (potential instability)
ITM10111: No clear repetition (potential instability)
ITM10112: Dominant period: 3.44 units (repetitive)
ITM10113: No clear repetition (potential instability)
ITM10114: Dominant period: 46.91 units (repetitive)
ITM10115: No clear repetition (potential instability)
ITM10116: No clear repetition (potential instability)
ITM10117: Dominant period: 4.36 units (repetitive)
ITM10118: Dominant period: 2.70 units (repetitive)
ITM10119: No clear repetition (potential instability)
CIM10101: No clear repetition (potential instability)
CIM10102: No clear repetition (potential instability)
CIM10103: Dominant period: 2.53 units (repetitive)

CIM10104: No clear repetition (potential instability)
CIM10105: Dominant period: 3.34 units (repetitive)
CIM10106: Dominant period: 5.89 units (repetitive)
CIM10107: No clear repetition (potential instability)
CIM10108: No clear repetition (potential instability)
CIM10109: No clear repetition (potential instability)
CIM10110: No clear repetition (potential instability)
CIM10111: Dominant period: 6.39 units (repetitive)
CIM10112: Dominant period: 13.58 units (repetitive)
CIM10113: No clear repetition (potential instability)
CIM10114: Dominant period: 61.27 units (repetitive)
CIM10115: No clear repetition (potential instability)
CIM10116: No clear repetition (potential instability)
CIM10117: No clear repetition (potential instability)
CIM10118: Dominant period: 3.53 units (repetitive)
CIM10119: No clear repetition (potential instability)
CPM10101: Dominant period: 3.22 units (repetitive)
CPM10102: No clear repetition (potential instability)
CPM10103: No clear repetition (potential instability)
CPM10104: Dominant period: 3.99 units (repetitive)
CPM10105: Dominant period: 9.50 units (repetitive)
CPM10106: No clear repetition (potential instability)
CPM10107: No clear repetition (potential instability)
CPM10108: Dominant period: 4.80 units (repetitive)
CPM10109: Dominant period: 15.80 units (repetitive)
CPM10110: No clear repetition (potential instability)
CPM10111: Dominant period: 2.04 units (repetitive)
CPM10112: Dominant period: 4.45 units (repetitive)
CPM10113: Dominant period: 2.27 units (repetitive)
CPM10114: Dominant period: 6.55 units (repetitive)
CPM10115: Dominant period: 3.56 units (repetitive)
CPM10116: No clear repetition (potential instability)
CPM10117: Dominant period: 7.52 units (repetitive)
CPM10118: No clear repetition (potential instability)
CPM10119: Dominant period: 3.29 units (repetitive)
QSL10101: No clear repetition (potential instability)
QSL10102: Dominant period: 4.19 units (repetitive)
QSL10103: Dominant period: 19.00 units (repetitive)
QSL10104: Dominant period: 9.56 units (repetitive)
QSL10105: Dominant period: 11.00 units (repetitive)

QSL10106: No clear repetition (potential instability)
QSL10107: Dominant period: 6.28 units (repetitive)
QSL10108: No clear repetition (potential instability)
QSL10109: No clear repetition (potential instability)
QSL10110: No clear repetition (potential instability)
QSL10111: No clear repetition (potential instability)
QSL10112: Dominant period: 4.44 units (repetitive)
QSL10113: Dominant period: 4.15 units (repetitive)
QSL10114: Dominant period: 12.10 units (repetitive)
QSL10115: Dominant period: 3.19 units (repetitive)
QSL10116: No clear repetition (potential instability)
QSL10117: Dominant period: 272.91 units (repetitive)
QSL10118: Dominant period: 2.25 units (repetitive)
QSL10119: No clear repetition (potential instability)
BIM10101: Dominant period: 14.03 units (repetitive)
BIM10102: No clear repetition (potential instability)
BIM10103: Dominant period: 5.33 units (repetitive)
BIM10104: Dominant period: 6.90 units (repetitive)
BIM10105: No clear repetition (potential instability)
BIM10106: No clear repetition (potential instability)
BIM10107: Dominant period: 187.62 units (repetitive)
BIM10108: No clear repetition (potential instability)
BIM10109: Dominant period: 8.27 units (repetitive)
BIM10110: Dominant period: 4.87 units (repetitive)
BIM10111: No clear repetition (potential instability)
BIM10112: No clear repetition (potential instability)
BIM10113: Dominant period: 2.63 units (repetitive)
BIM10114: No clear repetition (potential instability)
BIM10115: Dominant period: 2.35 units (repetitive)
BIM10116: No clear repetition (potential instability)
BIM10117: Dominant period: 4.32 units (repetitive)
BIM10118: No clear repetition (potential instability)
BIM10119: Dominant period: 2.43 units (repetitive)
BPR10101: No clear repetition (potential instability)
BPR10102: No clear repetition (potential instability)
BPR10103: Dominant period: 24.81 units (repetitive)
BPR10104: Dominant period: 3.34 units (repetitive)
BPR10105: Dominant period: 2.04 units (repetitive)
BPR10106: Dominant period: 2.01 units (repetitive)
BPR10107: Dominant period: 176.59 units (repetitive)

BPR10108: No clear repetition (potential instability)
BPR10109: Dominant period: 4.00 units (repetitive)
BPR10110: Dominant period: 26.80 units (repetitive)
BPR10111: Dominant period: 31.27 units (repetitive)
BPR10112: Dominant period: 2.71 units (repetitive)
BPR10113: No clear repetition (potential instability)
BPR10114: Dominant period: 8.11 units (repetitive)
BPR10115: No clear repetition (potential instability)
BPR10116: Dominant period: 5.06 units (repetitive)
BPR10117: Dominant period: 6.79 units (repetitive)
BPR10118: Dominant period: 6.36 units (repetitive)
BPR10119: No clear repetition (potential instability)
BIH10101: No clear repetition (potential instability)
BIH10102: Dominant period: 24.02 units (repetitive)
BIH10103: No clear repetition (potential instability)
BIH10104: No clear repetition (potential instability)
BIH10105: Dominant period: 14.23 units (repetitive)
BIH10106: Dominant period: 2.55 units (repetitive)
BIH10107: No clear repetition (potential instability)
BIH10108: No clear repetition (potential instability)
BIH10109: Dominant period: 3.36 units (repetitive)
BIH10110: Dominant period: 2.98 units (repetitive)
BIH10111: Dominant period: 5.05 units (repetitive)
BIH10112: Dominant period: 2.24 units (repetitive)
BIH10113: No clear repetition (potential instability)
BIH10114: No clear repetition (potential instability)
BIH10115: No clear repetition (potential instability)
BIH10116: Dominant period: 2.82 units (repetitive)
BIH10117: Dominant period: 19.88 units (repetitive)
BIH10118: Dominant period: 2.54 units (repetitive)
BIH10119: Dominant period: 6.11 units (repetitive)
BEV10101: No clear repetition (potential instability)
BEV10102: Dominant period: 3.86 units (repetitive)
BEV10103: Dominant period: 16.14 units (repetitive)
BEV10104: No clear repetition (potential instability)
BEV10105: No clear repetition (potential instability)
BEV10106: Dominant period: 272.91 units (repetitive)
BEV10107: No clear repetition (potential instability)
BEV10108: Dominant period: 2.35 units (repetitive)
BEV10109: Dominant period: 11.08 units (repetitive)

BEV10110: Dominant period: 46.91 units (repetitive)
BEV10111: No clear repetition (potential instability)
BEV10112: No clear repetition (potential instability)
BEV10113: No clear repetition (potential instability)
BEV10114: Dominant period: 428.86 units (repetitive)
BEV10115: Dominant period: 24.41 units (repetitive)
BEV10116: Dominant period: 3.30 units (repetitive)
BEV10117: No clear repetition (potential instability)
BEV10118: Dominant period: 2.22 units (repetitive)
BEV10119: No clear repetition (potential instability)
CHG10101: No clear repetition (potential instability)
CHG10102: No clear repetition (potential instability)
CHG10103: Dominant period: 2.14 units (repetitive)
CHG10104: Dominant period: 93.81 units (repetitive)
CHG10105: No clear repetition (potential instability)
CHG10106: No clear repetition (potential instability)
CHG10107: Dominant period: 2.55 units (repetitive)
CHG10108: No clear repetition (potential instability)
CHG10109: No clear repetition (potential instability)
CHG10110: No clear repetition (potential instability)
CHG10111: No clear repetition (potential instability)
CHG10112: Dominant period: 2.31 units (repetitive)
CHG10113: No clear repetition (potential instability)
CHG10114: No clear repetition (potential instability)
CHG10115: Dominant period: 9.56 units (repetitive)
CHG10116: No clear repetition (potential instability)
CHG10117: No clear repetition (potential instability)
CHG10118: Dominant period: 5.70 units (repetitive)
CHG10119: No clear repetition (potential instability)
CBC10101: Dominant period: 44.81 units (repetitive)
CBC10102: Dominant period: 2.51 units (repetitive)
CBC10103: Dominant period: 3.91 units (repetitive)
CBC10104: No clear repetition (potential instability)
CBC10105: Dominant period: 6.61 units (repetitive)
CBC10106: Dominant period: 6.78 units (repetitive)
CBC10107: Dominant period: 6.10 units (repetitive)
CBC10108: No clear repetition (potential instability)
CBC10109: No clear repetition (potential instability)
CBC10110: No clear repetition (potential instability)
CBC10111: Dominant period: 9.59 units (repetitive)

CBC10112: Dominant period: 3.47 units (repetitive)
CBC10113: Dominant period: 12.35 units (repetitive)
CBC10114: Dominant period: 4.36 units (repetitive)
CBC10115: Dominant period: 3.67 units (repetitive)
CBC10116: Dominant period: 3.32 units (repetitive)
CBC10117: Dominant period: 2.72 units (repetitive)
CBC10118: No clear repetition (potential instability)
CBC10119: No clear repetition (potential instability)
RTN10101: No clear repetition (potential instability)
RTN10102: Dominant period: 90.97 units (repetitive)
RTN10103: No clear repetition (potential instability)
RTN10104: Dominant period: 5.29 units (repetitive)
RTN10105: Dominant period: 16.40 units (repetitive)
RTN10106: Dominant period: 4.98 units (repetitive)
RTN10107: No clear repetition (potential instability)
RTN10108: No clear repetition (potential instability)
RTN10109: No clear repetition (potential instability)
RTN10110: Dominant period: 158.00 units (repetitive)
RTN10111: No clear repetition (potential instability)
RTN10112: No clear repetition (potential instability)
RTN10113: Dominant period: 21.60 units (repetitive)
RTN10114: No clear repetition (potential instability)
RTN10115: Dominant period: 4.34 units (repetitive)
RTN10116: Dominant period: 37.52 units (repetitive)
RTN10117: Dominant period: 5.27 units (repetitive)
RTN10118: No clear repetition (potential instability)
RTN10119: No clear repetition (potential instability)
CII10101: Dominant period: 7.16 units (repetitive)
CII10102: No clear repetition (potential instability)
CII10103: No clear repetition (potential instability)
CII10104: Dominant period: 2.91 units (repetitive)
CII10105: Dominant period: 38.00 units (repetitive)
CII10106: No clear repetition (potential instability)
CII10107: Dominant period: 10.42 units (repetitive)
CII10108: No clear repetition (potential instability)
CII10109: No clear repetition (potential instability)
CII10110: No clear repetition (potential instability)
CII10111: Dominant period: 3.33 units (repetitive)
CII10112: Dominant period: 12.40 units (repetitive)
CII10113: No clear repetition (potential instability)

CII10114: No clear repetition (potential instability)
CII10115: Dominant period: 3.24 units (repetitive)
CII10116: Dominant period: 3.06 units (repetitive)
CII10117: Dominant period: 11.82 units (repetitive)
CII10118: No clear repetition (potential instability)
CII10119: No clear repetition (potential instability)
CCM10101: No clear repetition (potential instability)
CCM10102: No clear repetition (potential instability)
CCM10103: No clear repetition (potential instability)
CCM10104: Dominant period: 2.48 units (repetitive)
CCM10105: No clear repetition (potential instability)
CCM10106: No clear repetition (potential instability)
CCM10107: Dominant period: 3.52 units (repetitive)
CCM10108: Dominant period: 5.63 units (repetitive)
CCM10109: No clear repetition (potential instability)
CCM10110: No clear repetition (potential instability)
CCM10111: Dominant period: 6.58 units (repetitive)
CCM10112: Dominant period: 3.02 units (repetitive)
CCM10113: Dominant period: 10.72 units (repetitive)
CCM10114: Dominant period: 4.00 units (repetitive)
CCM10115: Dominant period: 9.62 units (repetitive)
CCM10116: No clear repetition (potential instability)
CCM10117: No clear repetition (potential instability)
CCM10118: No clear repetition (potential instability)
CCM10119: No clear repetition (potential instability)
CSP10101: No clear repetition (potential instability)
CSP10102: Dominant period: 7.74 units (repetitive)
CSP10103: No clear repetition (potential instability)
CSP10104: Dominant period: 2.36 units (repetitive)
CSP10105: Dominant period: 2.02 units (repetitive)
CSP10106: Dominant period: 2.41 units (repetitive)
CSP10107: Dominant period: 5.24 units (repetitive)
CSP10108: Dominant period: 5.87 units (repetitive)
CSP10109: Dominant period: 25.88 units (repetitive)
CSP10110: Dominant period: 4.44 units (repetitive)
CSP10111: No clear repetition (potential instability)
CSP10112: Dominant period: 7.32 units (repetitive)
CSP10113: No clear repetition (potential instability)
CSP10114: No clear repetition (potential instability)
CSP10115: No clear repetition (potential instability)

CSP10116: Dominant period: 8.73 units (repetitive)
CSP10117: Dominant period: 10.80 units (repetitive)
CSP10118: No clear repetition (potential instability)
CSP10119: No clear repetition (potential instability)
CFS10101: No clear repetition (potential instability)
CFS10102: Dominant period: 2.19 units (repetitive)
CFS10103: Dominant period: 3.52 units (repetitive)
CFS10104: No clear repetition (potential instability)
CFS10105: Dominant period: 3.09 units (repetitive)
CFS10106: Dominant period: 5.21 units (repetitive)
CFS10107: No clear repetition (potential instability)
CFS10108: Dominant period: 7.15 units (repetitive)
CFS10109: No clear repetition (potential instability)
CFS10110: Dominant period: 230.92 units (repetitive)
CFS10111: No clear repetition (potential instability)
CFS10112: Dominant period: 2.16 units (repetitive)
CFS10113: No clear repetition (potential instability)
CFS10114: Dominant period: 16.23 units (repetitive)
CFS10115: Dominant period: 4.67 units (repetitive)
CFS10116: Dominant period: 37.52 units (repetitive)
CFS10117: Dominant period: 2.56 units (repetitive)
CFS10118: No clear repetition (potential instability)
CFS10119: No clear repetition (potential instability)

Groups Trends:

CSR10001: Increasing
CEM10001: Decreasing
ORH10001: Decreasing
CRM10001: Stable
ITM10001: Increasing
CIM10001: Increasing
CPM10001: Stable
QSL10001: Stable
BIM10001: Decreasing
BPR10001: Increasing
BIH10001: Decreasing
BEV10001: Increasing
CHG10001: Decreasing
CBC10001: Stable
RTN10001: Decreasing

CII10001: Decreasing
CCM10001: Increasing
CSP10001: Increasing
CFS10001: Stable

Groups Repetitions (Fourier Analysis):

CSR10001: No clear repetition (potential instability)
CEM10001: Dominant period: 2.76 units (repetitive)
ORH10001: Dominant period: 8.78 units (repetitive)
CRM10001: Dominant period: 15.80 units (repetitive)
ITM10001: No clear repetition (potential instability)
CIM10001: Dominant period: 3.19 units (repetitive)
CPM10001: Dominant period: 34.11 units (repetitive)
QSL10001: No clear repetition (potential instability)
BIM10001: Dominant period: 7.80 units (repetitive)
BPR10001: No clear repetition (potential instability)
BIH10001: No clear repetition (potential instability)
BEV10001: Dominant period: 5.72 units (repetitive)
CHG10001: No clear repetition (potential instability)
CBC10001: No clear repetition (potential instability)
RTN10001: Dominant period: 9.35 units (repetitive)
CII10001: No clear repetition (potential instability)
CCM10001: Dominant period: 2.23 units (repetitive)
CSP10001: Dominant period: 5.92 units (repetitive)
CFS10001: Dominant period: 5.89 units (repetitive)

Sub_Modules Trends:

CSR10000: Increasing
CEM10000: Decreasing
ORH10000: Decreasing
CRM10000: Stable
ITM10000: Increasing
CIM10000: Increasing
CPM10000: Stable
QSL10000: Stable
BIM10000: Decreasing
BPR10000: Increasing
BIH10000: Decreasing
BEV10000: Increasing
CHG10000: Decreasing
CBC10000: Stable

RTN10000: Decreasing

CII10000: Decreasing

CCM10000: Increasing

CSP10000: Increasing

CFS10000: Stable

Sub_Modules Repetitions (Fourier Analysis):

CSR10000: No clear repetition (potential instability)

CEM10000: Dominant period: 2.76 units (repetitive)

ORH10000: Dominant period: 8.78 units (repetitive)

CRM10000: Dominant period: 15.80 units (repetitive)

ITM10000: No clear repetition (potential instability)

CIM10000: Dominant period: 3.19 units (repetitive)

CPM10000: Dominant period: 34.11 units (repetitive)

QSL10000: No clear repetition (potential instability)

BIM10000: Dominant period: 7.80 units (repetitive)

BPR10000: No clear repetition (potential instability)

BIH10000: No clear repetition (potential instability)

BEV10000: Dominant period: 5.72 units (repetitive)

CHG10000: No clear repetition (potential instability)

CBC10000: No clear repetition (potential instability)

RTN10000: Dominant period: 9.35 units (repetitive)

CII10000: No clear repetition (potential instability)

CCM10000: Dominant period: 2.23 units (repetitive)

CSP10000: Dominant period: 5.92 units (repetitive)

CFS10000: Dominant period: 5.89 units (repetitive)