

inconsistencies_report_enterprise.txt

TBD2 pipeline output - rendered to PDF

Inconsistencies Analysis Report

Generated on: 2026-09-20 14:53:58

Metrics Dependent Inconsistencies:

None found.

Metrics Independent Inconsistencies:

69006 pair(s) found; showing top 30 by percentage:

Metric 1 ID	Metric 1 Name	Metric 2 ID	Metric 2 Name	Correlation	Count	Percentage	Over Points
-------------	---------------	-------------	---------------	-------------	-------	------------	-------------

ESE10103	Incident Response Time	EAS10127	Process Improvement Rate	0.02	923	30.77%	3000
----------	------------------------	----------	--------------------------	------	-----	--------	------

EAU10122	Policy Update Frequency	ECF10128	Innovation in Finance	0.01	917	30.57%	3000
----------	-------------------------	----------	-----------------------	------	-----	--------	------

EBA10114	Customer Satisfaction Score	EAU10102	Audit Cycle Time	0.08	916	30.53%	3000
----------	-----------------------------	----------	------------------	------	-----	--------	------

EAS10103	Mean Time Between Failures (MTBF)	EPR10123	Employee Engagement Score	0.01	912	30.40%	3000
----------	-----------------------------------	----------	---------------------------	------	-----	--------	------

EFI10103	Budget Utilization Rate	EPR10131	Stakeholder Feedback Implementation Rate	0.03	908	30.27%	3000
----------	-------------------------	----------	--	------	-----	--------	------

ESE10118	Compliance Rate	EPR10103	Benchmarking	-0.00	906	30.20%	3000
----------	-----------------	----------	--------------	-------	-----	--------	------

EKW10116	Knowledge Update Frequency	EHU10115	Training Effectiveness Score	0.05	905	30.17%	3000
----------	----------------------------	----------	------------------------------	------	-----	--------	------

EKW10103	Knowledge Storage Accuracy	EBA10104	Process Automation Rate	0.04	904	30.13%	3000
----------	----------------------------	----------	-------------------------	------	-----	--------	------

EHU10111	Employee Net Promoter Score (eNPS)	ESE10114	Data Breach Incidents	0.05	904	30.13%	3000
----------	------------------------------------	----------	-----------------------	------	-----	--------	------

ESC10112	Inventory Accuracy	ESC10126	Process Improvement Rate	0.05	904	30.13%	3000
----------	--------------------	----------	--------------------------	------	-----	--------	------

EAS10126	Policy Update Frequency	EPR10123	Employee Engagement Score	0.02	903	30.10%	3000
----------	-------------------------	----------	---------------------------	------	-----	--------	------

EST10103	Plan Execution Rate	ESC10118	Order Accuracy Rate	0.02	902	30.07%	3000
----------	---------------------	----------	---------------------	------	-----	--------	------

EBA10120	Return on Assurance Investment	ESC10127	Innovation Rate	0.03	902	30.07%	3000
----------	--------------------------------	----------	-----------------	------	-----	--------	------

EAS10127	Process Improvement Rate	EPV10112	Data Loss Prevention Effectiveness	0.06	902	30.07%	3000
----------	--------------------------	----------	------------------------------------	------	-----	--------	------

EAS10116	Maintenance Backlog	EAU10103	Audit Resource Utilization	0.03	901	30.03%	3000
----------	---------------------	----------	----------------------------	------	-----	--------	------

EAU10122	Policy Update Frequency	EPV10110	Data Breach Incidents	0.01	901	30.03%	3000
----------	-------------------------	----------	-----------------------	------	-----	--------	------

EHU10122	Salary Averages	EAU10106	Audit Findings Resolution Time	0.06	900	30.00%	3000
----------	-----------------	----------	--------------------------------	------	-----	--------	------

EPV10103	Privacy Policy Adherence	EIF10104	Segmentation Utilization Rate	0.05	898	29.93%	3000
----------	--------------------------	----------	-------------------------------	------	-----	--------	------

EKW10123	Stakeholder Feedback Implementation Rate	ELR10124	Innovation in Learning	0.05	897	29.90%	3000
----------	--	----------	------------------------	------	-----	--------	------

EHU10115	Training Effectiveness Score	EPR10115	Process Improvement Rate	0.00	897	29.90%	3000
----------	------------------------------	----------	--------------------------	------	-----	--------	------

EHU10124	Benefits Utilization Rate	EBA10120	Return on Assurance Investment	0.00	897	29.90%	3000
----------	---------------------------	----------	--------------------------------	------	-----	--------	------

EAS10124	Net Promoter Score (NPS)	EPR10110	Return on Investment (ROI)	0.04	897	29.90%	3000
----------	--------------------------	----------	----------------------------	------	-----	--------	------

ERS10127	Process Improvement Rate	ETR10102	Training Completion Rate	0.05	896	29.87%	3000
----------	--------------------------	----------	--------------------------	------	-----	--------	------

ERK10107	Mitigation Effectiveness Score	ESC10115	Transportation Lead Time	0.01	895	29.83%	3000
----------	--------------------------------	----------	--------------------------	------	-----	--------	------

EKW10116 | Knowledge Update Frequency | EGV10102 | Governance Compliance Rate | 0.03 | 895 | 29.83% | 3000

EHU10122 | Salary Averages | ESC10119 | Customer Order Cycle Time | 0.03 | 895 | 29.83% | 3000

EPR10120 | Customer Complaint Resolution Time | EAU10112 | Risk Compliance Rate | 0.02 | 894 | 29.80% | 3000

ERS10114 | Knowledge Capture Rate | EIF10114 | Customer Satisfaction (CSAT) Score by Segment | 0.03 | 894 | 29.80% | 3000

EHU10131 | Stakeholder Feedback Implementation Rate | ECF10128 | Innovation in Finance | 0.05 | 893 | 29.77% | 3000

EAS10128 | Innovation in Asset Management | EGV10107 | Risk Mitigation Effectiveness | 0.04 | 893 | 29.77% | 3000

Groups Dependent Inconsistencies:

None found.

Groups Independent Inconsistencies:

7021 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

ERS10125	ERS10125	ETR10113	ETR10113	0.01	897	29.90%	3000
EKW10113	EKW10113	EPR10105	EPR10105	0.04	889	29.63%	3000
EST10101	EST10101	EGV10109	EGV10109	0.02	888	29.60%	3000
ERK10113	ERK10113	EGV10113	EGV10113	0.02	885	29.50%	3000
EAS10125	EAS10125	EGV10105	EGV10105	0.02	883	29.43%	3000
ERK10101	ERK10101	EFI10117	EFI10117	0.02	882	29.40%	3000
EHU10129	EHU10129	ESC10113	ESC10113	0.03	882	29.40%	3000
ESC10101	ESC10101	EAS10117	EAS10117	0.05	881	29.37%	3000
EST10105	EST10105	ERK10105	ERK10105	0.03	880	29.33%	3000
EST10105	EST10105	EAS10113	EAS10113	0.03	880	29.33%	3000
EST10113	EST10113	ECF10101	ECF10101	0.03	879	29.30%	3000
ERK10109	ERK10109	ELR10117	ELR10117	-0.02	879	29.30%	3000
ERK10113	ERK10113	EGV10117	EGV10117	0.01	879	29.30%	3000
EKW10121	EKW10121	EPR10121	EPR10121	0.00	878	29.27%	3000
EKW10121	EKW10121	ELR10101	ELR10101	0.03	878	29.27%	3000
ESE10109	ESE10109	EAU10105	EAU10105	0.03	878	29.27%	3000
EST10101	EST10101	EPV10105	EPV10105	0.04	877	29.23%	3000
ERK10109	ERK10109	ESE10117	ESE10117	0.00	877	29.23%	3000
EBA10105	EBA10105	EAU10121	EAU10121	-0.00	877	29.23%	3000
EST10101	EST10101	EST10117	EST10117	0.05	876	29.20%	3000
EST10109	EST10109	ESC10125	ESC10125	0.01	876	29.20%	3000
EST10117	EST10117	EFI10105	EFI10105	-0.02	876	29.20%	3000
EPR10109	EPR10109	ELR10113	ELR10113	0.03	876	29.20%	3000
EAU10109	EAU10109	EAU10113	EAU10113	0.02	876	29.20%	3000
EFI10125	EFI10125	EHU10105	EHU10105	0.04	875	29.17%	3000

EHU10125 | EHU10125 | ESE10125 | ESE10125 | 0.01 | 875 | 29.17% | 3000
EST10109 | EST10109 | EKW10117 | EKW10117 | 0.03 | 873 | 29.10% | 3000
ESC10125 | ESC10125 | ECF10109 | ECF10109 | -0.00 | 873 | 29.10% | 3000
EPR10121 | EPR10121 | EGV10113 | EGV10113 | 0.01 | 873 | 29.10% | 3000
ERS10117 | ERS10117 | EAU10117 | EAU10117 | 0.02 | 873 | 29.10% | 3000

Sub_Modules Dependent Inconsistencies:

None found.

Sub_Modules Independent Inconsistencies:

153 pair(s) found; showing top 30 by percentage:

Metric 1 ID | Metric 1 Name | Metric 2 ID | Metric 2 Name | Correlation | Count | Percentage | Over Points

EBA10000 | EBA10000 | EIF10000 | EIF10000 | 0.01 | 877 | 29.23% | 3000
EGV10000 | EGV10000 | EAU10000 | EAU10000 | 0.00 | 871 | 29.03% | 3000
EST10000 | EST10000 | EPV10000 | EPV10000 | 0.01 | 870 | 29.00% | 3000
ESC10000 | ESC10000 | ERS10000 | ERS10000 | 0.02 | 868 | 28.93% | 3000
EKW10000 | EKW10000 | ECF10000 | ECF10000 | 0.00 | 865 | 28.83% | 3000
EAS10000 | EAS10000 | EPR10000 | EPR10000 | 0.03 | 865 | 28.83% | 3000
EPR10000 | EPR10000 | ETR10000 | ETR10000 | 0.02 | 861 | 28.70% | 3000
EST10000 | EST10000 | ERK10000 | ERK10000 | -0.02 | 857 | 28.57% | 3000
EHU10000 | EHU10000 | ERS10000 | ERS10000 | -0.00 | 857 | 28.57% | 3000
EGV10000 | EGV10000 | EIF10000 | EIF10000 | -0.00 | 857 | 28.57% | 3000
ESC10000 | ESC10000 | EPV10000 | EPV10000 | 0.02 | 856 | 28.53% | 3000
ESE10000 | ESE10000 | ERS10000 | ERS10000 | 0.01 | 856 | 28.53% | 3000
EPR10000 | EPR10000 | EAU10000 | EAU10000 | 0.03 | 856 | 28.53% | 3000
EPV10000 | EPV10000 | EIF10000 | EIF10000 | 0.00 | 856 | 28.53% | 3000
EGV10000 | EGV10000 | EPV10000 | EPV10000 | -0.00 | 855 | 28.50% | 3000
EHU10000 | EHU10000 | ECF10000 | ECF10000 | 0.01 | 854 | 28.47% | 3000
EST10000 | EST10000 | EKW10000 | EKW10000 | 0.01 | 853 | 28.43% | 3000
EAS10000 | EAS10000 | ECF10000 | ECF10000 | -0.01 | 853 | 28.43% | 3000
ERK10000 | ERK10000 | EFI10000 | EFI10000 | 0.03 | 852 | 28.40% | 3000
EHU10000 | EHU10000 | EBA10000 | EBA10000 | 0.02 | 852 | 28.40% | 3000
ERK10000 | ERK10000 | EBA10000 | EBA10000 | 0.03 | 851 | 28.37% | 3000
ESC10000 | ESC10000 | ESE10000 | ESE10000 | 0.02 | 851 | 28.37% | 3000
EST10000 | EST10000 | ELR10000 | ELR10000 | 0.03 | 850 | 28.33% | 3000
EFI10000 | EFI10000 | ERS10000 | ERS10000 | -0.00 | 850 | 28.33% | 3000
ESE10000 | ESE10000 | EPV10000 | EPV10000 | 0.00 | 850 | 28.33% | 3000
ESE10000 | ESE10000 | ECF10000 | ECF10000 | -0.02 | 849 | 28.30% | 3000
ERS10000 | ERS10000 | EPV10000 | EPV10000 | -0.00 | 849 | 28.30% | 3000
EST10000 | EST10000 | EAS10000 | EAS10000 | -0.00 | 848 | 28.27% | 3000
ERK10000 | ERK10000 | ERS10000 | ERS10000 | 0.01 | 847 | 28.23% | 3000

EHU10000 | EHU10000 | ELR10000 | ELR10000 | 0.01 | 847 | 28.23% | 3000